

AD-A189 692


Research Product 87-24

Development of ROTC Data Sets and Evaluation of Their Usefulness for Officer Longitudinal Research Data Base

Leadership and Management Technical Area

Manpower and Personnel Research Laboratory

August 1987





87 12 14 043

U. S. Army Research Institute for the Behavioral and Social Sciences

Approved for public release; distribution unlimited.

# U. S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES

A Field Operating Agency under the Jurisdiction of the Deputy Chief of Staff for Personnel

EDGAR M. JOHNSON Technical Director WM. DARRYL HENDERSON COL, IN Commanding

Technical review

F.G. Grafton W.W. Haythorne T. Tremble

#### NOTICE

FINAL DISPOSITION: This Research Product may be destroyed when it is no longer needed. Please do not return it to the U.S. Army Research Institute for the Behavioral and Social Sciences.

NOTE: This Research Product is not to be construed as an official Department of the Army document in its present form.

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
ARI Research Product 87-24	
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED
DEVELOPMENT OF ROTC DATA SETS AND EVALUATION OF	Final Report
THEIR USEFULNESS FOR OFFICER LONGITUDINAL	November 1986-March 1987
RESEARCH DATA BASE	6. PERFORMING ORG. REPORT NUMBER
1.20.20.01	
7. AUTHOR(e)	8. CONTRACT OR GRANT NUMBER(s)
Dianne D. Younkman	DAAG 20 21 D 0100
	DAAG-29-81-D-0100
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK
Fu Associates, Ltd.	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Suite 201, 1515 N. Courthouse Road	2Q263743A794
Arlington, Virginia 22201	-,
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
U.S. Army Research Institute for the Behavioral	August 1987
and Social Sciences, 5001 Eisenhower Avenue,	13. NUMBER OF PAGES
Alexandria, Virginia 22333-5600	116
14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	15. SECURITY CLASS. (of this report)
	Unclassified
	15a. DECLASSIFICATION/DOWNGRADING
	SCHEDULE
Approved for public release; distribution unlimited	
18. SUPPLEMENTARY NOTES	
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)	
Retention Scholarship	Keserve Officers
ROTC	Tining
Separation,	Roserve Officers' Training Corps
Officer Data Base, active duty, Cadets,	is training.
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)	9
The U.S. Army Research Institute has developed an Data Base (OLRDB) to support a variety of research advanced camp and commissioning files for 1982 thr matched to the OLRDB core data set. The resulting evaluate the usefulness of ROTC historical data and the relationship between scholarships and retention found to be useful; however, additional years of O	objectives. The (ROTC) ough 1985 were organized and data sets are used to d the ORLDB for estimating n. This relationship was
better base for analysis. Keywords:	

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS DESOLETE

#### Research Product 87-24

## Development of ROTC Data Sets and Evaluation of Their Usefulness for Officer Longitudinal Research Data Base

Dianne D. Younkman Fu Associates, Ltd.

Accession For

NTIS GRA&I
DTIC TAB
Unannounced
Justification

By\_\_\_\_\_
Distribution/
Availability Codes

Avail and/or
Dist Special

Leadership and Management Technical Area William W. Haythorne, Chief

Manpower and Personnel Research Laboratory
Newell K. Eaton, Director



U.S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES 5001 Eisenhower Avenue, Alexandria, Virginia 22333-5600

Office, Deputy Chief of Staff for Personnel

Department of the Army

August 1987

Army Project Number 2Q263743A794

Education and Training

Approved for public release; distribution unlimited.

The Leadership and Management Technical Area of the U.S. Army Research Institute (ARI) conducts programmatic research to improve leader effectiveness, with a focus on the sequential, progressive development of leaders. To support this and other research, ARI is developing an Officer Longitudinal Research Data Base (OLRDB) along with an on-line User's Manual and Data Dictionary. The data base will enable researchers to produce data-based information on officer training, professional development, and utilization.

This report describes the procedures used to incorporate personnel and advanced camp performance data on cadets enrolled in the Reserve Officers' Training Corps (ROTC). Inclusion of these data expands the precommissioning coverage of the OLRDB. The utility of this expansion is also demonstrated by a comparison of the active duty retention rates of ROTC scholarship recipients with the retention rates of nonscholarship cadets.

The development of the OLRDB has been briefed to the research sponsor, the Center for Army Leadership (29 April 1987), which recognizes its role as a research tool to generate information necessary for systematic enhancement of leader training and effectiveness.

EDGAR M. JOHNSON

Technical Director

# DEVELOPMENT OF ROTC DATA SETS AND EVALUATION OF THEIR USEFULNESS FOR OFFICER LONGITUDINAL RESEARCH DATA BASE

CONTENTS	
	Page
BACKGROUND	• • • • • • • • • • • • • • • • • • • •
PROCEDURE .	
Data Reso ROTC Data	ta Used in the Project
RESULTS AND	PRODUCTS
Data Dict Computer	Description
SUMMARY AND	CONCLUSIONS
APPENDIX A.	SOURCE DOCUMENTATION FOR ROTC ADVANCED CAMP FILES
В.	SOURCE DOCUMENTATION FOR COMMISSION FILES
C.	OFFICER LONGITUDINAL RESEARCH DATA BASE CORE DATA SET BRIEF DESCRIPTION
D.	CONVERSION SPECIFICATIONS FOR ROTC DATA
E.	DATA DICTIONARY DESCRIPTIONS
F.	COMPUTER PROCEDURE EXAMPLES
	LIST OF TABLES
Table 1. Re	tention analysis by scholarship status

11

# DEVELOPMENT OF ROTC DATA SETS AND EVALUATION OF THEIR USEFULNESS FOR OFFICER LONGITUDINAL RESEARCH DATA BASE

#### **BACKGROUND**

The U.S. Army Research Institute (ARI) established the Officer Longitudinal Research Data Base (OLRDB) to provide a longitudinal record of officer history for research purposes. The OLRDB contains a record for all officers on active duty between 1970 and 1986. The record of separated officers contains the separation program designator (SPD) that describes the reason for separation.

The Department of the Army maintains computerized yearly records of cadets enrolled in Reserve Officer Training Corps (ROTC). Each record reflects a cadet's status and progress in the training program for an academic school year.

The objective of matching ROTC precommission data with officer history from the OLRDB was to determine whether a relationship exists between documented characteristics of ROTC cadets and retention of these cadets as officers.

The scope of this effort was to create two ROTC data sets which were free of detectable errors, linked with the existing OLRDB core data set and documented for research use with the Statistical Analysis System (SAS). The data sets are the ROTC Advanced Camp Data Set and the ROTC Commission Data Set.

Retention analysis of the commissioned cadets, as documented on the OLRDB core data set, was also included within the scope of effort. Scholarship recipients were specifically evaluated in the retention report. The separation program designator was examined for those officers who had separated.

#### **PROCEDURE**

#### Source Data Used in the Project

ARI supplied two sets of ROTC data to be organized, verified for accuracy, and linked with the OLRDB.

- 1. ROTC Advanced Camp Cadet annual files from 1982 through 1985.
- 2. ROTC Cadet Master (Commission) annual files from 1982 through 1985.

Documentation for the Advanced Camp data consisted of record specifications and element descriptions. The Commission file was documented by tape layouts and TRADOC Regulation 145-15 that describes the entry of cadet data into the ROTC Management Information System (ROTCMIS). Examples of these documentation vehicles are included in Appendix A for Camp data and Appendix B for Commission data.

The ROTC data sets were linked to the OLRDB core data set. The core data set contains essential or core data elements from the Officer Master File that give a concise overview of an officer's status and promotion history while on active duty. A brief description of the data elements maintained on this data set is included in Appendix C.

#### Data Resolution

The location of data elements, valid values for data elements, and the data elements themselves are not consistent from year to year on the ROTC files. The tasks that were necessary to resolve the inconsistency in the data are described below.

- 1. Match the acronyms and abbreviations that appear on the tape layout forms to the data element descriptions.
- 2. Develop a set of data element names that were unique to the data set involved, descriptive of the data element, consistent within the OLRDP, and appropriate for use by the Statistical Analysis System.
- 3. Create a SAS program to extract each data element by name from each yearly file.
- 4. Create frequency tables for each data element from each year. Match the actual data values to the documented values for specific years to ensure the thoroughness of the documentation.
- 5. Create specifications and programs to change inconsistent data values to match current values for some data elements. Document new data values if no modification was possible.

ROTC Advanced Camp File. The data resolution of the ROTC Advanced Camp file was straightforward. Although some additional data values were present on the files for a few data variables, the title and placement of each data element was clearly documented.

The Contracting Officer's Representative (COR) reviewed the changes required to bring the early data up-to-date with current coding practices and the conversion was accomplished. Appendix D contains a description of the changes performed on the Advanced Camp data.

ROTC Commission File. The only identification of data elements on the ROTC Commission files was that specified on the tape layouts. They were denoted with acronyms and abbreviations that were extremely small in size and of poor copy quality that made the document difficult to decipher in some cases.

The data element names that were legible were matched to descriptions of data elements in TRADOC Regulation 145-15. The organization of this document has no relationship to the tape layouts in terms of placement of data elements. This regulation specifies data entry procedures for an input form, and data descriptions were arranged in reference to that form. It also contains data elements not present on the tape file and contains no information on some of the elements that do exist on the tape file.

The length of each of the data elements was clearly defined on the tape layouts so frequency tables for each element were used to verify a match between the tape layout and the TRADOC Regulation. Through this step of the data resolution process, it was discovered that the tape layout for fiscal year 1983 was incorrect. In actuality, the 1983 data matched the layout for fiscal year 1984.

After all possible resolutions were made, some data elements remain unidentified (10 out of 120) and some data values are not fully documented. These data elements were described on the data dictionary with whatever information was available such as position on the input file. Additional documentation for the ROTC Commission file could lead to proper identification of these data elements.

Each of the identified data elements was examined in the context of the current coding specifications. Some data elements on the older files required updating earlier coding standards to those used in 1985. A description of the conversion specifications for each input file is included in Appendix D.

#### ROTC Data Consolidation

After the data from each year of the ROTC files were made consistent with current coding requirements, the yearly files were consolidated to create two ROTC data sets, an Advanced Camp Data Set and a Commission Data Set.

The consolidation of each data set was performed by encoding the data year on the cadet's record and merging by social security number. If multiple entries for one social security number existed, the most recent record was saved. There were cases of multiple entries but they all appeared to be exact duplications of another record.

#### Encryption of Personal Identification Number

Each cadet record was identified by social security number. Privacy regulations prohibit the use of social security number in research files. Therefore, a special procedure was performed to transform the social security numbers into unique but meaningless identification numbers. This procedure was developed for the core data set of the OLRDB. The identification numbers generated for the ROTC data sets were consistent with those on the OLRDB.

Each record from the ROTC data sets was matched to the OLRDB core data set. A match means that the cadet was commissioned and began serving active duty as indicated in the OLRDB. The ROTC data set was marked with a special data element which indicates whether or not an OLRDB match was found.

#### RESULTS AND PRODUCTS

#### Data Set Description

Two ROTC/OLRDB data sets result from this effort. They reside at the National Institutes of Health (NIH) computer facility. They were both built and organized with the use of the Statistical Analysis System. SAS is a completely functional data processing programming language and contains a wide variety of statistical and reporting procedures commonly used in research. All data elements were assigned names conforming to SAS naming conventions with a length of eight or less. Missing values are represented on the SAS data sets by a period which is the SAS standard.

The ROTC/OLRDB Advanced Camp Data Set consists of 34,776 observations. Each observation (or record) describes an individual cadet present on the ROTC Advanced Camp files between 1982 and 1985. All ROTC data elements that were present on the annual files were carried over to the new data set. When this data set was matched to the OLRDB core data set, 14,661 cadets were present as active duty officers by 1986. The data element that indicates an OLRDB match, COLRDB, has a value of 'Y' for these cadets.

Each cadet was identified by a unique 9-digit match code that links the cadet to other data sets within the OLRDB. This data set contain some personal data such as date of birth, sex, and race, as well as background academia and military experience. The majority of the data elements, however, describe the cadet's status and training results from ROTC advanced camp work.

The ROTC/OLRDB Commission Data Set consists of 31,967 observations. All records contain the complete set of data elements present on the ROTC Commission annual files. When the match to the OLRDB core data set was performed, 18,617 cadets were present as active duty officers by 1986. For each of these officers, the OLRDB match indicator was set to 'Y'.

As in the Advanced Camp Data Set, the records were identified by the OLRDB matchcode. Similarly, some data elements described the cadet's status, personal data, and military background. The majority of data elements describe the cadet's academic performance, test results, and commissioning information. Scores were recorded for the Scholastic Aptitude Test, the American College Test, the General Screening Test, and others. Language performance was ranked. Grade point averages for both academic and ROTC Miliary Science classes were reported. Scholarship terms and status, commission dates, and branch information were also described.

A full list and description of all data elements can be found in Appendix E, which contains the data dictionary descriptions.

#### Data Dictionary Descriptions

ARI maintains a dictionary of all data elements contained in the OLRDB. The ROTC data set elements are documented in the data dictionary. Each entry consists of the element name, title (if known), description (if known), data values, and documentation for each data value (if known).

Both ROTC data sets contain some data elements for which no description was available in the documentation. The meaning of specific data values was frequently missing. Therefore, some data values lack descriptions. A complete listing of the data dictionary entries can be found in Appendix E.

#### Computer Procedures

The annual ROTC Advanced Camp and Commission files required the same processing steps to achieve the final research product. The objective of each computer procedure that can be used to update the ROTC data sets was the same for all files. However, the detailed program specifications such as data element input position, length, and name were unique for each file.

Each computer procedure is described below by its objective, input, output, and processing considerations if relevant. The Statistical Analysis System was the programming language used for each procedure. SAS is a high-level language that performs standard data processing functions well and lends itself to statistical analysis commonly used in research. Program listings of each procedure are included in Appendix F.

#### Procedure #1: Read Annual Files for Field Identification

#### **OBJECTIVE**

After manual review of the documentation for each file, it was necessary to verify that each field in the file contains data that matches the documentation. Rather than naming each element at this time, each data element was identified by its location in the record. For example, elements starting at positions 1 and 5 were identified as A1 and A5, with the appropriate lengths. Frequency counts of each element can be used to match the documented values for each data variable with what exists on the file.

#### INPUT

Input raw data files from ROTC.

#### OUTPUT

Program listing and frequency counts for each data element.

#### PROCESSING CONSIDERATIONS

The number of pages of output depends on the number of values found in each data element. Elements such as name and social security number will cause a separate line to be printed for each observation because these elements are unique for each record.

This step may need to be repeated again if elements do not appear as expected. Length or position of the variables may need to be corrected, and the frequencies rerun.

#### Procedure #2: Scramble Personal Identification Number

#### **OBJECTIVE**

Each cadet on the ROTC files is identified by social security number. The scramble procedure encrypts the social security number. This scrambled number can be used to uniquely identify each cadet for matching purposes within the OLRDB. In this manner, the privacy of each cadet as identified by social security number was maintained.

Due to the sensitive nature of this step, the Contracting Officer's Representative is the only person to receive a copy of the program listing for the scramble procedure.

#### INPUT

Input raw data files from ROTC.

#### OUTPUT

Working file #1 with all data unchanged except that social security number was replaced with the scrambled matchcode.

#### Procedure #3: Read and Recode Annual Files

#### OBJECTIVE

This procedure associates a unique and meaningful name with each data element. The ROTC Advanced Camp variables begin with 'C'. The ROTC Commission variables begin with 'M'. If possible, the descriptive names are the same for like elements. For example, the data variable 'RACE' is identified as 'CRACE' and 'MRACE' on the appropriate data set.

It was necessary to change the value of some data elements to conform to 1985 coding requirements. Conversion specifications for each data set are described in Appendix D.

Additional data variables were created as needed. For example, 1982 test scores were maintained in their component parts of math and language. The following years reported only the total score. The total score was created for 1982 by adding together the math and language scores. The component scores for 1982 were also stored on the data set. The fiscal year of the ROTC file associated with each record was also added as well.

Data variables that were not to be included on the final data set were deleted in this procedure. File maintenance element 'DELETE' and filler elements were of no use for research purposes. 'NAME' was removed for privacy purposes.

#### INPUT

Working file #1.

OUTPUT

Working file #2.

#### Procedure #4: Examine Duplicate Records

#### **OBJECTIVE**

Each final data set contains one record for each cadet. This procedure identifies duplicate records, if they exist, and prints them for manual review.

INPUT

Working file #2.

OUTPUT

Printout of records for each cadet with multiple records.

#### Procedure #5: Concatenate Years and Match to OLRDB

#### **OBJECTIVE**

This procedure produces the final ROTC data sets. The recoded files for each year were merged together in order by the scrambled matchcode. The combined data set was sorted by year in descending order within matchcode. The duplicate records for a single cadet were dropped from the file, leaving the most recent year if multiple years exist. There were 47 duplicate records for cadets on the Advanced Camp files and 20 duplicate records for cadets on the Commission files.

The resulting data set was then matched to the OLRDB core data set. New data elements, COLRDB (Camp) and MOLRDB (Commission), were added to the ROTC data sets to identify those records for which an OLRDB match was found.

Finally, a listing of the contents of the newly created data set was created using the PROC CONTENTS procedure. This listing identifies the SAS name of each element, the element type, length, and position in the SAS file.

INPUT

Working file #2.

OUTPUT

SAS ROTC/OLRDB Data Set. Contents listing of the SAS ROTC/OLRDB Data Set.

#### PROCESSING CONSIDERATIONS

The program listing must be examined carefully to ensure that each step was completed correctly. The SAS notes and comments identify the number of observations in each step of the program as well as denote error conditions encountered and actions taken.

#### Procedure #6: Count Frequency of ROTC Data Variable Values

#### OBJECTIVE

Frequency counts of each data variable value identify the range of values present on the data set as well as the percentage of observations that contain each value. These counts were created for all ROTC data elements.

#### **TNPUT**

SAS ROTC/OLRDB Data Set.

#### OUTPUT

Listing of frequency counts for each ROTC data variable.

#### PROCESSING CONSIDERATIONS

Each data value is reported on the frequency listing. Those observations that had no value recorded for a particular data element were counted as 'missing' values. SAS represents missing values by a period. Cases with missing values were not counted into the column and cumulative frequency totals.

#### Procedure #7: Analyze Retention

#### **OBJECTIVE**

This procedure consists of as many analyses as desired to analyze retention of ROTC cadets as officers. Retention in this case is not to be confused with reenlistment analysis based on obligation. It simply reflects the number of officers who stay or separate in a given year.

Analysis of the OLRDB match data elements on the ROTC data sets showed that 42% of the Camp cadets and 58% of the Commission cadets were present as active duty officers on the OLRDB core data set. Retention analysis was performed with SAS on these officers and was presented in a variety of ways. Retention was analyzed by scholarship status alone, by separation program designator alone, and by both scholarship status and separation program designator together.

#### INPUT

SAS ROTC/OLRDB Data Set.

#### OUTPUT

Reports of retention analysis for officers who were present on the ROTC Advanced Camp and Commission files in 1982 through 1985.

#### Retention Analysis

ROTC cadets who had become active duty officers were examined by a retention analysis. The officers present on a given year of the Officer Master File (OMF) as represented on the OLRDB were examined for presence or absence in the following year. Thus a retention rate was calculated for each 2-year period for which the officers were present on the OLRDB. The retention rates were further distinguished by a scholarship element. Table 1 describes the retention analysis.

Table 1
Retention Analysis by Scholarship Status

Retention Period	Initial Population	Number Retained	Retention Rate (%)
Camp Data Set			
Nonscholarships			
1983 to 1984	1282	1276	99.5
1984 to 1985	3584	3546	98.9
1985 to 1986	5855	5780	98.7
Scholarships			
1983 to 1984	1107	1107	100.0
1984 to 1985	2920	2912	99.7
1985 to 1986	4830	4794	99.3
Commission Data Set			
Nonscholarships			
1982 to 1983	1902	1886	99.2
1983 to 1984	4377	4300	98.2
1984 to 1985	7229	7093	98.1
1985 to 1986	9647	9205	95.4
Scholarships			
1982 to 1983	1155	1153	99.8
1983 to 1984	2647	2635	99.5
1984 to 1985	4598	4571	99.4
1985 to 1986	6646	6579	98.9

Over the few years to which retention analyses could be applied, a slightly greater percentage of officers who received ROTC scholarships were retained longer than those without scholarships.

For those officers who were not retained, examination of the separation program designator (SPD) revealed a wide range of reasons for separation. However, two reasons dominated the separation of these officers.

1. Failure to meet course performance or selection standards.

Scholarship Recipients
36% of 152 Separations
1982-1986
Nonscholarship Recipients
33% of 790 Separations
1982-1986

2. Expiration of term of service.

Scholarship Recipients

3% of 152 Separations
1982-1986

Nonscholarship Recipients

3% of 790 Separations
1982-1986

A much higher percentage of nonscholarship recipients had separated due to expiration of their terms. There were no data available in the data sets used in this study that identified obligation. Scholarship recipients have longer periods of obligation. Comparisons of retention rates by scholarship status cannot yet be evaluated with the small number of years present on the OLRDB for the officers in the study. More comprehensive retention analysis will be feasible when periods of obligation and other pertinent information are incorporated into the OLRDB.

#### SUMMARY AND CONCLUSIONS

The ROTC Advanced Camp and Commission Data Sets linked with the OLRDB would be useful for evaluating retention of the ROTC cadets as officers. Specific characteristics of the ROTC cadet or the training program can be utilized to better understand the characteristics of officers who choose to remain in the Army as well as the reasons for separation.

For the ROTC cadet records available in the OLRDB at this time, there was not enough history on the OLRDB to provide a complete analysis of retention. However, various subgroups of officers can be evaluated in a year-by-year retention analysis.

The ROTC Advanced Camp Data Set contains 156 data elements. The number of cadets from each year of camp data and whether or not they were matched to a record on the OLRDB is described below.

Table 2
ROTC Advanced Camp/OLRDB

Year	Number Cadets	Number Matched OLRDB	Percent Matched OLRDB
1982	8,111	4,421	(54%)
1983	9,451	4,694	(49%)
1984	8,904	3,579	(40%)
1985	8,310	<u>1,967</u>	(24%)
Total	34,776	14,661	(42%)

The ROTC Commission data set contains 123 data elements. The number of cadets from each year of commission data and whether or not they were matched to a record on the OLRDB is described below.

Table 3
ROTC Commissioned/OLRDB

Vacu	Number	Number Matched	Percent Matched
Year	Cadets	OLRDB	OLRDB
1982	7,118	4,654	(65%)
1983	8,250	5,274	(64%)
1984	8,273	4,853	(59%)
1985	<u>8.326</u>	3.836	(46%)
Total	31,967	18,617	(58%)

Research use of these data sets would benefit from further documentation for some data which are poorly described. This documentation is likely to accompany additional years of ROTC Advanced Camp and Commission data.

These new years of data could also be added to the existing files by using the procedures described in Appendix F. For example, if 1986 data were to be added to the files, the tape layout would need to be examined for changes in data element placement and length. The input format in Procedure #3 would need to be changed to reflect the new layout. If data values for some data elements changed between 1985 and 1986, the SAS statements which would perform this conversion would replace the existing conversion code in

Procedure #3. Finally, the new file would be matched to the OLRDB. Whether or not new ROTC data are added to the existing files, there would appear to be significant benefit from the inclusion of additional years of OLRDB data with the newly formed ROTC/OLRDB data sets.

## APPENDIX A

SOURCE DOCUMENTATION FOR ROTC ADVANCED CAMP FILES

# Record Specification for ROTC Advanced Camp File for 1982 OPFOM 18-1-8-TOU (OM) C-1, 820310

2. 100	1. DATE Mar 81
### APTTDU6M   ROTC Advanced Camp Cadet	
Master	
Tobstion   Field   Position   P	5 LENUTH
1-4	400
1-4	B. SECLAS/FRIV U/PIN
5-13	12, REMARKS
14-28   3	
29-39	
40	
41-46 6 Institution Code (Host)	
47-73   7   Institution Name	
1	
10	
10	1-4
10	1-6
1	X or E
Extension Center    A/N   6   6   6   6   6   6   6   6   6	2, N 01 D
12   Sex	or Inst Code
13   Race	or M
85	
15	C,N,R,M,Z or X
15	1-9,G,J,K,D,V,S
16   Religious Preference   17   Approved Eurly Release/Late   Arrival Code   Arrival Code   Arrival Code   Arrival Code   Arrival   A/N   6   Arrival   A/N   1   1   1   1   1   1   1   1   1	E,W,L,Q,X or 2
17	MMDU
Arrival Code	$^{\circ}$ ,C,J,X or $^{\circ}$
14   94   94   94   94   94   94   94	
Arrival	E,L or B
100	
101	(YMM))) or K
102	E,W,C or K
103	? or 4
104	
105-107       24       Academic Major         108       25       Compression       A/N       1       1,09—110       26       Filler       A       2       B1         111       26       Maiver Granted       A       1       A       1       A         112       27       Cuaranteed Reserve Forces Duty(GRFD)       A       1       Y,         113       28       Simultaneous Membership Program(SMP)       A       1       R,         114       29       25-Meter Swim       A       1       Y         115       30       CTLT Nominee       A       1       Y         116       31       To Be Commissioned at Camp       A       1       Y	), 1-4
108	5
108	
110   26	,2,4 or B.
111       26       Naiver Granted       A       1       A-         112       27       Guaranteed Reserve Forces Duty(GRFD)       A       1       Y,         113       28       Simultaneous Membership Program(SMP)       A       1       R,         114       29       25-Meter Swim       A       1       Y         115       30       CTLT Nominee       A       1       Y         116       31       To Be Commissioned at Camp       A       1       Y	Blank
112 27 Guaranteed Reserve Forces Duty(GRFD) A 1 Y, 113 28 Simultaneous Membership Program(SMP) A 1 R, 114 29 25-Meter Swim A 1 Y 115 30 CTLT Nominee A 1 Y 16 16 31 To Be Commissioned at Camp A 1 Y	(-F,H,L,M,R,S,T
113       28       Simultaneous Membership Program(SMP)       A       1       R.         114       29       25-Meter Swim       A       1       Y         115       30       CTLT Nominee       A       1       Y         116       31       To Be Commissioned at Camp       A       1       Y	Nor 8
114       29       25-Meter Swim       A       1       Y         115       30       CTLT Nominee       A       1       Y         116       31       Fo Be Commissioned at Camp       A       1       Y	,W or B
115 30 CTLT Nominee 116 31 To Be Commissioned at Camp A 1	R,N,W or B
116 31 To Be Commissioned at Camp A 1	or N
	or N
117 32 Cadet Status A/N 1 1-	or N
	-8, A-E or K

### DPFOM 18-1-B-TDU (OM) C-1, 820310

	•	C-1, 824314			Page 2 of 4
		RECORD SPECIFICATION			1. DATE
	Fo	or use of this form, see T8 18-111; the proponent agency	II CSA.	·	
2. 10		ROTC Advanced Comp Cadet			
4. DESCRI	TION	Rote Advanced camp cadet			15. LENGTH
4. DESCRI	riion				S. LENGIA
				•	6 SECLAS/PRIV
					0. 3ECC 23/FRIV
7.	8.	0.	10.	<u>г</u> і 1.	12.
POSITION	FIELO	FIELO TITLES	REP	LEN	REMARKS
18-123	33	Drop Status Date	A/N	6	B or YYMMUD if
	j			]	f1d 32 = 1-7
24	34	Cycle	N	1	1-9
25	35	Special Medical	A	1	A, F, C, X or B
26	36	Travel	A	1	P.B.T.A cr Z
27-128	37	Rifle Marksmanship Initial Fire	N	2	00 - 40
29-130	38	Rifle Marksmanship - Refire	N	2	100 - 40
31	39	Rifle Marksmanship Qual.	A	1	Q or F or b
32	40	Rifle Marksmanship Qual. Level	A	1	E.S.M.U.F or N
33-134	41	Land Nav - Initial Night	N	2	101 - 10
35-136	42	Land Nav - Initial Day	N	2	01 - 60
37-138	43	Land Nav - Initial Written	N	2	g  = 3g
39-141	44	Land Nav - Total Initial Raw	N	3	01 - 100
42-143	45	Filler	N		100
44-145		1		2	1
46-147	46	Land Nav - Retake Day	N	2	01 - 60
1	47	Land Nav - Retake Written	N	. 2	01 - 30
48-150	48	Land Nav - Total Retake Rav	N	3	61 - 100
51	49	Land Nav Waiver	A	1 '	M, Wor B
52	50	Land Nav Qualification	A	] 1	Corn
53	51	Land Nav Recondo	A	1	C or N
54-156	52	Land Nav Camp Average	N	3	
57-158	53	PT Initial Push-Up Raw	N	2	Ø1 - E8
59-160	54	PT Initial Sit-Up Raw	N	2	01 - 69
61-164	55	PT Initial Mile Run Raw	N	4	1305 - 3146
55-167	56	PT Initial Push-Up Tbl Score	N	3 .	002 - 100
58-170	57	PT Initial Sit-Up Tbl Score	N	3	0P1 - 100
1-173	58	PT Initial Mile Run Tbl Score	N	3	001 - 100
4-176	59	PT Initial Total Tb. Score	N	3	001 - 300
7-178	60	PT Retake Push-Up Raw	N	2	01 - 68
9-180	61	PT Retake Sit-Up Raw	N	2	Ø1 - 69
11-184	62	PT Retake Mile Run Raw	N	4	1305 - 3146
5-187	63	PT Retake Push-Up Tbl Score	N	3	001 - 100
8-190	64.	PT Retake Sit-Up Tbl Score	N	3	VO1 - 100
1-193	65	PT Retake Mile Run Tbl Score	N	] 3	001 - 100
4-196	66	PT Retake Total Tbl Score	N	3	001 - 300
7		PT Waiver	Ä	i	M. W or B
8	68		Â	i	G or N
14	69	PT Qualification	,		1
		PT kecondo	A	1	C or N
00-202	70	PT Camp Average	N	3	
13-204	71	Nob Perf - Plt Officer	N	2	01,02,03, or 11

# 

		RECORD SPECIFICATION			1. DATE
	Fo	r use of talk form, see TB 18-111; the proposual egency is	CSA.		
. ID		3. TITLE			<del></del>
		ROTC Advanced Camp Cader			
DESCRIP	TION				S. LENGTH
	,				
					6. SECLASIPRIV
<u> </u>	8.	19.	110.	hi.	12.
OSITION	FIELD	FIELD TITLES	REP	LEN	REMARKS
205 24		1	<del></del>	1	41 42 42 1
205-206		Job Perf - Plt NCO	N	2 .	Ø1, Ø2, Ø3, or 1
207-208		Job Perf - Plt Size	N	2	
209-210		Tax Rater	A/N	2	
211-219		Tax Raw Points	N	9	Ea Posn = 1-7
220	76	Tax Go/No Go	A	1	G or N
221-22		Tax Total Raw	N	3	09 - 63
224-226		Tax ASC .	N	3	
227	79	Tax Waiver	A	1	M, W or B
		(MILITARY SKILLS INITIAL SCORES)			
228-229		Law	N	2	01 - 20
230-231	81	Hand Grenade	N	2	Ø1 <b>–</b> 17
232-231	82	M-60	N	2	01 - 40
234-23≸	83	Commo -	N	2	Ø1 - 17
236-23	84	M-16	N	2	Ø1 – 39
238-23	85	First Aid	N	2	01 - 21
240-241	86	NBC .	N	2 .	01 - 43
242-241	87	Claymore .	ĸ	2	Ø1 – Ø8
244-245	88	Artillery	l R	2 .	Ø1 – Ø8
246-247	89	Security/Intelligence	N	2	01 - 20
248-24		Tactics	N	2	B1 - 25'
250-252	91	Military Skills Initial Total	N	3	001 -254
	• -	(MILITARY SKILLS RETAKE SCORES)	1		
253-254	92	Law	N	2	01 - 20
255-256		Hand Grenade	N	2	01 - 17
257-258		M-60	N	2	01 - 40
259-26		Commo	N	2	01 - 17
261-261	96	M-16	N	2	Ø1 - 39
263-264	97	First Aid	N	2	01 - 21
265-26 <b>6</b>		INBC	N	2	01 - 43
267-26 <b>8</b>		1	N	2	01 - 68
269-27 <b>6</b>		Claymore	N	2	01 - Ø8
1.		Artillery	N	2	01 - 20
271-272		Security/Intelligence	N	2	01 - 20
273-2749		Tactics	1 -	3	01 - 21
275-277	_	Military Skills Retake Total	N		
1.4	E BA	Military Skills Waiver	A	1	M, W or B
	F163	Military Skills Qual.	A	1	C or N
280-281	· ·	Cadet Roster Number	N	2	01 - 60
282-3 <b>0</b> ['	7H <b>340</b> \$	Peer Rating (Practice) Most Votes	N	20	10 2-posm flds = 01 - 60
1.	<del>2</del>				

#### DPFOM 18-1-B-TDU (OM) 81Ø31Ø

		<del></del>		Page 4 of 4
_	RECORD SPECIFICATION	CE A		1. DATE
2. ID	is use of this form, see TB 18-111; the proponent agency is in ITLE	LSA.		<del></del>
	ROTC Advanced Camp Cader			
4. DESCRIPTION		- <del></del>	<del></del>	S. LENGTH
				6. SECLAS/PRIV
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
7. B. POSITION FIELD	FIELD TITLES	NEP	TI. LEN	12. REMARKS
02-321 95 1 <del>68</del> PK	Peer Rating (Practice) Least Votes	N	20	$\begin{vmatrix} 10 & 2-posn & flds \\ = 01 & -60 \end{vmatrix}$
22-324 96 1459	Peer Rating (Practice) Raw Score	N	3	
	Peer Rating (Practice) ASC	N	3	
28-347 FN 🚾	Peer Rating (Record) Most Votes	N	20	10 2-posn flds = 01 - 60
48-367 90 mm2	Peer Rating (Record) Least Votes	N	20	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
	Peer Rating (Record) Raw Score	N	3	
ام ما	Peer Rating (Record) ASC	N	3	
10°	Recondo Event Qual.	A	5	Ea Posn = NorG
1/9	Recondo Qualification	A	1	G or N
80 9V **	Camp Code	N	1	1,3,4 or 5
81 383 PW FIRE	Military Skills Camp Average	N	3	
84-400 119	Filler	A	17	Blanks
		1	<u> </u>	<u> </u>

# Record\_Specification for ROTC Advanced Camp File for 1983 DPFOM 18-1-8-TDU (OM) C-2, 830107

		RECORD SPECIFICATION	CSA		1. DATE 830107
2. 10 AB7TUU		ROTO Advanced Camp Cudet		~	<del></del>
4. DESCRIP Mascer					400
					O. SECLAS. PHIV
POSITION	B. FIELD	P. FIELD TITLES	10. REP	TI. LEN	HEMARKS
1-4	1	Unit	A/N	4	
5-13	2	SSN	R	9 ~	
14-28	3	Cuder Last Name	` A .	-15	
29-39	4	Cadet First Name	A	111	
ئۆپ	5	Cader MI	A	1	
41-46	6	Institution Code (Host)	N	6	
47-73	7	Institution Name	٨	27	
7:	B	KOTC Univ. Region	N	1	1-4
75	ÿ	Univ. Region Aren Code	N	1	1-6
76.	10	Cross Enrolled/Extension Center	Λ	1	C. X of K
77-87	11	Institution Code (Cross Enrolled/	] "	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	* *	Extension Center	A/N	6	For Inst Code
أ زد	12	Sex.	Α΄	1	or M
۲	13	K.ce	À	i	C, R, R, M, Z or X
ະາ	14		A/N	1	1
ן כס	14	Ethnic	14/18	1 *	1-9,G,J,K,D,V,S
			N		E.W.L.Q.X or 2
56−91	15	Date of Birth	1	6	AAVAION
92	16	Religious Preference	A	1	b, C, J, X or X
ا دز	17	Approved Eurly Release/Late	1.	1.	[
		Arrival Code	A	1	E.L or B
74-99	18	Dute of Early Release or Late			
		presidat	V/N	6	Alainn or P
140	19	rior Military Service	^	1	E.W.C or K
tot	2 ย	Program Type	1:1	1	vor 4
192	21	MS Class	N	1	B or 4
נ מנ	22	Scholarship Type	N	1	<b>b</b> , 1-4
1114	2.3	Academic Class	N	1	1-5
105-167	2.4	Academic Major	l		
108	25	Compression	A/N	1	1,2,4 or 16
09-114	26	Filler	A	2	Blank
111	2 6	Juliver Granted	A	1	A-H, J-N, P, R-X, 3-6 or 8
112	27	Guaranteed Reserve Forces Duty(CRFD)	٨	1	W.R.N.P.M.G.K.
113	28	   Bimultaneous Membership Program (SMP)	1	1	R,N,W OF B
,		25-Meter Swim	A	1	Y or N
114		CTLT Nominee : 300	A	li	Y or N
115	30	To Be Commissioned at Camp	1	li	Y or N
116	31	1	A/N	li	1-8, A-E or b
117	32	Cadet Status	("	1 *	

#### PFOM 18-1-B-TDU (OM) C-2, 830107

		RECORD SPECIFICATION			1. DATE 830107
2. 10	<u> </u>	or use of this form, see T.8.18-111, the proponent agency i	CSA.		1039171
AØ7TDU	16M	ROTC Advanced Camp Cader			
A. DESCRIPT	TION				S. LENGTH
					1
					6. SECLASIPAIV
7. e		0.	10.	ħ1.	12.
POSITION	FIELD	FIELO TITLES	REP	LEN	REMARKS
118-12	33	Drop Status Date	A/N	6	Bor YYYYDD
-					if fld 32 =
124	34	Cycle Destred	N	1	1-7
125	35	Special Medical	 A	i	•
126	36	Iravel	Â	1	A,F,C,X or b
127-128	37	Rifle Marksmanship Initial Fire	ĥ	1	P.B.T.A or Z
129-130	38	Rifle Marksmanship - Refire	ł	2.	00 - 40
131	39	Rifle Marksmanship Qual.	N -	2	00 - 40
132	40		A	1	ForN
133-134	41	Rifle Marksmanship Qual. Level	A	1	E,S,M,U
135-136	42	Land Nav - Initial Night	N	2	01 - 10
137-138	42	Land Nav - Initial Day	N	2	81 - 60
39-141	44	Land Nav - Initial Written	N	2	p1 - 3p
42-143	44	Land Nav - Total Initial Raw	N	3	161 - 160
	, -	Filler	N	2	00
144-145	45	Land Nav - Retake Day	N	2	01 - 60
146-147	46	Land Nav - Retake Written	N	2	01 - 30
148-150	47	Land Nav - Total Retake Raw	N.	3	C1 - 100
.51	48	Land Nav Waiver	A	1	H,W or K
152	49	Land Nav Qualification	) A	1	Gorn
53	5Ø	Land Nav Recondo	A	1	C or N
154-156	51	Land Nav Camp Average	N	3	
57-158	52	PT Initial Push-Up Raw	N	2	01 - 68
59-164	53	PT Initial Sit-Up Raw	N	2	01 - 69
61-164	54	PT Initial Mile Run Raw	N	4	1305 - 3146
65-167	55	PT Initial Push-Up Tbl Score	N	3	002 - 100
68-174	56	PT Initial Sit-Up Tbl Score	N	3	001 - 100
71-173	57	PT Initial Mile Run Tbl Score	N	3	CO1 - 100
74-176	58	PT Initial Total Tbl Score	N	3	001 - 300
77-17\$	59	PT Retake Push-Up Raw	N	2	01 - 68
79-180	60	PT Retake Sit-Up Raw	N	2	01 - 69
81-184	61	PT Retake Mile Run Raw	N	4	1305 - 3146
85-187	62	PT Retake Push-Up Tbl Score	N	3	GØ1 - 100
88-194	63	PT Retake Sit-Up Tbl Score	N	3	001 - 100
91-19‡	64	PT Retake Mile Run Tbl Score	N	3	001 - 100
94-196	65	PT Retake Total Tbl Score	N	3.15	001 - 300
97	66	PT Waiver	Ä	1.0	M,W or B
98	67	PT Qualification	À	1	G or N
99	68	PT Recondo	Â	1	G or N
30-201	69	PT Camp Average	N	3	0 01 11
	47			ا .د	

DA 1207. 4738

### DPFOM 18-1-E-TDU (OM) C-2, 830107

	····	RECORD SPECIFICATION	<del></del>		1. DATE
	Fo	or use of this form, see TB 18:111, the proponent agency is	CSA		830107
2. 10 AØ7TDU	6M	3. TITLE ROTC Advanced Camp Cadet			
4. DESCRIP					S LENGTH
					6. SECLAS/PHIV
7. POSITION	8. FIELD	9. FIELD TITLES	10 REP	TI. LEN	12. REMARKS
203-204	7 PI	Job Perf - Plt Officer	1;	2	01,02,03,11
205-206	71	Job Perf - Plt NCO	::	2	01,02,03,11
207-208	<b>'</b> 72	Job Perf - Plt Size	N	2.	
209-210	73	Tax Rater	A/R	2	
211-219	74	Tax Ray Points	N	9	Ea Posn = 1-7
2200	75	Tax Go/No Go	A ´	1	G or N
221-223	76	Tax Total Raw	::	1 3	09 - 63
224-226	77	Tax ASC	1;	3	
227	7.8	Tax Waiver	· .	1.	M, W or W
28-279	79	Local Data	A/N	52	
80-281	8Ø	Cadet Roster Number	13 -	2.	@! - 60 ·
82-301	81	Peer Rating (Practice) Most Votes	N	20	10 2-posn
02-321	82	Peer Rating (Practice) Least Votes	N	20	flds = \$1-6\$ 10 2-posn flds = \$1-6\$
322-324	83	Peer Rating (Practice) Rau Score	<b>;</b> ;	3	1105 - 11-00
25-327	84	Peor Rating (Practice) ASC	1 18	3.	
28-347	8.5	Peer Rating (Record) Most Votes	N	25	10 2-posn
148-367	86	Peer Rating (Record) Least Votes	N	20	flds = (1-60) 10 2-posn
68-37U	o/	  Peer Rating (Record) Raw Score	13	3	flds = 01-60
71-373	88	Peer Rating (Record) ASC	8	3.	
74-378	89	Recondo Event Qual.	A	5	Ea PosneN or G
79	90	Recondo Qualification	A	1	G or N
30	91	Camp Code	) N		1,3,4 or 5
81-40m		Filler	A	20	Blanks
}				-,	
1				1	1.1-1.
	-		İ		
j		••		ł	10.019
1		•		}	
1			1		• .
1	İ		1		
İ					
			1	(	}
!		•		1	
i	Ì			}	
	1				
1	,		,	1	•

DA 1287. 4738

# Record Specification for ROTC Advanced Camp File for 1984 DPFOM 18-1-B-TDU (OM)

		RECORD SPECIFICATION			I. DATE
	Fo	r use of this form, see TB 18.111, the propuncit agency is C	5 4		840404
7 10 AØ7TDL	164	ROTC Advanced Camp Cadet			
UESCRIP		note notatived damp dadet			IS. LENGTH
Master				•	400
					6. SECLAS/PRIV U/PIN
7. POSITION	8. FIELD	9. FIELD TITLES	10 HEP	II.	12. REMARKS
	<u> </u>		. ,	<del>,</del> .	<del> </del>
1-4		Unit	A/N N	9	
5-13	2	SSN STATE NAME OF THE PARTY OF	, A	15	
14-28	3	Cadet Last Name	1	1	
29-39	4	Cader First Name	A	11	
40	5	Cadet MI	A	l	
41-46	6	Institution Code (Host)	15	6	
47-73	7	Institution Name	A.	27	
7.4	8.	ROTC Univ. Region	N	1	1-4
75	9	Univ. Region Area Code	N	1	1-6
76	10	Cross Enrolled/Extension Center	A	1	C, X or E
77-82	11	Institution Code (Cross Enrolled/		, .	1
_		Extension Center	A/N	6	b or Inst Code
ا زه	12	Sex	A	1	F or M
5.	13	Kace	i		C, N, R, M, Z or X
5.5	14	Helmic	A/N	j -	ì
5.) I	14	int nn 10	0/0	<u> </u>	1-9,G,J,K,D,V,S
٠, ا				1,	E,W,L,Q,X or Z
cu-91	15	Date of Birth	19	6	ለአሁኩመቦ
92	16	Religious Preference	À	1	P.C.J.X or Z
ا وور	17	Approved Early Release/Late			
		Arrival Code	Ä	1	E.L or B
94-99	18	Date of Early Release or Late		1	
		Arrival	A/N	6	YYMDDD or K
160	19	Prior Military Service	A	1	E, W, C or h
101	20	rogram Typė	13	1	2 or 4
102	21	MS Class	N	1	B or 4
103	22	Scholarship Type	l X	1 1	b, 1-4
184	23	Academic Class	2:	1	1-5
		1	l. <b>,</b>	1 *	
105-107		Academic Major	4 /57	١,	1 2 / 2 1
108	25	Compression	A/N		1,2,4 or 16
09-110		Filler	A	2	Blank
111	26	Vaiver Granted	Ä	1	A-H, J-N, P, R-X, 3-6 or $B$
112	<u>2</u> 7	Guaranteed Reserve Forces Duty(GRFD)	Α	ı	W,R,N,P,M,G,K,
113	28	Simultaneous Membership Program (SMP)	À	1	R,N,W or B
		25-Meter Swim	A	1	Y or N
114	29		A	li	•
115	30	Filler	i	1	Y or N
116	31	To Be Commissioned at Camp	A	1	1-8, A-E or B
117	32	Cader Status	A/N	'	1. 0, 1. 5 0. 6

DA 15005, 4738

## DPFOM 18-1-B-TDU (OM) C-3, 840404

		(-3, 840404			<del></del>
	· = <del></del> -	RECORD SPECIFICATION			1. DATE
	Fo	r use of this form, see TB 18-111; the proponent agenc	y Is CSA.		840404
2. 10 AØ7TDU	J6M	3. TITLE ROTC Advanced Camp Cadet			
4. DESCRIP	TION				S. LENGTH
	-				
					6. SECLAS/PRIV
	3.	9.	10.	11.	12.
POSITION	FIELD	FIELD TITLES	REP	LEN	REMARKS
118-123	33	Drop Status Date	A/N	6	Rol AAWADD
				}	if fld 32 =
					1-7
124	34	Cycle Desired	N	1	1-9
125	35	Special Medical	A	1	A,F,C,X or b
126	36	Filler	A	1	İ
127-128	37	Rifle Marksmanship Initial Fire	N	2	00 - 40
129-130		Rifle Marksmanship - Refire	N	j 2	00 - 40
131	39	Rifle Marksmanship Qual.	A	1	F or N
132	40	Rifle Marksmanship Qual. Level	A	1	E,S,M,U
133-134	41	Land Nav - Initial Night	N	2	01 - 10
135-136	42	Land Nav - Initial Day	N	2	01 - 60
137-13\$	43	Land Nav - Initial Written	N	2	01 - 30
139-141	44	Land Nav - Total Initial Raw	N	3	01 - 100
142-143		Filler	N	2	00
144-145	45	Land Nav - Retake Day	N	2	91 - 60
146-147	46	Land Nav - Retake Written	N	2	01 - 30
148-15	47	Land Nav - Total Retake Raw	N	3	01 - 100
151	48	Land Nav Waiver	A	1	M,W or B
152	49	Land Nav Qualification	A	1	G or N
153	5Ø	Land Nav Recondo	A	1	G or N
154-156	51	Land Nav Camp Average	N	3	1
157-158	52	PT Initial Push-Up Raw	N	2	01 - 68
159-16	53	PT Initial Sit-Up Raw	N	2	01 - 69
161-164	54	PT Initial Mile Run Raw	N	4	1305 - 3146
165-167	55	PT Initial Push-Up Tbl Score	N	3	992 - 199
168-170	56	PT Initial Sit-Up Tbl Score	N	3	001 - 100
171-17	57	PT Initial Mile Run Tbl Score	N	3	001 - 100
174-176	58	PT Initial Total Tbl Score	N	3	001 - 300
177-178	59	PT Retake Push-Up Raw	N	2	01 - 68
179-180	60	PT Retake Sit-Up Raw	Ņ	2	01 - 69
181-184	61	PT Retake Mile Run Raw	N	4	1305 - 3146
185-187	62	PT Retake Push-Up Tbl Score	N	3	001 - 100
188-199	63	PT Retake Sit-Up Tbl Score	N	3	001 - 100
191-19	64	PT Retake Mile Run Tbl Score	N	3	001 - 100
194-196	65	PT Retake Total Tbl Score	N	3	001 - 300
197	66	PT Waiver	A	l	M, W or K
198	67	PT Qualification	A	1	G or N
199	68	PT Recondo	A	1	G or N
200-201	69	PT Camp Average	N	3	
A FOR	M 17	X X		<del></del>	<del></del>

DA . FORM. 4738

WOD. Gereinment Minting Childs: 1986—319.96176

#### DPFOM 18-1-B-TDU (OM) C-2, 830107

		RECORD SPECIFICATION	^° C A		1. DATE 830107
2. 10		r use of this form, see TB 18-111, the proponent egency is (  3. TITLE	-3A.		
AØ7TDU	16M	ROTC Advanced Camp Cadet			
4. DESCRIP	TION				S. LENGTH
					6. SECLAS/PRIV
17.	8.	9.	10.	h 1.	12.
POSITION	FIELD	FIELD TITLES	REP	LEN	REMARKS
203-204	70	Job Perf - Plt Officer	N	2	01,02,03,11
205-206	71	Job Perf - Plt NCO	N	2	01,02,03,11
207-208	ľ	Job Perf - Plt Size	N	2	
209-210	73	Tax Rater	A/N	2	
211-219	ı	Tax Raw Points	N	9	Ea Posn = 1-7
220	75	Tax Go/No Go	A	1	G or N
221-223	1	Tax Total Raw	N	3	Ø9 - 63
224-226	77	Tax ASC	N	3	
227	78	Tax Waiver	A	1	M,W or B
228-279	79	Local Data	A/N	52	
280-281	8Ø	Cadet Roster Number	N	2	01 - 60
282-301	81	Peer Rating (Practice) Most Votes	N	20	10 2-posn
242 221	0.0			2.2	$flds = \emptyset1-6\emptyset$
302-321	82	Peer Rating (Practice) Least Votes	N	20	10 2-posn flds = Ø1-6Ø
322-324	83	Peer Rating (Practice) Raw Score	N	3	
325-327	84	Peer Rating (Practice) ASC	N	3	1
328-347	85	Peer Rating (Record) Most Votes	N	20	10 2-posn
348-367	86	Para Busine (Busine) Large Value	N	20	$flds = \emptyset1-6\emptyset$
340-307	00	Peer Rating (Record) Least Votes	N	20	10 2-posn flds = Ø1-6Ø
368-370	87	Peer Rating (Record) Raw Score	N	3	
371-373	88	Peer Rating (Record) ASC	N	3	
374-378	89	Recondo Event Qual.	A	5	Ea Posn=N or G
379	9Ø	Recondo Qualification	A	1	G or N
380	91	Camp Code	N	1	1,3,4 or 5
381-400		Filler	Α	20	Blanks
			1		
<u> </u>				}	
] [					
1			1		
<b>!</b>		<u> </u>	1		
1			1	1	
<b>,</b>					
<b>!</b>				}	
j {			1	1	
l l					
}					
			j		

Copy available to DNIC does not permit fully legible reproduction

DA 1887 4738

QU.S. Government Printies Office: 1880-318-881/888

		RECORD SPECIFICATION			DATE
<i></i>	Fo	r use of this form, see TB 18-111; the proponent agency is D	CSOPS.		841130
,		A07TDU CADET MASTER HECORD			· <del></del>
4. DESCRI	PTION			<del></del>	5. LENGTH
l .		·			400
ŀ				-	6. SECLAS/PRIV
}					U/Y
7. POSITION	8. FIELD	9. FIELO TITLES	10. CLASS	TI.	12. REMARKS
1-4	1	Unit	A/N	4	
5-13	2 .	Social Security Number	N	9	
14-40	3	Cadet Name	A	27	•
41-46	4	Institution Code (Host)	N	6	1
47-73	5	Institution Name	A	27	
74	6	ROTC University Region	N	1	1-4
75	7	Area of Command	N	1	1-9
76	-8 -	Cross-Enrolled/Extension Center Code	l a	1	C'X'R
77-82	9	Institution Code of Cross-Enrolled/	A/N	6	All numerics or
1	-	Extension Center	1		all spaces
83	10	Sex	l a	1.1	F or M
84	11	Race	Ä	1 1	C,M,N,R,X,Z
85	12	Ethnic Group	A/N	li	1-9, D, E, G, J, K, L,
	'-	2020 0.000		ì	Q,S,V,W,X,₹,Z
86-91	13	Date of Birth	N	6	2,0,1,4,2,2
92	ر ا	Filler	"	1	
125	14	Approved Early Release/Late Arrival Code	A	1 ;	E.L.B
-99	15	Date Early Release/Late Arrival	A/N	6	YYMMDD or all
-33	, יי	paré party neteage, pare William	A' 'R	1	spaces
100	16	Prior Military Service	Α	1	E.W.C.R
101	17	Program Type	Ň		2 or 4
102	18	Military Science Class	N	1 ;	3 or 4 -
102	19	į	N		0,2,3,4
104	20	Scholarship Type Academic Class	A/N	1 :	
105-107	21	1	(		1,2,3,4,5,G
108 - 107	22	Major Subject of Col Ed (Acad Maj)	A	3 -	1 2 // K
100	~~	Compression Code	A/N		1,2,4,8
	22	Filler	1 4/3	2	AUTNEEV
111	23	Waiver Granted	A/N	1 '	A-H, J-N, P, R-X,
1,,,	24	Cuanantand Mananua Farrage Duty	١,	1 ,	3,4,B
112		Guaranteed Reserve Forces Duty	A	1 1	A-Z, B
113	25 26	Simultaneous Membership Program	A	1 !	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
114		25-Meter Swim	A	1:	G,N,B
115	27 28	CTLT -	A	1 1	S,N,B
116 117		To be Commissioned at Camp	A	1:	C or N
	29	Cadet Status	A/N	1	A-E,B
118-123	30	Drop Status Date	A/N	6	Spaces
124	31	Cycle Desired	N	1	Ø-9
125	32	Special Medical	A	1 !	F, X, R, B
126		Filler		1 1	]
127-128	33	Rifle Marksmanship-Initial Fire	N	2	00-40
129-130	34	Rifle Marksmanship-Refire	N	2	00-40
<b>'ユ</b> '	35	Rifle Marksmanship Qualification	A	1 1	G'N'R
	36	Rifle Marksmanship Qual. Level	A	1	E,S,M,N,B
-3-134	37	Land Navigation-Initial Night	N	2	00-10
135-136	38	Land Navigation-Initial Day	N	2	00-60
137-138	39	Land Navigation-Initial Written	N	2	00-30

THE PROPERTY OF THE PROPERTY O

#### RECORD SPECIFICATION

For use of this form, see TB 18-111, the proponent agency is DCSOPS.

1 DATE 841130

3. TITLE
A07TDU CADET MASTER RECORD

		ABTIDO CADEL MASTER RECORD			
4. PESCRIP	TION				5. LENGTH
					400
					6. SECLAS/PRIV
					U/Y
7.	8.	19.	10.	h1.	12.
POSITION	FIELD	FIELD TITLES	CLASS	LENGTH	REMARKS
139-141	40	Land Navigation-Total Initial Raw	N	3	000-100 -
142-143		Filler	N	2	00
144-145	41	Land Navigation-Hetake Day	N	2	00-60
146-147	42	Land Navigation-Retake Written	N	2	00-30
148-150	43	Land Navigation-Total Retake Raw	N	3	000-100
151	44	Land Navigation Waiver	A	1	M,Y,B
152	45	Land Navigation Qualification	A	1	[ G, N, B -
153	46	land Navigation Recondo	A	1	G'N'R-
154-156	47	Land Navigation Camp Average	N	3	<b>₩</b>
157-158	48	APRT Initial Push-Up Raw	N	2	00-99/
159-160	49	APRT Initial Sit-Up Haw	N	2	ØØ-99′ ··· -
161-164	5Ø	APRT Initial 2-Mile Run Raw	N	4	/
165-167	51	APRT Initial Push-Up Table Score	N	3	000-100 -
168-170	52	APRT Initial Sit-Up Table Score	N	3	000-100 /
171-173	53	APRT Initial 2-Mile Hun Table Score	N	3	000-100 -
174-176	54	APRT Initial Total Table Score	N	3	000-300 1
7-178	55	APRT Retake Push-Up Raw	N	2	ØØ-99
779-180	56	APRT Retake Sit-Up Haw	N	2	ØØ-99
181-184	57	APRT Hetake 2-Mile Hun Haw	N	4	
185-187	58	APRT Retake Push-Up Table Score	N	3	000-100
188-190	59	APRT Retake Sit-Up Table Score	N	3	000-100
191-193	6ø	APRT Retake 2-Mile Run Table Score	N	3	000-100
194-196	61	APHT Hetake Total Table Score	N	3	000-300
197	62	APHT Waiver	A	1	M, Y, B-
198	63	APRT Qualification	A	] 1	G'N'R
199	64	APRT Recondo	A	1	G, N, B
200-202	65	APRT Average	N	3	
203	66	Job Performance-Record-Plt Officer	N	1	<b>8-</b> 5
204	67	Job Performance-Practice-Plt Officer	N	1	Ø <b>-</b> 5
205	68	Job Performance-Record-Plt NCO	N	1	0-5
206	69	Job Performance-Practice-Plt NCO	N	1	Ø-5
207-208	70	Job Performance-Platoon Size	N	2	00-60
209-210	71	TAX Rater	A/N	2	
211-219	72	TAX Raw Points	N	9	Ea Pos - 0-10
220	73	TAX Go/No Go	A	1	G,N,B
221-223	74	TAX Total Raw	N	3	000-063 945
224	75	Overall TAX Rating	И	] 1	4-5
225-226		Filler	1	2	
227	76	TAX Waiver .	A	1	M'X'R
238-279	77	Local Data	A/N	52	
280-281	78	Cadet Hoster Number	A/N	2	All numerics or
			1	1	all spaces
782-301	79	Peer Hating (Practice) Most Votes	A/N	20	All spaces or 10
1	_		1	l	2-Pos Flds=01-60
302-321	80	Peer Hating (Practice) Least Votes	A/N	20	All spaces or 10
		ADD 82 PERI ACES DA SORIA AZZE NOV ZE W		<u>l</u>	2-Pos Flds=01-60

	For	RECORD SPECIFICATION r use of this form, see TB 18-111; the proponent agency is	OCSOPS		841130
<b>)</b>		3. TITLE AØ7TDU CADET MASTER RECORD			
4. DESCRIP	TION	·		-	5. LENGTH 400 6. SECLAS/PRIV U/Y
7. POSITION	8. FIELD	9. FIELD TITLES	10. CLASS	11. LENGTH	12. REMARKS
322-324 325-327	81 82	Peer Hating (Practice) Haw Score Peer Hating (Practice) ASC	N N	3	
328-347 348-367	83 84	Peer Rating (Record) Most Votes  Peer Rating (Record) Least Votes	A/N A/N	20	All spaces or 1 2-Pos Flds=01- All spaces.or 1
368-37Ø	85	Peer Rating (Record) Raw Score	N	3 ·	2-Pos Flds=01- 6-759
371-373 374-377 (374)	86 87	Peer Rating (Record) ASC Recondo Events Rappel	N A	3 4	Ea Pos = N,G,B
(375) (376)		Hope Drop Slide for Life		:	
(377) 378 379	88 89	Cat Walk Hecondo Qualification Camp Recondo Qualification	A A	1	G or N K
-398 396-400	90 91	Camp Code Job Performance Dimensions Filler	N A/N	好化	1,3,4 Optional Field
		·			

### ADSM 18-P1C-TDU-IBM(UM)

#### ELEMENT DESCRIPTION

POSITION	FIELD TITLE	DESCRIPTION
1-4	Unit .	<pre>l=Cycle 1 thru 0 (No more than 90 units per cycle) 2=Battalion 1 thru 9 3=Company A thru 2 (Not to exceed 330 cadets) 4=Platoon 1 thru 9 (Not to exceed 60)</pre>
5-13	Social Security Number (SSN)	9 Character numeric - An invalid SSN can only be corrected by removing the SSN from the file using an S* Drop Status Transaction (TDUJR2) and then re-inputting the cadet into the system (TDUJR2).
14-40	Name	27 Character alpha. A blank is between the last name, first name and middle initial.
41-46	Institution Code (Host)	6 Character numeric. Must match the Institution File S01TDU6M.
47-73	Institution Name	27 Character alpha.
74	ROTC University Region	<pre>1 Character numeric. Identifies the Region HQ's the University belongs to. 1 = Ft Bragg 2 = Ft Knox 3 = Ft Riley 4 = Ft Lewis</pre>
75	University Region Area Code	l Character numeric. l thru 9. Identifies the area the University belongs to. Extracted from the Directory File when the School File is being created by TRADOC.
76	School Code Category (Cross- Enrolled)	<pre>C = Cross-Enrolled X = Extension Center B = Neither</pre>
77-82	School Code (Cross-Enrolled/ Extension)	6 Character. If 76 is a C or X, the institution code is required.
83	Sex	l Character, alphabetic. F = Female M = Male

#### APPENDIX B

SOURCE DOCUMENTATION FOR COMMISSION FILES

SST TOTAL STATE OF THE STATE OF	1   1   1   1   1   1   1   1   1   1
	SPC ST   FER
	SN SCHOOL

255/3650    SSN   CODE	FILE (BA7CDJ6M) Chimina SY 84-1 200000
SSN CODE NOT THE SCHOOL	101-10. NAM ETDET   M
3550 3550 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	דיפובם די
3 0 0 0   1   1   1   1   1   1   1   1	
\$\$\\ \text{1.00} \\ \	LAST 1C-FIRST
	RESEN TO THE WAY STAND OF HE DAY
	THE ABY CONTROL TO THOSE STATES OF THE POST OF THE PARTY
CST   1   AC   047A   DJ   AC   CANGERS   ACASA   AC   AC   AC   AC   AC   AC	1
SCOAE	135.24K P01-143. P41-3
163 165 165 165 165 165 165 165 175 175 175 175 175 175 175 175 175 17	SCORE PAUL S G E ATTA HOUSE
11.023 51801LED	74. 160
1.52 1.53 1.154 1/6/19 (6/07), A(LID 1:0/12 1/6/19	ZIPCSDE ZIPCOBE SUCHANSE
21 10 10 10 10 10 10 10 10 10 10 10 10 10	Retc Scrool
	25. 100 July 200 155 155 155 100 July 200 100 July 100 Ju

copy available to blind for the permut fully legible reproduction PAGE NO. Tape Layout for Commission File for 1985 MO. 0 F ટે 05 m 41 14 m INIT U=₩€. DATE DE BIRTH ž GRFD CONTROL Š ¥ LIC! PA 1E MST ITCH! £ Z م حر س मिर्ह जीतरम् भिर्म 43 -41 -45 > NEW Y γR ROIC **∞** α υ= CLAR AVG ADSENCE END 3 Yo TOWNISSION TO THE TANK THE K AO DATE S = DARC ľ タルン 38-hz COND DATE ACADEMIC CEGINS VR MO 5 MAJOR £ 4 151,151 <u>0=0</u> 184 85 18 250 Ş INIT ENTEN 3.5 eoern 40 OZV Jean ¥ HOME RECORD 211 CADE 3 33.33 MASTER FILE (PATCOTON) 4042 100 De 131 161 Leb Score NAME 爾 ~ Z~ Ž R MONTHS REASON M DATE السن الم 2 30 £ E 7001175 215 COD דורנמת 5 HOH 20 > WENSANTE 1-<0 بج 176 ă מששבשל ĉ TOTAL ALAO ROTE | ALAO ROTE | ACAO ROTE | ACAO | ROTE 102 Filler 225 5 5 £Λ BRANCH ALTA TOTAL ACT Ę AVERAGES R15 3 2.2 STAIG ٤ 7000 CADET PREPARED 3 = 5 LOENT CE 3771 √n n-2 Ξ 5 **20** AVII O IMMUS 5 2 ع : 5 = N FILLER R T ROTC Sc 1100L 1000 3 30 8 162 163 14 oo. •>⊶ر• 5:18 COND 4 2 255 E OTCH /E . T 300.7 7000.7 MYC DVIE 3 <u>5</u> MO REMARKS TAPE NO. ₹ SE ž OLIRS FARGILED SCLE FROMMER DATE ŝ ヹ ע אפע יי M 53 5.7 マジ 6602 A CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO CO CE CO C 46 بخ the proposed of the form, see AR 18-7; the proposed opency is Office of the Compton of the Army. MSA Scare GS1 3 3 13 TAPE LAYOUT פי היה ā . 55,1<u>7</u>1 HO. LENGTH, ALOCK

TRADOC Reg 145-15

#### Column 63

# J. ROTC PROGRAM TYPE ROTC-Prog-Type

Enter one of the following codes:

2 - 2 year program (Basic Camp cadets only)

4 - 4 year program (includes all but Basic Camp cadets)

MJC cadets who take MS I and MS II will enter a 4, even if the cadet previously attended Basic Camp.

#### Column 64

# L. CADET CURRENT STATUS

Cdt-Curr-Sta

Enter the appropriate code.

E - Enrolled

L - Leave of absence

Complete columns 94-101 (Leave of absence data)

- C Completed ROTC training (including Advanced Camp) but has <u>not</u> completed academic requirements. Column 65 (Military Science Class Enrolled) must be coded "C".
- D Disenrolled Complete columns 86-93 (DISENROLLMENT/SCHOLARSHIP LOSS).
- I Immigrant Alien
- R Refugee

#### Column 65

#### M. MILITARY SCIENCE CLASS ENROLLED

MS-C1-Enrld

Enter the appropriate code.

- 1 MS I
- 2 MS II
- 3 MS III
- 4 MS IV
- C Completed ROTC Training (including Advanced Camp) but has not been commissioned.

If cadet is on leave of absence at the beginning of a school year, enter the last class that was successfully completed.

# APPENDIX C

OFFICER LONGITUDINAL RESEARCH DATA BASE CORE DATA SET BRIEF DESCRIPTION

# OLRDB CORE DATA SET BRIEF DESCRIPTION

FIELD #	LENGTH	FIELD DESCRIPTION
1	9	MATCHCOD, Match code, a unique identifier. This is the encrypted SSN.
2	6	DOB, Date of Birth, YYMMDD
3	2	DOBMM, Month of Date of Birth, MM
4	2	DOBYY, Year of Date of Birth, YY
5	1	SEX, Sex code.
6	3	TGRA, Temporary Grade
7	6	TDOR, Temporary Date of Rank, YYMMDD
8	2	TDORMM, Month of Temporary Date of Rank, MM
9	2	TDORYY, Year of Temporary Date of Rank, YY
10	6	BPED, Pay Entry Basic Date, YYMMDD
11	2	BPEDMM, Month of Pay Entry Basic Date, MM
12	2	BPEDYY, Year of Pay Entry Basic Date, YY
13	6	EADC, Date of Entry on Active Duty in Current Tour, YYMMDD
14	2	EADCMM, Month of Entry on Active Duty in Current Tour, MM
15	2	EADCYY, Year of Entry on Active Duty in Current Tour, YY
16	6	DTRA, Basic Date of RA/USAR/NGUS Appointment, YYMMDD
17	2	DTRAMM, Month of Basic Date of RA/USAR/NGUS Appointment, MM
18	2	DTRAYY, Year of Basic Date of RA/USAR/NGUS Appointment, YY
19	1	SOC, Source of Commission
20	6	SEPDT, Separation Date, YYMMDD
21	2	SEPDTMM, Month of Separation Date, MM

22	2	SEPDTYY, Year of Separation Date, YY
23	3	SPD, Separation Program Designation
24	2	BABR, Basic Branch
25	2	BRCD, Branch Code (was Initial Specialty)
26	2	FACD, Functional Area Code (was Additional Specialty)
27	1	REDCAT, Racial/Ethnic Descent Category
28	1	ETHGP, Ethnic Group Designation
29	2	BYRGP, Basic Year Group
30	6	PHDT1, Date Promoted to 2LT, YYMMDD
31	2	PHDT1MM, Month of Date Promoted to 2LT, MM
32	2	PHDT1YY, Year of Date Promoted to 2LT, YY
33	6	PHDT2, Date Promoted to 1LT, YYMMDD
34	2	PHDT2MM, Month of Date Promoted to 1LT, MM
35	2	PHDT2YY, Year of Date Promoted to 1LT, YY
36	6	PHDT3, Date Promoted to CPT, YYMMDD
37	2	PHDT3MM, Month of Date Promoted to CPT, MM
38	2	PHDT3YY, Year of Date Promoted to CPT, YY
39	6	PHDT4, Date Promoted to MAJ, YYMMDD
40	2	PHDT4MM, Month of Date Promoted to MAJ, MM
41	2	PHDT4YY, Year of Date Promoted to MAJ, YY
42	6	PHDT5, Date Promoted to LTC, YYMMDD
43	2	PHDT5MM, Month of Date Promoted to LTC, MM
44	2	PHDT5YY, Year of Date Promoted to LTC, YY
45	6	PHDT6, Date Promoted to COL, YYMMDD
46	2	PHDT6MM, Month of Date Promoted to COL, MM
47	2	PHDT6YY, Year of Date Promoted to COL, YY

48	6	PHDT7, Date Promoted to B G, YYMMDD
49	2	PHDT7MM, Month of Date Promoted to B G, MM
50	2	PHDT7YY, Year of Date Promoted to B G, YY
51	6	PHDT8, Date Promoted to M G, YYMMDD
52	2	PHDT8MM, Month of Date Promoted to M G, MM
53	2	PHDT8YY, Year of Date Promoted to M G, YY
. 54	6	PHDT9, Date Promoted to LTG, YYMMDD
55	2	PHDT9MM, Month of Date Promoted to LTG, MM
56	2	PHDT9YY, Year of Date Promoted to LTG, YY
57	6	PHDT10, Date Promoted to GEN, YYMMDD
58	2	PHDT10MM, Month of Date Promoted to GEN, MM
59	2	PHDT10YY, Year of Date Promoted to GEN, YY
60	1	CELC, Civilian Education Level
61	1	MEL, Military Education Level
62	3	RCEAS1, Academic Specialty Code - Level 1
63	3	RCEAS2, Academic Specialty Code - Level 2
64	3	RCEAS3, Academic Specialty Code - Level 3
65	1	MARST, Marital Status
66	2	DEPS, Number of Dependents (Numeric but blanks for unknown.)
67	2	NODA, Number of Adult Dependents (Numeric but blanks for unknown.)
68	1	COMPT, Component
69	1	CURSA, Current Service Agreement
70	2	COBO, Place of Birth
71	1	ORAPT, Type of Original Appointment
Additional	and Deri	ved Fields

72

1

OMFLAG79, Record Present on 1979 OMF (Y or N)

73	1	OMFLAG80,	Record	Presen	t on	1980	OMF	( Y	or	N)
74	1	OMFLAG81,	Record	Presen	t on	1981	OMF	( Y	or	N)
75	1	OMFLAG82,	Record	Presen	t on	1982	OMF	( Y	or	N)
76	1	OMFLAG83,	Record	Presen	t on	1983	OMF	( Y	or	N)
77	1	OMFLAG84,	Record	Presen	t on	1984	OMF	( Y	or	N)
78	1	OMFLAG85,	Record	Presen	t on	1985	OMF	( Y	or	N)
79	1	OMFLAG86,	Record	Presen	t on	1986	OMF	( Y	or	N)
80	1	OMFLAG87,	Record	Presen	t on	1987	OMF	( Y	or	N)
81	1	OMFLAG88,	Record	Presen	t on	1988	OMF	( <b>Y</b>	or	N)
82	1	OMFLAG89,	Record	Presen	t on	1989	OMF	( Y	or	N)
83	11	FLAGALL, I	Flags fo					tic	n o	) <b>f</b>
8 4	1	DUTYFL70,	Active	Duty D	erive	d for	197	0 (	(Y, N	4)
85	1	DUTYFL71,	Active	Duty D	erive	d for	197	1	(Y, N	(۱
86	1	DUTYFL72,	Active	Duty D	erive	d for	197	2 (	(Y, N	1)
87	1	DUTYFL73,	Active	Duty D	erive	d for	197	3	(Y, 1	۱)
88	1	DUTYFL74,	Active	Duty D	erive	d for	197	4 (	(Y, N	1)
89	1	DUTYFL75,	Active	Duty D	erive	d for	197	5	(Y, !	٧)
90	1	DUTYFL76,	Active	Duty D	erive	d for	197	6 (	(Y, N	1)
91	1	DUTYFL77,	Active	Duty D	erive	d for	197	7	(Y, 1	٧)
92	1	DUTYFL78,	Active	Duty D	erive	d for	197	8 (	(Y, N	(۱)
93	1	DUTYFL79,	Active	Duty D	er i ve	d for	197	9	(Y, 1	(1)
94	1	DUTYFL80,	Active	Duty D	erive	d for	198	0	(Y, N	۱)
95	1	DUTYFL81,	Active	Duty D	erive	d for	198	1	(Y, !	N)
96	1	DUTYFL82,	Active	Duty D	erive	d for	198	2	(Y, N	4)
97	1	DUTYFL83,	Active	Duty D	erive	d for	198	3	(Y, 1	N)
98	1	DUTYFL84,	Active	Duty D	erlve	d for	198	4	(Y, 1	N)

99	1	DUTYFL85,	Active Dut	y De	rived fo	r 1985 (Y,N)
100	1	DUTYFL86,	Active Dut	y De	rived fo	r 1986 (Y,N)
101	1	DUTYFL87,	Active Dut	y De	rived fo	r 1987 (Y,N)
102	1	DUTYFL88,	Active Dut	y De	rived fo	or 1988 (Y, N)
103	1	DUTYFL89,	Active Dut	y De	rived fo	r 1989 (Y,N)
104	1	RETN7980,	Retention	for	1979-80	(Y, N, Missing)
105	1	RETN8081,	Retention	for	1980-81	(Y, N, Missing)
106	1	RETN8182,	Retention	for	1981-82	(Y, N, Missing)
107	1	RETN8283,	Retention	for	1982-83	(Y, N, Missing)
108	1	RETN8384,	Retention	for	1983-84	(Y, N, Missing)
109	1	RETN8485,	Retention	for	1984-85	(Y, N, Missing)
110	1	RETN8586,	Retention	for	1985-86	(Y, N, Missing)
111	1	RETN8687,	Retention	for	1986-87	(Y, N, Missing)
112	1	RETN8788,	Retention	for	1987-88	(Y, N, Missing)
113	1	RETN8889.	Retention	for	1988-89	(Y.N. Missing)

# APPENDIX D

# CONVERSION SPECIFICATIONS FOR ROTC DATA

### CONVERSION SPECIFICATIONS FOR ROTC ADVANCED CAMP DATA

The following criteria ensure that all values on the ROTC Advanced Camp data set are consistent and conform to 1985 coding specifications.

Data Variable	Conversion Specifications
CYEAR	Create for each record from
	fiscal year of the input
	file
CMSCLASS	Change 'C' to blank
CWAIVER	Change values less than 'A'
	to blank
CSMP	Change 'N' to 'G'
	Change 'R' to 'V'
C25MSWIM	Change 'Y' to "G"
CTLT	Change 'Y' to 'S'
CTOBECOM	Change 'Y' to "C"
CSPECMED	Change 'A' to 'R'
CRMQ	Change 'F' to 'N'
CRMQLEVL	Change 'F' to 'N'
CLNWAIV	Change 'W' to 'Y'
CPTWAI VR	Change 'W' to 'Y'
CTAXWA	Change 'W' to 'Y'
CJPDJUDG	Change '&' to blank
CJPDDEC	Change '&" to blank
CJPDINIT	Change '&' to blank
CDELETE	Drop from file
CNAME	Drop from file
Fillers	Drop from file

The following conversion is performed on dates for 1982 and 1983. During those years, the rating scale for the affected data elements was 1 through 7. In 1984 and 1985 the rating scale was 1 through 5. Basically, the two extremes of the 1-7 scale are collapsed. The next six conversion specifications apply to the first nine data elements at the left.

# Data Variable

CTAXTR

# Conversion Specifications

CTRPSUPV	Change	'2'	to	11
CTRPTEAM	Change	' 3 '	t o	' 2
CTRPCOMM	Change	'4'	t o	' 3 '
CTRPDEC	Change			
CTRPTECH	Change	'6'	to	15
CTRPATTD	Change			
CTRPCONF	J			_
CTRPPLAN				
CTRPMSSN				

Recompute by adding together the new values of the data element listed above.

# CONVERSION SPECIFICATIONS FOR ROTC COMMISSION DATA SET

The following criteria ensure that all values on the ROTC Commission data set are consistent and conform to 1985 coding specifications.

<u> Data Variable</u>	Conversion Specification
MYRSAWRD	Change '**' to Blanks
MMPCLASS	Change 'W' to Blank
MBLVYY	Change '00' to Blanks
MBLVMM	Change '00' to Blanks
MELVYY	Change '00' to Blanks
MELVMM	Change '00' to Blanks
MREENTRY	Change 'Y' to 'R'
MCTLT	Change 'N' to "G'
	Change 'R' to 'V'
	Change 'Y' to Blank
MSMP	Change 'N' to 'G'
	Change 'R' to 'V'
MGBRST	Change 'N' to Blank
	Change 'Y' to 'G'
MNACSTAT	Change 'Y' to 'C'
	Change 'I' to 'S'
MBISTAT	Change 'I' to 'S'
MSBISTAT	Change 'I' to 'S'
MWAIVER	Change '*' and all values
	less than 'A' (all
	unprintable characters)
	to Blanks
MSSATTOT	Create for 1982 by adding
	together MSATVERB AND
	MSATMATH
MHITUITN	Change 'N' to Blank
	Change 'Y' to 'T'
MSCHLAID	Change 'Y' to 'S'
MDMSTUD	Change 'N' to Blank
	Change 'Y' to 'S'
MDMGRAD	Change 'N' to Blank
	Change 'Y' to 'G'
MCSBJSMP	Change 'R' to 'V'
	change it to i

The following criteria are necessary to ensure a consistent 4.0 grading scale for grade point data elements. The entire list of conversion specifications applies to the complete list of data elements on the left.

#### Data Variable

## MGPAACUR MGPARCUR MGPAAMS1 MGPARMS1 MGPAAMS2 MGPARMS3 MGPAAMS3 MGPARMS3 MGPARMS4

## Conversion Specification

Change 'PAS' to 1.5
Change 'A' to 4.0
Change 'B' to 3.0
Change everything over 4.0
to 4.0
Change scale on all data
values to yield a single
integer (e.g., 40 is
changed to 4.0)
Note: 1982 data was
stored as 3 digits so
the scale went from 400
to 4.0

The following criteria properly identify two divergent types of data stored in the same data field.

#### Data Variable

#### **MCHGTIME**

#### MYEAR

MDELETE MNAME FILLERS

#### Conversion Specification

If the value is 2400 then:

1.Create MCONTRYY by dividing by 10 and using the integer which results.

2. Create MCONTRMM by multiplying MCONTRYY by 100 and subtracting the result from MCHGTIME.

3. Set MCHGTIME to missing values.

Create this data element for each record based on the input file fiscal year. Drop from file

Drop from file Drop from file Drop from file

# APPENDIX E DATA DICTIONARY DESCRIPTIONS

#### ROTC ADVANCED CAMP DATA ELEMENTS

MATCHCOD MATCH CODE

9 CHARACTER NUMERIC.

UNIQUE NUMBER WHICH IDENTIFIES EACH PERSON IN THE OLRDB.

IT IS ASSIGNED BY THE OLRDB DATA MANAGER.

CUNIT UNIT

4 CHARACTER NUMERIC.

POSITION 1=CYCLE 1 THRU 0 (0 EQUATES TO THE TENTH CYCLE)

POSITION 2=BATTALION 1 THRU 9

POSITION 3=COMPANY A THRU Z (NOT TO EXCEED 330 CADETS)

POSITION 4=PLATOON 1 THRU 9 (NOT TO EXCEED 60)

CINSTH INSTITUTION CODE (HOST)

6 CHARACTER NUMERIC.

THE FEDERAL INTERAGENCY COMMITTEE ON EDUCATION (FICE) CODE

FOR THE INSTITUTION HOSTING ARMY ROTC. THE INSTITUTION CODES CAN BE FOUND BY USING THE SAS FORMAT \$CEIN IN THE SAS FORMAT LIBRARY

MAINTAINED BY THE OLRDB MANAGER

CINSTHNM INSTITUTION NAME

27 CHARACTER ALPHABETIC.

THE NAME OF THE INSTITUTION HOSTING THE ARMY ROTC.

CREGION ROTC INSTITUTION REGION

1 CHARACTER NUMERIC.

IDENTIFIES THE HEADQUARTERS FOR THE REGION IN WHICH THE

INSTITUTION IS LOCATED.

1=FT BRAGG

2=FT KNOX

3=FT RILEY

4=FT LEWIS

CAREA INSTITUTION REGION AREA CODE

1 CHARACTER NUMERIC.

1 THRU 9.

IDENTIFIES THE AREA WITHIN THE ROTC REGIONS IN WHICH THE INSTITUTION IS LOCATED. IT IS EXTRACTED FROM THE DIRECTORY

FILE WHEN THE SCHOOL FILE IS BEING CREATED BY TRADOC.

CSCHLCAT SCHOOL CODE CATEGORY

1 CHARACTER ALPHABETIC.

CODE WHICH INDICATES IF A CADET IS FROM AN EXTENSION CENTER

OR CROSS-ENROLLED SCHOOL.

C=CROSS-ENROLLED (INCLUDES CROSS-ENROLLED TO AN EXTENSION CENTER)

X=EXTENSION CENTER

BLANK=NEITHER

CINSTX INSTITUTION CODE (CROSS-ENROLLED/EXTENSION)

6 CHARACTER NUMERIC.

IF CROSS-ENROLLED OR EXTENSION CENTER CADET, THE NUMERIC FEDERAL INTERAGENCY COMMITTEE ON EDUCATION (FICE) CODE FOR THE INSTITUTION IN WHICH THE CADET IS ACADEMICALLY ENROLL. THE INSTITUTION CODES AND NAMES CAN BE FOUND BY USING THE SAS FORMAT

\$CEIN IN THE SAS FORMAT LIBRARY MAINTAINED BY THE OLRDB DATA MANAGER

CSEX SEX

1 CHARACTER ALPHABETIC.

SEX OF THE CADET.

F=FEMALE M=MALE

CRACE RACE/POPULATION GROUP

1 CHARACTER ALPHABETIC.

THE RACE/POPULATION GROUP OF THE CADET.

C=WHITE (CAUCASOID)

N=BLACK (NEGROID/AFRICAN)
R=RED (AMERICAN INDIAN)
M=YELLOW (ASIAN/MONGOLOID)

Z=UNKNOWN X=OTHER

CETHNIC ETHNIC GROUP

1 CHARACTER ALPHA/NUMERIC. THE ETHNIC GROUP OF THE CADET.

1=OTHER HISPANIC DESCENT 2=US/CANADIAN INDIAN TRIBES

3=OTHER ASIAN DESCENT

4=PUERTO RICAN

5=FILIPINO

6=MEXICAN

7=ESKIMO

8=ALEUT

9=CUBAN

G=CHINESE

J=JAPANESE

K=KOREAN

D=INDIAN

V=VIETNAMESE

S=LATIN AMERICAN WITH HISPANIC DESCENT

E=MELANESIAN W=MICRONESIAN

W-MI CHONESIA

L=POLYNESIAN

Q=OTHER PACIFIC ISLAND DESCENT

X=OTHER

Z=UNKNOWN

CDOBYY YEAR OF DATE OF BIRTH

2 CHARACTER NUMERIC.

DATE OF BIRTH YEAR (YY). FROM EXAMINATION OF THE DATA, SOME UNREASONABLE DATE OF BIRTH YEARS ARE PRESENT ON THE FILE.

CDOBMOM MONTH OF DATE OF BIRTH
2 CHARACTER NUMERIC.
DATE OF BIRTH MONTH (MM).

CDOBDD DAY OF DATE OF BIRTH

2 CHARACTER NUMERIC.
DATE OF BIRTH DAY (DD).

CRELIGIN RELIGIOUS PREFERENCE
1 CHARACTER ALPHABETIC.

RELIGIOUS PREFERENCE OF THE CADET. IT IS ONLY PRESENT FOR

DATA FROM 1982-1984.

P=PROTESTANT
C=CATHOLIC
J=JEWISH
X=OTHER
Z=UNKNOWN

CERLA EARLY RELEASE/LATE ARRIVAL CODE

1 CHARACTER ALPHABETIC.

INDICATES THAT THE CADET WILL BE RELEASED EARLY OR WILL

ARRIVE LATE. E=EARLY L=LATE

BLANK=NO DATA

CALTDAYY YEAR OF ALTERNATE DATE OF ATTENDANCE AT ADVANCED CAMP

2 CHARACTER NUMERIC.

THE YEAR (YY) OF AN ALTERNATE DATE OF ATTENDANCE AT ADVANCED

CAMP IF APPLICABLE.

CALTDAMM MONTH OF ALTERNATE DATE OF ATTENDANCE AT ADVANCED CAMP

2 CHARACTER NUMERIC.

THE MONTH (MM) OF AN ALTERNATE DATE OF ATTENDANCE AT ADVANCED

CAMP IF APPLICABLE.

CALTDADD DAY OF ALTERNATE DATE OF ATTENDANCE AT ADVANCED CAMP

2 CHARACTER NUMERIC.

THE DAY (DD) OF AN ALTERNATE DATE OF ATTENDANCE AT ADVANCED

CAMP IF APPLICABLE.

CMPCLASS MILITARY PERSONNEL CLASS (PRIOR SERVICE)

1 CHARACTER ALPHABETIC.

THE MILITARY PERSONNEL CLASS OF THE CADET PRIOR TO ADVANCED

CAMP IF APPLICABLE.

E=ENLISTED

W=WARRANT OFFICER

C=MILITARY SERVICE ACADEMY

BLANK=NO DATA

#### CPGMTYPE ROTC PROGRAM TYPE

1 CHARACTER NUMERIC.

IDENTIFIES THE TYPE OF ROTC PROGRAM IN WHICH THE CADET IS ENROLLED.

2=2 YEAR PROGRAM (BASIC CAMP CADETS ONLY)

4=4 YEAR PROGRAM (INCLUDES ALL BUT BASIC CAMP CADETS) MILITARY JUNIOR COLLEGE CADETS WHO TAKE MS I AND MS II WILL ENTER A 4, EVEN IF THE CADET PREVIOUSLY ATTENDED

BASIC CAMP.

#### CMSCLASS MILITARY SCIENCE CLASS

1 CHARACTER NUMERIC.

MILITARY SCIENCE CLASS ENROLLED. MS 3 OR MS 4 ONLY.

3=MS III

4=MS IV

#### CSCHOLAR SCHOLARSHIP TYPE

1 CHARACTER NUMERIC.

TYPE OF SCHOLARSHIP CADET IS RECEIVING.

0=NO SCHOLARSHIP

1=1 YEAR SCHOLARSHIP (ONLY PRESENT ON DATA FROM 1982-1983)

2=2 YEAR SCHOLARSHIP 3=3 YEAR SCHOLARSHIP

4=4 YEAR SCHOLARSHIP

#### CACADCLS ACADEMIC CLASS

1 CHARACTER ALPHA/NUMERIC.

THE CLASS IN WHICH THE CADET IS ACADEMICALLY ENROLLED.

1=FRESHMAN 2=SOPHOMORE

3=JUNIOR

4=SENIOR

5=SENIOR IN 5 YEAR CURRICULUM PROGRAM (OR CO-OP)

G=GRADUATE STUDENT

#### CACADMAJ ACADEMIC MAJOR (COLLEGE EDUCATION)

3 CHARACTERS ALPHABETIC.

A 3 POSITION ALPHABETIC CODE WHICH BEST DESCRIBES THE CADET'S ACADEMIC MAJOR. IF CADET HAS NO MAJOR, THE CODE IS 'RAX'. THE ACADEMIC MAJOR CODES CAN BE FOUND BY USING THE SAS FORMAT \$CEAS IN THE SAS FORMAT LIBRARY MAINTAINED BY THE OLRDB DATA MANAGER

#### CCOMPRES COMPRESSION

1 CHARACTER NUMERIC

COMPRESSION CODE WHICH DESCRIBES THE LEVEL AT WHICH THE

CADET IS COMPRESSING MILITARY SCIENCE CLASSES.

1=COMPRESSION OF MS I AND MS II 2=COMPRESSION OF MS II AND MS III

4=COMPRESSION OF MS III AND MS IV

6=CONVERSION OF 0'S FOUND IN DATA FROM 1982-1984

BLANK - NO COMPRESSION

CWAIVER WAIVER GRANTED

1 CHARACTER ALPHA/NUMERIC

A CODE WHICH IDENTIFIES THE WAIVER GRANTED THE CADET.

A=AGE

B=AGE & CIVIL CONVICTION

C=CIVIL CONVICTION

D=CIVIL CONVICTION & MEDICAL

E=AGE & RE CODE

F=MEDICAL & MS III SCREENING SCORE

G=AGE & DEPENDENCY

H=AGE & MEDICAL

J=RE CODE & DEPENDENCY

K=MS III SCREENING SCORE & DEPENDENCY

L=MEDICAL & RE CODE

M=MEDICAL

N=MEDICAL & DEPENDENCY

P=DEPENDENCY

R=REENLISTMENT CODE

S=MS III SCREENING SCORE

T=AGE & MS III SCREENING SCORE

U=CIVIL CONVICTION & DEPENDENCY

V=CIVIL CONVICTION AND RE CODE

W=CIVIL CONVICTION AND MS III SCREENING SCORE

X=MS III SCREENING & RE CODE

BLANK=NO DATA

1=(NO DOCUMENTATION FOR THIS VALUE)

2=(NO DOCUMENTATION FOR THIS VALUE)

3=MORE THAN TWO WAIVERS REQUIRED

4=OTHER

6=(NO DOCUMENTATION FOR THIS VALUE)

7=(NO DOCUMENTATION FOR THIS VALUE)

CGRFD GUARANTEED RESERVE FORCES (GRFD)

1 CHARACTER ALPHABETIC.

THE THIRD POSITION OF THE GRFD ON THE ROTC MANAGEMENT

INFORMATION SYSTEM. A-Z, 0-9 OR BLANK

W=THE CADET SIGNED FOR GRFD AND LATER WITHDREW

BLANK=THE CADET NEVER HAD A GUARANTEED RESERVE FORCES

DUTY CONTRACT

(NO DOCUMENTATION ON THE MEANING OF THE OTHER VALUES)

CSMP SIMULTANEOUS MEMBERSHIP PROGRAM (SMP)

1 CHARACTER ALPHABETIC.

CODE DESCRIBING PARTICIPATION IN THE SIMULTANEOUS

MEMBERSHIP PROGRAM.

V=RESERVE

G=NATIONAL GUARD

W=WAS ENROLLED AND THEN WITHDREW

BLANK=NO DATA

C25MSWIM 25-METER SWIM

1 CHARACTER ALPHABETIC. THIS IS AN OPTIONAL FIELD

G=GO N=NO-GO BLANK=NO DATA

CCTLT CTLT

1 CHARACTER ALPHABETIC. THIS IS AN OPTIONAL FIELD

CODE WHICH INDICATES PARTICIPATION IN CADET TROOP LEADERSHIP

TRAINING.
S=SELECTED
N=NOT SELECTED
BLANK=NO DATA

CTOBECOM TO BE COMMISSIONED AT CAMP

1 CHARACTER.

INDICATES WHETHER OR NOT THE CADET IS TO BE COMMISSIONED

AT CAMP.

C=YES(COMMISSIONED) N=NO (NON-COMMISSIONED)

CCADSTAT CADET STATUS

1 CHARACTER ALPHA/NUMERIC.

CODE WHICH INDICATES THE CADET'S STATUS AT ADVANCED CAMP.

1=INPROCESSING MEDICAL LOSS

2=INPROCESSING VOLUNTARY WITHDRAWAL

3=MEDICAL TERMINATION 4=VOLUNTARY WITHDRAWAL 5=EMERGENCY WITHDRAWAL 6=BOARD ACTION

7=OTHER (NO SHOWS)

8=ERROR (NO COUNTS OR PRINTS ON THESE)

A=PASSED CAMP

B=PASSED W/NON-MEDICAL WAIVER

C=PASSED W/MEDICAL WAIVER

D=FAILED CAMP RETURN AUTHORIZED

E=FAILED CAMP (NO RETURN AUTHORIZED)

BLANK=NO DATA

CDROPDYY DROP STATUS DATE YEAR

2 CHARACTERS ALPHA/NUMERIC.

IF THE CADET STATUS FIELD (CCADSTAT) CONTAINS 1, 2, 3, 4, 5, 6, OR 7 INDICATING TERMINATION OF CAMP ENROLLMENT, THERE WILL BE A YEAR (YY) IN 'CDROPDYY'. OTHERWISE

THESE POSITIONS ARE BLANK.

CDROPDMM DROP STATUS DATE MONTH

2 CHARACTERS ALPHA/NUMERIC.

IF THE CADET STATUS FIELD (CCADSTAT) CONTAINS 1, 2, 3, 4, 5, 6, OR 7 INDICATING TERMINATION OF CAMP ENROLLMENT, THERE WILL BE A MONTH (MM) IN 'CDROPDMM'. OTHERWISE THESE POSITIONS ARE BLANK.

CDROPDDD DROP STATUS DATE DAY

2 CHARACTERS ALPHA/NUMERIC.

IF THE CADET STATUS FIELD (CCADSTAT) CONTAINS 1, 2, 3, 4, 5, 6, OR 7 INDICATING TERMINATION OF CAMP ENROLLMENT, THERE WILL BE A DAY (DD) IN 'CDROPDDD'. OTHERWISE

THESE POSITIONS ARE BLANK.

CCYCLE ADVANCED CAMP CYCLE DESIRED

1 CHARACTER NUMERIC.

1, 2, 3, 4, 5, 6, 7, 8, 9, 0 (0 EQUATES TO THE 10TH CYCLE)

CSPECMED SPECIAL MEDICAL

1 CHARACTER ALPHABETIC. THIS FIELD IS OPTIONAL

R=RANGER (AIRBORNE AND AIR ASSAULT)

F=FLIGHT X=OTHER BLANK=NO DATA

CRMIF RIFLE MARKSMANSHIP INITIAL FIRE

2 CHARACTERS NUMERIC.

CAN CONTAIN A SCORE RANGING FROM 00-40 (THE NUMBER OF HITS)

CRMRF RIFLE MARKSMANSHIP REFIRE

2 CHARACTERS NUMERIC.

CAN CONTAIN A SCORE RANGING FROM 00-40 (THE NUMBER OF HITS)

CRMQ RIFLE MARKSMANSHIP QUALIFICATION

1 CHARACTER ALPHABETIC.

Q=QUALIFIED N=NOT QUALIFIED BLANK=TEST NOT TAKEN

CRMQLEVL RIFLE MARKSMANSHIP QUALIFICATION LEVEL

1 CHARACTER ALPHABETIC.

E=EXPERT

S=SHARPSHOOTER M=MARKSMAN

N=NOT QUALIFIED

BLANK=TEST NOT TAKEN

CLNIN LAND NAVIGATION, INITIAL, NIGHT

2 CHARACTERS NUMERIC.

CONTAINS A SCORE OF 00-10. (10% OF THE PRACTICAL PART OF THE

OVERALL SCORE).

CLNID LAND NAVIGATION, INITIAL, DAY

2 CHARACTERS NUMERIC.

CONTAINS A SCORE OF 00-60. (60% OF THE PRACTICAL PART OF THE

OVERALL SCORE).

CLNIW LAND NAVIGATION, INITIAL, WRITTEN

2 CHARACTERS NUMERIC.

CONTAINS A SCORE OF 00-30. (30% OF THE OVERALL RAW SCORE).

CLNTOTIR LAND NAVIGATION - TOTAL INITIAL RAW SCORE

3 CHARACTERS NUMERIC.

CONTAINS A SCORE OF 000-100. (AN ACCUMULATION OF

INITIAL NIGHT

00-10

INITIAL DAY

00-60

INITIAL WRITTEN

00-30

INTITAL WATER

00 30

INITIAL RAW SCORE

000-100)

CLNRD LAND NAVIGATION - RETAKE, DAY

2 CHARACTERS NUMERIC.

CONTAINS A SCORE OF 00-60. (60% OF THE PRACTICAL PART OF THE

OVERALL SCORE)

CLNRW LAND NAVIGATION, RETAKE, WRITTEN

2 CHARACTERS NUMERIC.

CONTAINS A SCORE OF 00-30. (30% OF THE PRACTICAL PART OF THE

OVERALL SCORE)

CLNTOTRR LAND NAVIGATION - TOTAL RETAKE RAW SCORE

3 CHARACTERS NUMERIC.

CONTAINS A SCORE OF 000-100. ( AN ACCUMULATION OF

RETAKE DAY

00-60

RETAKE WRITTEN

00-30

INITIAL NIGHT

01-10

TOTAL RETAKE RAW

001-100)

CLNWAIV LAND NAVIGATION WAIVERS

1 CHARACTER ALPHABETIC.

M=MEDICAL WAIVER

Y=NON-MEDICAL WAIVER

BLANK=NO DATA

CLNQ LAND NAVIGATION QUALIFICATION

1 CHARACTER ALPHABETIC.

G=GO (PASSED)

N=NO-GO (FAILED)

CLNRECON LAND NAVIGATION RECONDO

1 CHARACTER ALPHABETIC.

G=GO (PASSED)

N=NO-GO (FAILED)

CPTIPUR PT INITIAL PUSH-UP RAW SCORE

2 CHARACTERS NUMERIC.

CONTAINS A SCORE FROM 00-99

CPTISUR PT INITIAL SIT-UP RAW SCORE

2 CHARACTERS NUMERIC.

CONTAINS A SCORE FROM 00-99

CPTIMER PT INITIAL MILE RUN RAW SCORE
4 CHARACTERS NUMERIC.
DEPICTS TIME IN MINUTES AND SECONDS

CPTIPUTS PT INITIAL PUSH-UP TABLE SCORE

3 CHARACTERS NUMERIC.

CONVERTS THE INITIAL PUSH-UP RAW SCORE TO A TABLE SCORE RANGING
FROM 000-100

CPTISUTS PT INITIAL SIT-UP TABLE SCORE

3 CHARACTERS NUMERIC.

CONVERTS THE INITIAL SIT-UP RAW SCORE TO A TABLE SCORE RANGING
FROM 000-100

CPTIMRTS PT INITIAL MILE RUN TABLE SCORE
3 CHARACTERS NUMERIC.
CONVERTS THE INITIAL MILE RUN SCORE TO A TABLE SCORE RANGING
FROM 000-100

CPTITTS PT INITIAL TOTAL TABLE SCORE

3 CHARACTERS NUMERIC.

ADDS THE INITIAL PUSH-UP TABLE SCORE, THE INITIAL SIT-UP TABLE
SCORE AND THE INITIAL MILE RUN TABLE SCORE TO COMPUTE A FIGURE
RANGING FROM 000-300

CPTRPUR PT RETAKE PUSH-UP RAW SCORE
2 CHARACTERS NUMERIC.
CONTAINS A RETAKE SCORE FROM 00-99

CPTRSUR PT RETAKE SIT-UP RAW SCORE
2 CHARACTERS NUMERIC.
CONTAINS A RETAKE SCORE FROM 00-99

CPTRMRR PT RETAKE MILE RUN RAW SCORE
4 CHARACTERS NUMERIC.
DEPICTS A RETAKE-TIME IN MINUTES AND SECONDS

CPTRPUTS PT RETAKE PUSH-UP TABLE SCORE

3 CHARACTERS NUMERIC.

CONVERTS THE RETAKE PUSH-UP RAW SCORE TO A TABLE SCORE
RANGING FROM 000-100

CPTRSUTS PT RETAKE SIT-UP TABLE SCORE
3 CHARACTERS NUMERIC.
CONVERTS THE RETAKE SIT-UP RAW SCORE TO A TABLE SCORE
RANGING FROM 000-100

CPTRMRTS PT RETAKE MILE RUN TABLE SCORE

3 CHARACTERS NUMERIC.

CONVERTS THE RETAKE MILE RUN SCORE TO A TABLE SCORE RANGING
FROM 001-100

CPTRTTS PT RETAKE TOTAL TABLE SCORE

3 CHARACTERS NUMERIC.

ADDS THE RETAKE PUSH-UP TABLE SCORE, THE RETAKE SIT-UP TABLE SCORE AND THE RETAKE MILE RUN TABLE SCORE TO COMPUTE A FIGURE RANGING FROM 001-300

CPTWAIVR PT WAIVERS

1 CHARACTER ALPHABETIC. M=MEDICAL WAIVER Y=NON-MEDICAL WAIVER BLANK=NO DATA

CPTQUAL PT QUALIFICATION

1 CHARACTER ALPHABETIC.

G=GO (PASSED) N=NO-GO (FAILED) BLANK=NO DATA

CPTRECON PT RECONDO

1 CHARACTER ALPHABETIC.

G=GO (PASSED) N=NO-GO (FAILED) BLANK=NO DATA

CJPPLOR JOB PERFORMANCE PLATOON LEADER OFFICER (RECORD)

2 CHARACTER NUMERIC.

THE VALUES FOR THIS DATA ELEMENT HAVE CHANGED OVER TIME. IN 1982-1983 THE VALID VALUES FOR THIS FIELD WERE 01, 02, 03 AND 11, HOWEVER THERE IS NO DOCUMENTATION TO INDICATE WHAT THESE VALUES MEANT. THE DATA REMAINS AS IT WAS IN THOSE YEARS ON THIS ADVANCED CAMP DATA SET. FOR THE FOLLOWING YEARS THE VALID VALUES ARE 0 THROUGH 5. THEY ARE STORED IN TWO POSITIONS TO ACCOMMODATE THE VALUE OF '11' FOR THE EARLY YEARS.

5=MUCH MORE THAN ACCEPTABLE (TOP 10%) 4=MORE THAN ACCEPTABLE (TOP 1/3) 3=ACCEPTABLE, ALL OTHERS EXCEPT BOARDS 2=LESS THAN ACCEPTABLE, BOARD ACTION 1=NOT ACCEPTABLE, NO CAMP CREDIT

0=MISSING

CJPPLOP JOB PERFORMANCE PLATOON LEADER OFFICER (PRACTICE)
1 CHARACTER NUMERIC. THIS IS AN OPTIONAL FIELD.

THIS FIELD DID NOT EXIST IN 1982-1983. FOR THOSE

YEARS IT IS FILLED WITH ZEROS.

5=MUCH MORE THAN ACCEPTABLE (TOP 10%)

4=MORE THAN ACCEPTABLE (TOP 1/3)

3=ACCEPTABLE, ALL OTHERS EXCEPT BOARDS 2=LESS THAN ACCEPTABLE, BOARD ACTION

1=NOT ACCEPTABLE, NO CAMP CREDIT

0=MISSING

CJPPLNR JOB PERFORMANCE PLATOON LEADER NCO (RECORD)

1 CHARACTER NUMERIC.

THE VALUES FOR THIS DATA ELEMENT HAVE CHANGED OVER TIME. IN 1982-1983 THE VALID VALUES FOR THIS FIELD WERE 01, 02, 03, AND 11, HOWEVER THERE IS NO DOCUMENTATION TO INDICATE WHAT THESE VALUES MEANT. THE DATA REMAINS AS IT WAS IN THOSE YEARS ON THIS ADVANCED CAMP DATA SET. FOR THE FOLLOWING YEARS THE VALID VALUES ARE 0 THROUGH 5. THEY ARE STORED IN TWO POSITIONS TO ACCOMMODATE THE VALUE OF '11' FOR THE EARLY YEARS.

5=MUCH MORE THAN ACCEPTABLE (TOP 10%)

4=MORE THAN ACCEPTABLE (TOP 1/3)

3=ACCEPTABLE, ALL OTHERS EXCEPT BOARDS 2=LESS THAN ACCEPTABLE, BOARD ACTION

1=NOT ACCEPTABLE, NO CAMP CREDIT

0=MISSING

0=MISSING

CJPPLNP JOB PERFORMANCE PLATOON LEADER NCO (PRACTICE)

1 CHARACTER NUMERIC. THIS IS AN OPTIONAL FIELD
THIS FILED DID NOT EXIST IN 1982-1983. FOR THOSE
YEARS IT IS FILLED WITH ZEROS.
5=MUCH MORE THAN ACCEPTABLE (TOP 10%)
4=MORE THAN ACCEPTABLE (TOP 1/3)
3=ACCEPTABLE, ALL OTHERS EXCEPT BOARDS
2=LESS THAN ACCEPTABLE, BOARD ACTION

CJPPSIZE JOB PERFORMANCE PLATOON SIZE

1=NOT ACCEPTABLE, NO CAMP CREDIT

2 CHARACTERS NUMERIC. NOT TO EXCEED 60 CADETS

CTAXRATE TACTICAL APPLICATION EXERCISE RATER (CADRE AND IDENTIFICATION CODE)

2 CHARACTERS ALPHA/NUMERIC.

THERE IS NO DOCUMENTATION AVAILABLE TO DESCRIBE THESE CODES.

CTRPSUPV TACTICAL APPLICATION EXERCISE RAW POINTS - SUPERVISION AND CONTROL OF SUBORDINATES

1 CHARACTER NUMERIC.
EACH CHARACTER IS A RATING RANGING FROM 0 TO 5 ON THE CADET'S PERFORMANCE

CTRPTEAM TACTICAL APPLICATION EXERCISE RAW POINTS - TEAM MEMBER/COOPERATION 1 CHARACTER NUMERIC.

EACH CHARACTER IS A RATING RANGING FROM 0 TO 5 ON THE CADET'S PERFORMANCE

CTRPCOMM TACTICAL APPLICATION EXERCISE RAW POINTS - COMMUNICATION
1 CHARACTER NUMERIC.
EACH CHARACTER IS A RATING RANGING FROM 0 TO 5 ON THE CADET'S PERFORMANCE

CTRPDEC TACTICAL APPLICATION EXERCISE RAW POINTS - DECISIVENESS

1 CHARACTER NUMERIC.

EACH CHARACTER IS A RATING RANGING FROM 0 TO 5 ON THE CADET'S

PERFORMANCE

CTRPTECH TACTICAL APPLICATION EXERCISE RAW POINTS - TECHNICAL AND TACTICAL

**PROFICIENCY** 

1 CHARACTER NUMERIC.

EACH CHARACTER IS A RATING RANGING FROM 0 TO 5 ON THE CADET'S

**PERFORMANCE** 

CTRPATTD TACTICAL APPLICATION EXERCISE RAW POINTS - ATTITUDE/MOTIVATION

1 CHARACTER NUMERIC.

EACH CHARACTER IS A RATING RANGING FROM 0 TO 5 ON THE CADET'S

**PERFORMANCE** 

CTRPCONF TACTICAL APPLICATION EXERCISE RAW POINTS - CONFIDENCE

1 CHARACTER NUMERIC.

EACH CHARACTER IS A RATING RANGING FROM 0 TO 5 ON THE CADET'S

PERFORMANCE

CTRPPLAN TACTICAL APPLICATION EXERCISE RAW POINTS - PLANNING

1 CHARACTER NUMERIC.

EACH CHARACTER IS A RATING RANGING FROM 0 TO 5 ON THE CADET'S

**PERFORMANCE** 

CTRPMSSN TACTICAL APPLICATION EXERCISE RAW POINTS - MISSION ACCOMPLISHMENT

1 CHARACTER NUMERIC.

EACH CHARACTER IS A RATING RANGING FROM 0 TO 5 ON THE CADET'S

**PERFORMANCE** 

CTAXGN TACTICAL APPLICATION EXERCISE GO/NO-GO

1 CHARACTER ALPHA/NUMERIC.

G=GO (PASSED) N=NO-GO (FAILED)

BLANK=NO DATA

CTAXTR TACTICAL APPLICATION EXERCISE TOTAL RAW SCORE

3 CHARACTERS NUMERIC.

O THRU 45 (TOTAL OF THE 9 TACTICAL APPLICATION EXERCISE RAW POINT

CATEGORIES AS FOLLOWS: CTRPSUPV, CTRPTEAM, CTRPCOMM, CTRPDECI,

CTRPTECH, CTRPATTD, CTRPCONF, CTRPPLAN, CTRPMSSN)

CTAXWAIV TACTICAL APPLICATION EXERCISE WAIVER

1 CHARACTER ALPHABETIC.

M=MEDICAL Y=NON-MEDICAL BLANK=NO DATA

CROSTER CADET ROSTER NUMBER

2 CHARACTERS NUMERIC.

NUMBERS WILL RANGE FROM 01-60 ONLY

CPRPMV1 PEER RATING OF OFFICER POTENTIAL (PRACTICE) MOST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRPMV2 PEER RATING OF OFFICER POTENTIAL (PRACTICE) SECOND MOST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRPMV3 PEER RATING OF OFFICER POTENTIAL (PRACTICE) THIRD MOST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRPMV4 PEER RATING OF OFFICER POTENTIAL (PRACTICE) FOURTH MOST VOTES
2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRPMV5 PEER RATING OF OFFICER POTENTIAL (PRACTICE) FIFTH MOST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRPMV6 PEER RATING OF OFFICER POTENTIAL (PRACTICE) SIXTH MOST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRPMV7 PEER RATING OF OFFICER POTENTIAL (PRACTICE) SEVENTH MOST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRPMV8 PEER RATING OF OFFICER POTENTIAL (PRACTICE) EIGHTH MOST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRPMV9 PEER RATING OF OFFICER POTENTIAL (PRACTICE) NINTH MOST VOTES 2 CHARACTERS NUMERIC.

NUMBER WILL RANGE FROM 01-60

CPRPMV10 PEER RATING OF OFFICER POTENTIAL (PRACTICE) TENTH MOST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRPLV1 PEER RATING OF OFFICER POTENTIAL (PRACTICE) LEAST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRPLV2 PEER RATING OF OFFICER POTENTIAL (PRACTICE) SECOND LEAST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRPLV3 PEER RATING OF OFFICER POTENTIAL (PRACTICE) THIRD LEAST VOTES 2 CHARACTERS NUMERIC.

- CPRPLV4 PEER RATING OF OFFICER POTENTIAL (PRACTICE) FOURTH LEAST VOTES
  2 CHARACTERS NUMERIC.
  NUMBER WILL RANGE FROM 01-60
- CPRPLV5 PEER RATING OF OFFICER POTENTIAL (PRACTICE) FIFTH LEAST VOTES
  2 CHARACTERS NUMERIC.
  NUMBER WILL RANGE FROM 01-60
- CPRPLV6 PEER RATING OF OFFICER POTENTIAL (PRACTICE) SIXTH LEAST VOTES 2 CHARACTERS NUMERIC.
  NUMBER WILL RANGE FROM 01-60
- CPRPLV7 PEER RATING OF OFFICER POTENTIAL (PRACTICE) SEVENTH LEAST VOTES
  2 CHARACTERS NUMERIC.
  NUMBER WILL RANGE FROM 01-60
- CPRPLV8 PEER RATING OF OFFICER POTENTIAL (PRACTICE) EIGHTH LEAST VOTES
  2 CHARACTERS NUMERIC.
  NUMBER WILL RANGE FROM 01-60
- CPRPLV9 PEER RATING OF OFFICER POTENTIAL (PRACTICE) NINTH LEAST VOTES
  2 CHARACTERS NUMERIC.
  NUMBER WILL RANGE FROM 01-60
- CPRPLV10 PEER RATING OF OFFICER POTENTIAL (PRACTICE) TENTH LEAST VOTES
  2 CHARACTERS NUMERIC.
  NUMBER WILL RANGE FROM 01-60
- CPRPRAW PEER RATING OF OFFICER POTENTIAL (PRACTICE) RAW SCORE
  3 CHARACTERS NUMERIC.
  AN ACCUMULATION OF THE PEER RATING (PRACTICE) MOST VOTES AND THE
  PEER (PRACTICE) LEAST VOTES
- CPRPASC PEER RATING OF OFFICER POTENTIAL (PRACTICE) ARMY STANDARD SCORE.

  3 CHARACTERS NUMERIC.

  THE PEER RATING PRACTICE RAW SCORE CONVERTED TO THE ARMY STANDARD SCORE.
- CPRRMV1 PEER RATING OF OFFICER POTENTIAL (RECORD) MOST VOTES
  2 CHARACTERS NUMERIC.
  NUMBER WILL RANGE FROM 01-60
- CPRRMV2 PEER RATING OF OFFICER POTENTIAL (RECORD) SECOND MOST VOTES 2 CHARACTERS NUMERIC.

  NUMBER WILL RANGE FROM 01-60
- CPRRMV3 PEER RATING OF OFFICER POTENTIAL (RECORD) THIRD MOST VOTES
  2 CHARACTERS NUMERIC.
  NUMBER WILL RANGE FROM 01-60
- CPRRMV4 PEER RATING OF OFFICER POTENTIAL (RECORD) FOURTH MOST VOTES 2 CHARACTERS NUMERIC.
  NUMBER WILL RANGE FROM 01-60

CPRRMV5 PEER RATING OF OFFICER POTENTIAL (RECORD) FIFTH MOST VOTES
2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRMV6 PEER RATING OF OFFICER POTENTIAL (RECORD) SIXTH MOST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRMV7 PEER RATING OF OFFICER POTENTIAL (RECORD) SEVENTH MOST VOTES
2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRMV8 PEER RATING OF OFFICER POTENTIAL (RECORD) EIGHTH MOST VOTES
2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRMV9 PEER RATING OF OFFICER POTENTIAL (RECORD) NINTH MOST VOTES
2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRMV10 PEER RATING OF OFFICER POTENTIAL (RECORD) TENTH MOST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRLV1 PEER RATING OF OFFICER POTENTIAL (RECORD) LEAST VOTES
2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRLV2 PEER RATING OF OFFICER POTENTIAL (RECORD) SECOND LEAST VOTES
2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRLV3 PEER RATING OF OFFICER POTENTIAL (RECORD) THIRD LEAST VOTES
2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRLV4 PEER RATING OF OFFICER POTENTIAL (RECORD) FOURTH LEAST VOTES 2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRLV5 PEER RATING OF OFFICER POTENTIAL (RECORD) FIFTH LEAST VOTES
2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRLV6 PEER RATING OF OFFICER POTENTIAL (RECORD) SIXTH LEAST VOTES
2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRLV? PEER RATING OF OFFICER POTENTIAL (RECORD) SEVENTH LEAST VOTES
2 CHARACTERS NUMERIC.
NUMBER WILL RANGE FROM 01-60

CPRRLV8 PEER RATING OF OFFICER POTENTIAL (RECORD) EIGHTH LEAST VOTES 2 CHARACTERS NUMERIC.

NUMBER WILL RANGE FROM 01-60

CPRRLV9 PEER RATING OF OFFICER POTENTIAL (RECORD) NINTH LEAST VOTES

2 CHARACTERS NUMERIC.

NUMBER WILL RANGE FROM 01-60

CPRRLV10 PEER RATING OF OFFICER POTENTIAL (RECORD) TENTH LEAST VOTES

2 CHARACTERS NUMERIC.

NUMBER WILL RANGE FROM 01-60

CPRRRAW PEER RATING OF OFFICER POTENTIAL (RECORD) RAW

3 CHARACTERS NUMERIC.

AN ACCUMULATION OF THE PEER RATING (RECORD) MOST VOTES AND THE

PEER RATING (RECORD) LEAST VOTES

CPRRASC PEER RATING OF OFFICER POTENTIAL (RECORD) ARMY STANDARD SCORE.

3 CHARACTERS NUMERIC.

THE PEER RATING RECORD RAW SCORE CONVERTED TO THE ARMY STANDARD

SCORE.

CRECONRL RECONDO EVENTS - RAPPEL

4 CHARACTERS ALPHABETIC.

G=GO

N=NO-GO

CRECONRD RECONDO EVENTS - ROPE DROP

4 CHARACTERS ALPHABETIC.

G=GO

N=NO-GO

CRECONSL RECONDO EVENTS - SLIDE FOR LIFE

4 CHARACTERS ALPHABETIC.

G=G0

N=NO-GO

CRECONCW RECONDO EVENTS - CAT WALK

4 CHARACTERS ALPHABETIC.

G=GO

N=NO-GO

CRECONQL RECONDO QUALIFIED

1 CHARACTER ALPHABETIC.

G=G0

N=NO-GO

CCAMPCD ADVANCED CAMP CODE

1 CHARACTER NUMERIC.

1=FT BRAGG

3=FT RILEY

4=FT LEWIS

CJPDPLAN JOB PERFORMANCE PLANNING AND ORGANIZATION

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION SO USE IT AT YOUR OWN RISK.)

CJPDPROB JOB PERFORMANCE PROBLEM ANALYSIS

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION SO USE IT AT YOUR OWN RISK.)

CJPDORAL JOB PERFORMANCE ORAL COMMUNICATION SKILL

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION SO USE IT AT YOUR OWN RISK.)

CJPDJUDG JOB PERFORMANCE JUDGMENT

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION SO USE IT AT YOUR OWN RISK.)

CJPDDEC JOB PERFORMANCE DECISIVENESS

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION SO USE IT AT YOUR OWN RISK.)

CJPDINIT JOB PERFORMANCE INITIATIVE

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION

SO USE IT AT YOUR OWN RISK.)

CJPDDELG JOB PERFORMANCE DELEGATION

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

**PERFORMANCE** 

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION

SO USE IT AT YOUR OWN RISK.)

CJPDINFL JOB PERFORMANCE INFLUENCE

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION

SO USE IT AT YOUR OWN RISK.)

CJPDADMN JOB PERFORMANCE ADMINISTRATIVE CONTROL

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION

SO USE IT AT YOUR OWN RISK.)

CJPDTECH JOB PERFORMANCE TECHNICAL COMPETENCE

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION

SO USE IT AT YOUR OWN RISK.)

CJPDSENS JOB PERFORMANCE SENSITIVITY

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

**PERFORMANCE** 

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION

SO USE IT AT YOUR OWN RISK.)

CJPDSTAM JOB PERFORMANCE PHYSICAL STAMINA

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION

SO USE IT AT YOUR OWN RISK.)

CJPDMSSN JOB PERFORMANCE MISSION ACCOMPLISHMENT

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION

SO USE IT AT YOUR OWN RISK.)

CJPDFOLL JOB PERFORMANCE FOLLOWERSHIP

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

PERFORMANCE

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION

SO USE IT AT YOUR OWN RISK.)

CJPDWRTN JOB PERFORMANCE WRITTEN COMMUNICATION SKILL

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

**PERFORMANCE** 

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION

SO USE IT AT YOUR OWN RISK.)

CJPDPRES JOB PERFORMANCE ORAL PRESENTATION SKILL

1 CHARACTER NUMERIC.

EACH CHARACTER IS A GRADE RANGING FROM 0 TO 5 ON THE CADET'S

**PERFORMANCE** 

(THE POSITIONING OF THIS FIELD IS DIFFERENT IN 1986 DOCUMENTATION

SO USE IT AT YOUR OWN RISK.)

COLRDB OLRDB FLAG

1 CHARACTER

THIS CODE INDICATES WHETHER AN OFFICER LONGITUDINAL RESEARCH DATA

BASE (OLRDB) CORE DATA SET RECORD IS PRESENT FOR THIS CADET.

Y=AN OLRDB RECORD IS PRESENT FOR THIS CADET

N=NO OLRDB CORE RECORD IS PRESENT FOR THIS CADET

CYEAR YEAR OF ADVANCED CAMP DATA

2 CHARACTERS NUMERIC

LAST TWO DIGITS OFTHE YEAR THAT THE ROTC ADVANCED CAMP DATA

WAS REPORTED.

#### ROTC COMMISSION DATA ELEMENTS

MATCHCOD MATCH CODE

9 CHARACTERS

UNIQUE NUMBER WHICH IDENTIFIES EACH PERSON IN THE OLRDB.

IT IS ASSIGNED BY THE OLRDB DATA MANAGER

MINSTH INS

INSTITUTION CODE, HOST

6 CHARACTERS

FEDERAL INTERAGENCY COMMITTEE ON EDUCATION (FICE) CODE FOR THE INSTITUTION HOSTING ARMY ROTC. THE INSTITUTION CODES AND NAMES

CAN BE FOUND BY USING THE SAS FORMAT SCEIN IN THE SAS FORMAT LIBRARY

MAINTAINED BY THE OLRDB DATA MANAGER.

MREGION ROTC INSTITUTION REGION

1 CHARACTER

IDENTIFIES THE HEADQUARTERS FOR THE REGION IN WHICH THE INSTITUTION

IS LOCATED. 1=FT BRAGG 2=FT KNOX 3=FT RILEY

4=FT LEWIS

SEX

MSEX

1 CHARACTER

SEX OF THE CADET

M=MALE F=FEMALE

MRACE RACE/POPULATION GROUP

1 CHARACTER

THE RACE/POPULATION GROUP OF THE CADET

C=WHITE (CAUCASOID)

M=YELLOW (ASIAN/MONGOLOID) N=BLACK (NEGROID/AFRICAN) R=RED (AMERICAN INDIAN)

X=OTHER Z=UNKNOWN

METHNIC ETHNIC GROUP

1 CHARACTER

THE ETHNIC GROUP OF THE CADET

1=OTHER HISPANIC DECENT 2=US/CANADIAN INDIAN TRIBES

3=OTHER ASIAN DESCENT

4=PUERTO RICAN 5=FILIPINO 6=MEXICAN 7=ESKIMO 8=ALEUT

9=CUBAN D=INDIAN E=MELANESIAN

G=CHINESE

J=JAPANESE

K=KOREAN

L=POLYNESIAN

Q=OTHER PACIFIC ISLAND DESCENT

S=LATIN AMERICAN WITH HISPANIC DESCENT

V=VIETNAMESE

W=MICRONESIAN

X=OTHER OR NO ETHNIC

Z=UNKNOWN

#### MCADSTAT CADET CURRENT STATUS

1 CHARACTER

THIS DATA ELEMENT MAY NOT REFLECT THE CADET STATUS AS OF THE

TIME OF COMMISSIONING.

E=ENROLLED

L=LEAVE OF ABSENCE

C=COMPLETED ROTC TRAINING BUT NOT COMPLETED ACADEMIC REQUIREMENTS

D=DISENROLLED

I=IMMIGRANT ALIEN

R=REFUGEE

#### MMSCLASS MILITARY SCIENCE CLASS ENROLLED

1 CHARACTER

THIS DATA ELEMENT REFLECTS MILITARY SCIENCE CLASS ENROLLED IMMEDIATELY BEFORE COMMISSIONING. MOST CASES SHOW MS IV.

1=MS I

2=MS [ ]

3=MS III

4=MS IV

C=COMPLETED ROTC TRAINING BUT HAS NOT BEEN COMMISSIONED

#### MPGMTYPE ROTC PROGRAM TYPE

1 CHARACTER

IDENTIFIES THE TYPE OF ROTC PROGRAM IN WHICH THE CADET IS

**ENROLLED** 

2=2 YEAR PROGRAM (BASIC CAMP CADETS ONLY)

4=4 YEAR PROGRAM (INCLUDES ALL BUT BASIC CAMP CADETS)

#### MSAWARD SCHOLARSHIP AWARDED

1 CHARACTER

LENGTH IN YEARS OF SCHOLARSHIP AWARDED

1=1 YEAR

2=2 YEAR

3=3 YEAR

4=4 YEAR

0=NONE (NONSCHOLARSHIP CADET MUST BE 0)

NOTE: 3 1/2 AND 2 1/2 YEAR SCHOLARSHIP WERE AWARDED ON A ONE-

TIME BASIS ONLY; THEREFORE, 3 1/2 YEAR AWARDS ARE LISTED

AS 4-YEAR AND 2 1/2 AWARDS ARE LISTED AS 3-YEAR.

MYRSAWRD YEAR SCHOLARSHIP AWARDED
2 CHARACTERS
THE CALENDAR YEAR IN WHICH THE SCHOLARSHIP WAS AWARDED

MHITUITN TUITION, RESIDENT STATUS

1 CHARACTER

IDENTIFIES IF SCHOLARSHIP CADET IS A NON-RESIDENT AND IS PAYING

HIGHER TUITION

T=NON RESIDENT STUDENT

BLANK=RESIDENT

MSCHLAID SCHOLARSHIP AID CONTINUING

1 CHARACTER

S=SCHOLARSHIP CADET HAS COMPLETED ALL MILITARY SCIENCE COURSES BUT IS STILL RECEIVING FINANCIAL ASSISTANCE UNDER THE ARMY SCHOLARSHIP PROGRAM. THIS WOULD APPLY TO CADETS WHO HAD COMPRESSED ROTC CLASSES BLANK=SCHOLARSHIP CADETS WHO HAVE COMPLETED ROTC AND ARE NOT RECEIVING ARMY ROTC SCHOLARSHIP AID.

MPROBSTS PROBATION STATUS

1 CHARACTER

SCHOLARSHIP CADET'S PROBATION STATUS

Y=CADET IS CURRENTLY ON PROBATION FOR THE FIRST TIME

2=CADET IS CURRENTLY ON PROBATION FOR THE SECOND TIME

3=CADET IS CURRENTLY ON PROBATION FOR THE THIRD TIME

7=CADET IS CURRENTLY ON PROBATION FOR THE FOURTH TIME

N=CADET IS NOT ON PROBATION AND HAS NEVER BEEN ON PROBATION

4=CADET IS NOT CURRENTLY ON PROBATION BUT HAS HAD ONE PREVIOUS PROBATION

5=CADET IS NOT CURRENTLY ON PROBATION BUT HAS HAD TWO PREVIOUS

6=CADET IS NOT CURRENTLY ON PROBATION BUT HAS HAD THREE PREVIOUS PROBATIONS

MSCHLCAT SCHOOL CODE CATEGORY

1 CHARACTER

CODE WHICH INDICATES IF A CADE: IS FROM AN EXTENSION CENTER OR

CROSS-ENROLLED SCHOOL

C=CADET IS CROSS-ENROLLED (INCLUDES CROSS-ENROLLED TO AN

EXTENSION CENTER)

X=CADET IS FROM AN EXTENSION CENTER

BLANK=NEITHER

MINSTX INSTITUTION CODE (CROSS ENROLL, EXTENSION)

6 CHARACTERS

CROSS-ENROLLED OR EXTENSION CENTER CADET, THE NUMERIC FEDERAL INTERAGENCY COMMITTEE ON EDUCATION (FICE) CODE FOR THE INSTITUTION IN WHICH THE CADET IS ACADEMICALLY ENROLLED. THE INSTITUTION CODES AND NAMES CAN BE FOUND BY USING THE SAS FORMAT \$CEIN IN THE SAS FORMAT LIBRARY MAINTAINED BY THE OLRDB DATA MANAGER.

MYRSAMJC JROTC YEARS IN MILITARY JUNIOR COLLEGE
1 CHARACTER

NUMBER OF YEARS THE CADET PARTICIPATED IN ARMY JROTC AT A MILITARY JUNIOR COLLEGE

MYRSAMI JROTC YEARS IN MILITARY INSTITUTE

1 CHARACTER

NUMBER OF YEARS THE CADET PARTICIPATED IN ARMY JROTC AT A

MILITARY INSTITUTE

MYRSAHS JROTC YEARS IN HIGH SCHOOL

1 CHARACTER

NUMBER OF YEARS THE CADET PARTICIPATED IN ARMY JROTC IN

HIGH SCHOOL

MYRSANDC NDCC YEARS

1 CHARACTER

NUMBER OF YEARS THE CADET PARTICIPATED IN AN ARMY NDCC

**PROGRAM** 

MYRSOMI NON ARMY JROTC YEARS IN MILITARY INSTITUTE

1 CHARACTER

NUMBER OF YEARS THE CADET PARTICIPATED IN ANOTHER

SERVICE JROTC AT A MILITARY INSTITUTE

MYRSOHS NON-ARMY JROTC YEARS IN HIGH SCHOOL

1 CHARACTER

NUMBER OF YEARS THE CADET PARTICIPATED IN ANOTHER

SERVICE JROTC IN HIGH SCHOOL

MMPCLASS PRIOR MILITARY PERSONNEL CLASS

1 CHARACTER

E=ENLISTED

C=MILITARY SERVICE ACADEMY

MMPASERV MONTHS OF PRIOR ARMED SERVICE

3 CHARACTERS

TOTAL MONTHS OF SERVICE (E.G., 036) AT THE TIME OF COMMISSIONING.

MDENSLOS DISENROLLMENT AND SCHOLARSHIP LOSS

3 CHARACTERS

CODES BEGINNING WITH 'D' IDENTIFY THE REASON THE CADET WAS DISENROLLED FROM ROTC. CODES BEGINNING WITH 'S' IDENTIFY THE

REASON THE CADET LOST HIS/HER SCHOLARSHIP

D01=WITHDRAWAL FROM SCHOOL

DO2=MEDICAL DISQUALIFICATION

D03=ACADEMIC/ROTC FAILURE

DO4=CONSCIENTIOUS OBJECTOR

DOS=FAILURE TO COMPLETE THE ADVANCED COURSE

DO6=MISCONDUCT

DO7=INAPTITUDE FOR MILITARY SERVICE

DO8=UNDESIRABLE TRAITS OF CHARACTER

DO9=INDIFFERENCE/LACK OF INTEREST

D10=WILLFUL EVASION OF CONTRACT

D11=TRANSFER TO ANOTHER SERVICE ROTC PROGRAM

D12=FAILURE TO MAINTAIN REQUIREMENTS FOR ENROLLMENT

D13=OWN REQUEST

D14=PERSONAL HARDSHIP

D15=TRANSFER TO ANOTHER SCHOOL

D16=RECEIVED APPOINTMENT UNDER AMEDD

D17=DISCLOSURE OF FACTS WHICH BAR COMMISSION

S01=MEDICAL DISABILITY

S02=ACADEMIC DEFICIENCY

S03=PERSONAL HARDSHIP

S04=OWN REQUEST (MS I AND MS II ONLY)

S05=ROTC COURSE DEFICIENCY

## MMSCTERM MILITARY SCIENCE CLASS CADET ENROLLED WHEN TERMINATED

1 CHARACTER

THE MILITARY SCIENCE CLASS THE CADET WAS ATTENDING WHEN DISENROLLED

FROM ROTC OR LOST HIS/HER SCHOLARSHIP

1=MS I

2=MS II

3=MS III

4=MS IV

C=COMPLETED CADET

## MTERMYY YEAR CADET TERMINATED

2 CHARACTERS

THE LAST DIGITS OF CALENDAR YEAR IN WHICH THE CADET WAS DISENROLLED

OR THE SCHOLARSHIP WAS LOST

## MTERMAN MONTH CADET TERMINATED

2 CHARACTERS

THE NUMBER OF THE MONTH IN WHICH THE CADET WAS DISENROLLED

OR THE SCHOLARSHIP WAS LOST

MONTH=01-12

## MINITMSC INITIAL MILITARY SCIENCE CLASS

1 CHARACTER

THE FIRST ROTC CLASS THE CADET ATTENDED

1 = MS [

2=MS 11

3=MS 111

4=MS IV

### MYRENTER YEAR CADET ENTERED ROTC

2 CHARACTERS

THE LAST TWO DIGITS OF THE CALENDAR YEAR IN WHICH THE CADET

ATTENDED FIRST ROTC CLASS

## MBASIS BASIS FOR FIRST ROTC CLASS

1 CHARACTER

BLANK=CADETS ENTERING ROTC IN MS I

FOR CADETS ENTERING ROTC IN MS II:

P=PLACEMENT CREDIT (PREVIOUS JROTC TRAINING) OR PRIOR MILITARY SERVICE

FOR CADETS ENTERING ROTC IN MS 111:

B=BASIC CAMP - 2 YEAR PROGRAM CADET

P=PLACEMENT CREDIT (PREVIOUS JROTC TRAINING) OR PRIOR MILITARY SERVICE

S=90-HR ON-CAMPUS SUMMER PROGRAM

G=COMPLETED BASIC COMBAT TRAINING IN THE NATIONAL GUARD

V=COMPLETED BASIC COMBAT TRAINING IN THE RESERVES

R=PLACEMENT CREDIT FOR PARTICIPATION IN ANOTHER SERVICE SENIOR ROTC PROGRAM

FOR CADETS ENTERING ROTC IN MS IV:

P=PLACEMENT CREDIT (PREVIOUS JROTC TRAINING) OR PRIOR MILITARY SERVICE

MBLVYY YEAR, BEGINNING LEAVE OF ABSENCE

2 CHARACTERS

ENTER LAST TWO DIGITS OF YEAR IN WHICH THE CADET WENT ON LEAVE OF ABSENCE

MBLVMM MONTH, BEGINNING LEAVE OF ABSENCE

2 CHARACTERS

MONTH (01-12) IN WHICH THE CADET WENT ON LEAVE OF ABSENCE

MELVYY YEAR ENDING LEAVE OF ABSENCE

2 CHARACTERS

THE LAST TWO DIGITS OF YEAR IN WHICH THE CADET IS SCHEDULED

TO RETURN FROM LEAVE OF ABSENCE BLANK=NOT ON LEAVE OF ABSENCE

MELVION MONTH ENDING LEAVE OF ABSENCE

2 CHARACTERS

MONTH (01-12) IN WHICH THE CADET IS SCHEDULED TO RETURN FROM LEAVE

OF ABSENCE

BLANK=NOT ON LEAVE OF ABSENCE

MDOBYY DATE OF BIRTH-YEAR

2 CHARACTERS

LAST TWO DIGITS OF THE YEAR OF BIRTH (YY).

FROM EXAMINATION OF THE DATA, SOME UNREASONABLE

DATE OF BIRTH YEARS ARE PRESENT ON THE FILE

MDOBMM DATE OF BIRTH-MONTH

2 CHARACTERS

DATE OF BIRTH MONTH (MM)

01-12

MDOBDD DATE OF BIRTH-DAY

2 CHARACTERS

DATE OF BIRTH DAY (DD)

01 - 31

MACADELS ACADEMIC CLASS ENROLLED

1 CHARACTER

THE CLASS IN WHICH THE CADET IS ACADEMICALLY ENROLLED

1=FRESHMAN 2=SOPHOMORE 3=JUNIOR 4=SENIOR

5=SENIOR IN 5 YEAR CURRICULUM PROGRAM (OR COOP)

G=GRADUATE STUDENT

MPBYY YEAR PROBATION BEGINS

2 CHARACTERS

THE LAST TWO DIGITS OF THE YEAR IN WHICH THE CADET WAS PLACED

ON PROBATION

MPBMM MONTH PROBATION BEGINS

2 CHARACTERS

THE MONTH (01-12) IN WHICH THE CADET WAS PLACED ON PROBATION

MEPYY YEAR PROBATION ENDS

2 CHARACTERS

THE LAST TWO DIGITS OF THE YEAR IN WHICH THE CADET IS

EXPECTED TO END PROBATION

MEPMM MONTH PROBATION ENDS

2 CHARACTERS

THE MONTH (01-12) IN WHICH THE CADET IS EXPECTED TO END PROBATION

MSAWDCAT SCHOLARSHIP AWARD CATEGORY

2 CHARACTERS

CODE WHICH IDENTIFIES THE CATEGORY OF SCHOLARSHIP RECEIVED

4E=4-YEAR EARLY CYCLE 4R=4-YEAR REGULAR CYCLE

**QE=QUALITY ENRICHMENT PROGRAM** 

3A=3-YEAR ACTIVE DUTY
MR=MINORITY RECRUITING
3E=3-YEAR ENROLLED (HIS)
3N=3-YEAR NON-ENROLLED (HIS)
3X=3-YEAR EXTENSION CENTER

3C=3-YEAR NATIONAL COMPETITION

2A=2-YEAR ACTIVE DUTY
2E=2-YEAR ENROLLED (HIS)
2N=2-YEAR NON-ENROLLED (HIS)
2X=2-YEAR EXTENSION CENTER
BC=BASIC CAMP ACTIVE DUTY
BR=BASIC CAMP - RESERVE DUTY

RD=RESERVE FORCES DUTY

2C=NATIONAL COMPETITION ENROLLED 2-YEAR

NN=NATIONAL COMPETITION NON-ENROLLED 2-YEAR

MC=MILITARY COLLEGE

MJ=MILITARY JUNIOR COLLEGE

1C=NATIONAL COMPETITION 1-YEAR

NR=NURSES

**UK=UNKNOWN** 

N3=NATIONAL COMPETITION NON-ENROLLED 3 YEAR

HS=HIGH TECHNOLOGY

GS=GRADUATE HIGH TECHNOLOGY RV=RESERVE FORCES DUTY (USAR)

RG=RESERVE FORCES DUTY (NG)

AE=ALLOCATION ENROLLED (2 YEAR AND 3 YEAR)
AN=ALLOCATION NON-ENROLLED (2 YEAR AND 3 YEAR)

MBCONDYY YEAR STUDENT BEGAN CONDITIONAL

2 CHARACTERS

THE LAST TWO DIGITS OF THE YEAR THE STUDENT BEGAN

PARTICIPATING AS A CONDITIONAL STUDENT

MBCONDMM MONTH STUDENT BEGAN CONDITIONAL

2 CHARACTERS

THE MONTH (01-12) IN WHICH THE STUDENT BEGAN PARTICIPATING AS A

CONDITIONAL STUDENT

METNCODE ETN CODE

1 CHARACTER

THIS DATA FIELD IS NOT DOCUMENTED

VALUES=1 THROUGH 6

MSCLRCOD SCHOLARSHIP CODE

1 CHARACTER

THIS DATA FIELD IS NOT DOCUMENTED

VALUES=Y, N

MACADCOD ACADEMIC CODE

1 CHARACTER

THIS DATA FIELD IS NOT DOCUMENTED

**VALUES=A-D, 0, 0-9** 

MSTATE STATE CODE

2 CHARACTERS

THIS DATA FIELD IS NOT DOCUMENTED BUT IT DOES CONTAIN THE 2 POSITION

ALPHABETIC STATE CODE

MAUTHBR AUTHORIZED BRANCH

2 CHARACTERS

IF CADET IS BEING TRAINED AT A SCHOOL AUTHORIZED TO

TRAIN FOR A PARTICULAR BRANCH, THIS FIELD CONTAINS THE TWO

POSITION ALPHA BRANCH CODE GM=GENERAL MILITARY SCIENCE AD:AIR DEFENSE ARTILLERY

AR = ARMOR

AV=AVIATION

EN=CORPS OF ENGINEERS

FA=FIELD ARTILLERY

IN-INFANTRY

CM=CHEMICAL CORPS

MI = MILITARY INTELLIGENCE

MP=MILITARY POLICE CORPS

SC=SIGNAL CORPS

AG=ADJUTANT GENERAL'S CORPS

FI=FINANCE CORPS

OD=ORDNANCE CORPS

QM=QUARTERMASTER CORPS

TC=TRANSPORTATION CORPS

SP=ARMY MEDICAL SPECIALIST CORPS

AN=ARMY NURSE CORPS

MS=MEDICAL SERVICE CORPS

## MCOMPRES MILITARY SCIENCE CLASS COMPRESSION

1 CHARACTER

CADET IS COMPRESSING MILITARY SCIENCE CLASSES. THIS FIELD

DESCRIBES THE LEVEL OF COMPRESSION

1=COMPRESSION OF MS I AND II

2=COMPRESSION OF MS II AND III

4=COMPRESSION OF MS III AND IV

3=PRESENT ONLY IN 1982 DATA, THERE IS NO DOCUMENTATION TO IDENTIFY

WHAT IT MEANS

## MDATA124 DATA IN POSITION 124

1 CHARACTER

THIS DATA FIELD IS NOT DOCUMENTED. IT IS SUPPOSED TO BE FILLER DATA (BLANK) BUT CONTAINS THE FOLLOWING VALUES: I, R, S, BLANK

### MREENTRY RE-ENTRY ROTC PROGRAM

1 CHARACTER

R=WITHDREW OR DISENROLLED FROM ROTC AND LATER REENTERED THE

ROTC PROGRAM

BLANK=CADET IS NOT A RE-ENTRY

1=PRESENT IN DATA BUT NOT DOCUMENTED

#### ADVANCED CAMP MCAMPADV

1 CHARACTER

THIS DATA FIELD IS NOT DOCUMENTED

**VALUES:** A-D, F, N, R, 1-7

### MCAMPTAB TAB CAMP

1 CHARACTER

THIS DATA FIELD IS NOT DOCUMENTED

VALUES: N, T, Y

#### MTRNVOL TRAINING VOLUNTEER

1 CHARACTER

TRAINING STATUS OF THE CADET P-AIRBORNE ENROLLED/PASSED

X=AIRBORNE ENROLLED NOT COMPLETED/FAILED

A=AIR ASSAULT ENROLLED/PASSED

Y=AIR ASSAULT ENROLLED NOT COMPLETED/FAILED

N=NORTHERN WARFARE TRAINING CENTER (NWTC) ENROLLED/PASSED

Z=NWTC ENROLLED NOT COMPLETED/FAILED

F=CADET FLIGHT TRAINING AND ORIENTATION PROGRAM (CFTOP)

ENROLLED/PASSED

W=CFTOP ENROLLED NOT COMPLETED/FAILED

B=CADET ENROLLED IN AND PASSED AIRBORNE AND AIR ASSAULT BLANK=NO AIRBORNE, AIR ASSAULT, NWTC OR CFTOP TRAINING

MCTLT CADET TROOP LEADERSHIP TRAINING PARTICIPATE

1 CHARACTER

CODE INDICATING TYPE OF CADET TROOP LEADERSHIP TRAINING (CTLT) IN

WHICH THE CADET PARTICIPATED

G=NATIONAL GUARD A=ACTIVE ARMY

V=RESERVE

BLANK=CAUET DID NOT PARTICIPATE IN ROTC CTLT

MSMP SIMULTANEOUS MEMBERSHIP PROGRAM, ASSIGNMENT

1 CHARACTER

TYPE OF SIMULTANEOUS MEMBERSHIP PROGRAM (SMP) IN WHICH THE CADET

IS ENROLLED V=RESERVE

G=NATIONAL GUARD

W=CADET WAS ENROLLED IN SMP AND THEN WITHDREW

MGBRST GUARANTEED BRANCH STATUS

1 CHARACTER

G=CADET HAS BEEN GUARANTEED A BRANCH BLANK=CADETS WITHOUT A GUARANTEED BRANCH

MGRADYY YEAR EXPECTED TO GRADUATE

2 CHARACTERS

LAST TWO DIGITS OF YEAR IN WHICH CADET WILL COMPLETE ALL

REQUIREMENTS FOR A BACCALAUREATE DEGREE

MGRADMM MONTH EXPECTED TO GRADUATE

2 CHARACTERS

MONTH (01-12) IN WHICH CADET WILL COMPLETE ALL REQUIREMENTS FOR

A BACCALAUREATE DEGREE

MACADMAJ ACADEMIC MAJOR CODE

3 CHARACTERS

THE THREE POSITION ALPHABETIC CODE WHICH BEST DESCRIBES

THE CADET'S ACADEMIC MAJOR. IF CADET HAS NO MAJOR "RAX" IS CODED.

THE ACADEMIC MAJOR CODES CAN BE FOUND BY USING THE SAS FORMAT \$CEAS IN THE SAS FORMAT LIBRARY MAINTAINED BY THE OLRDB DATA

MANAGER

MMAJCHNG MILITARY SCIENCE ACADEMIC MAJOR CHANGE

1 CHARACTER

THE MILITARY SCIENCE CLASS IN WHICH THE CADET CHANGED ACADEMIC MAJOR

2 = MS | I |

3=MS 111

4=MS 1V

0-PRESENT IN FY85 DATA WITH NO DOCUMENTATION TO DESCRIBE IT.

BLANK=CADET PURSUED THE SAME ACADEMIC MAJOR THROUGHOUT OR IS CADET

CHANGED MAJOR WHILE IN MS I OR IN COMPLETION STATUS

MGPAACUR GRADE POINT AVERAGE, ACADEMIC CURRENT

2 CHARACTERS

THE CURRENT ACADEMIC GRADE POINT AVERAGE INCLUDING ROTC GRADE

FOR THE SCHOOL TERM THAT JUST ENDED

MGPARCUR GRADE POINT AVERAGE, ROTC CURRENT

2 CHARACTERS

THE CURRENT ROTC GRADE POINT AVERAGE FOR THE SCHOOL TERM THAT

JUST ENDED

MGRFDCTL GUARANTEED RESERVE FORCE DUTY CONTROL NUMBER

6 CHARACTERS

THE GRFD CONTROL NUMBER ISSUED TO THE CADET IF  $HE/SHE\ HAD\ A$ 

GUARANTEED RESERVE FORCES DUTY CONTRACT. A "W" IN THE 3RD

POSITION OF THIS FIELD INDICATES THAT THE CADET SIGNED FOR GRFD AND

LATER WITHDREW

MDASGCOP DASG CO-OP

2 CHARACTERS

THIS DATA FIELD IS NOT DOCUMENTED AND THE DATA ELEMENT IS NOT

PRESENT PRIOR TO FY85. IT CONTAINS ONLY BLANKS IN FY85 DATA.

MSGSTAS SCORE, GENERAL SCREENING TEST, ARMY STANDARD

2 CHARACTERS

GENERAL SCREENING TEST (GST) ARMY STANDARD SCORE AVAILABLE.

GST ARMY STANDARD SCORES RANGE FROM 42 TO 163

MNACSTAT NATIONAL AGENCY CHECK

1 CHARACTER

INDICATES THE STATUS OF THE NATIONAL AGENCY CHECK

S=NAC HAS BEEN INITIATED .

C=NAC HAS BEEN COMPLETED

N=NOT DOCUMENTED, IT MAY MEAN NOT REQUIRED

MNACYY YEAR OF NATIONAL AGENCY CHECK

2 CHARACTERS

THE LAST TWO DIGITS OF THE YEAR IN WHICH THE NATIONAL AGENCY

CHECK WAS COMPLETED

MNACMM MONTH OF NATIONAL AGENCY CHECK

2 CHARACTERS

THE MONTH (01-12) IN WHICH THE NATIONAL AGENCY WAS COMPLETED

MNACDD DAY OF NATIONAL AGENCY CHECK

2 CHARACTERS

THE DAY (01-31) IN WHICH THE NATIONAL AGENCY CHECK WAS COMPLETED

MBISTAT BACKGROUND INVESTIGATION

1 CHARACTER

CODE TO INDICATE THE STATUS OF THE BACKGROUND INVESTIGATION

S=INITIATED N=NOT REQUIRED C=COMPLETED

MSBISTAT SPECIAL BACKGROUND INVESTIGATION

1 CHARACTER

CODE TO INDICATE THE STATUS OF THE SPECIAL BACKGROUND INVESTIGATION

S=INITIATED N=NOT REQUIRED C=COMPLETED

MTRF TRF

1 CHARACTER

THIS DATA FIELD IS NOT DOCUMENTED

VALUES: C, T, BLANK

MLANGPL LANGUAGE PERFORMANCE LEVEL

1 CHARACTER

CODE TO DESCRIBE THE CADET'S PERFORMANCE LEVEL IN NON-ENGLISH

LANGUAGE 0 = NONE.

1=ELEMENTARY. HAS SUFFICIENT COMPREHENSION TO MEET SURVIVAL NEEDS.

2=LIMITED KNOWLEDGE. CAN MEET ROUTINE SOCIAL DEMANDS AND LIMITED JOB REQUIREMENTS.

JUD REWUIREMENIS.

3=MINIMAL PROFESSIONAL. IS ABLE TO UNDERSTAND ESSENTIALS OF ALL SPEECH IN STANDARD DIALECT.

4=FULL PROFESSIONAL. IS ABLE TO UNDERSTAND ALL FORMS AND STYLES PERTINENT TO PROFESSIONAL NEEDS.

5-NATIVE SPEAKING.

MLANGID LANGUAGE IDENTITY

2 CHARACTERS

CODE TO IDENTIFY WHICH LANGUAGE THE LEVEL OF PERFORMANCE

REFERS TO AZ=ARABIC CZ=CHINESE DU=DUTCH

GM=GERMAN FR=FRENCH

FR-FRENCH

JT = ITALIAN

JA=JAPANESE

KP=KOREAN

RU=RUSSIAN

SR=SPANISH-CASTILIAN SS=SPANISH CREOLE

TU = TURKISH

HU=HUNGARIAN
JN=INDONESIAN
YL=LATIN
NR=NORWEGIAN
PY=PORTUGUESE

ZZ=OTHER OR UNSPECIFIED

MFLANGR FOREIGN LANGUAGE REQUIREMENT

1 CHARACTER

C=SCHOLARSHIP CADET HAS RECEIVED OR 1S TAKING ONE SEMESTER/QUARTER CREDIT REQUIRED AS SPECIFIED IN TRADOC REG 145-16 W=PRESENT IN DATA BUT NOT DOCUMENTED

MSACTTOT SCORE, AMERICAN COLLEGE TEST, TOTAL

3 CHARACTERS

SUM OF SCORES FROM ACT MATH, ENGLISH, NATURAL SCIENCES, AND SOCIAL STUDIES. ACT TOTAL SCORES RANGE FROM 4 TO 144.

MACTENG ACT ENGLISH SCORE

2 CHARACTERS

THE CADET'S SCORE ON THE ENGLISH PART OF THE AMERICAN COLLEGE TEST. THIS DATA FIELD IS ONLY AVAILABLE FOR 1982 RECORDS.

MACTMATH ACT MATH SCORE

2 CHARACTERS

THE CADET'S SCORE ON THE MATH PART OF THE AMERICAN COLLEGE TEST. THIS DATA FIELD IS ONLY AVAILABLE FOR 1982 RECORDS.

MSSATTOT SCORE, SCHOLASTIC APTITUDE TEST, TOTAL

4 CHARACTERS

SUM OF SAT MATH AND VERBAL SCORES.

MSATVERB SAT VERBAL SCORE

3 CHARACTERS

THE CADET'S SCORE ON THE VERBAL PART G: THE SCHOLASTIC APTITUDE TEST. THIS DATA FIELD IS ONLY AVAILABLE FOR 1982 RECORDS

MSATMATH SAT MATH SCORE

3 CHARACTERS

THE CADET'S SCORE ON THE MATH PART OF THE SCHOLASTIC APTITUDE TEST. THIS DATA FIELD IS ONLY AVAILABLE FOR 1982 RECORDS

MMS3TEST MILITARY SCIENCE III SCREENING TEST

1 CHARACTER

CODE FOR THE TEST USED FOR ENTRANCE INTO MS III. CADETS WITH 3 AND 4 YEAR SCHOLARSHIPS WILL HAVE A BLANK FOR THIS FIELD

S=SAT

A=ACT

C=CEB

G=GST

B=PRESENT IN DATA BUT NOT DOCUMENTED

R=PRESENT IN DATA BUT NOT DOCUMENTED

0=PRESENT IN DATA BUT NOT DOCUMENTED

1=PRESENT IN DATA BUT NOT DOCUMENTED 7=PRESENT IN DATA BUT NOT DOCUMENTED 8=PRESENT IN DATA BUT NOT DOCUMENTED

MSCEBS2 SCORE, CADET EVALUATION BATTERY SUBTEST-2

3 CHARACTERS

THE ARMY STANDARD SCORE ON SUBTEST-2 (TECHNICAL MANAGERIAL LEADERSHIP: COGNITIVE) OF THE CADET EVALUATION BATTERY (CEB).

MEBTTFRM TEST FORM, CADET EVALUATION BATTERY TEST

1 CHARACTER

3=STUDENT WAS TESTED ON FORM 3 4=STUDENT WAS TESTED ON FORM 4

D=PRESENT IN DATA BUT NOT DOCUMENTED R=PRESENT IN DATA BUT NOT DOCUMENTED T=PRESENT IN DATA BUT NOT DOCUMENTED 1=PRESENT IN DATA BUT NOT DOCUMENTED 2=PRESENT IN DATA BUT NOT DOCUMENTED

MWAIVER WAIVERS, ENTRANCE INTO ROTC

1 CHARACTER

CODE TO IDENTIFY THE WAIVER GRANTED THE CADET

A=AGE

C=CIVIL CONVICTION

M=MEDICAL

S=MS III SCREEN SCORE

R=REENLISTMENT CODE

P=DEPENDENCY

B=AGE AND CIVIL CONVICTION

H=AGE AND MEDICAL

T=AGE AND MS III SCREENING SCORE

E=AGE AND RE CODE

D=CIVIL CONVICTION AND MEDICAL

W=CIVIL CONVICTION AND MS III SCREENING SCORE

V=CIVIL CONVICTION AND RE CODE

F=MEDICAL AND MS III SCREENING SCORE

L=MEDICAL AND RE CODE G=AGE AND DEPENDENCY

U=CIVIL CONVICTION AND DEPENDENCY

N=MEDICAL AND DEPENDENCY

K=MS III SCREENING SCORE AND DEPENDENCY

J=RE CODE AND DEPENDENCY

X=MS III SCREENING AND RE CODE

3=MORE THAN TWO WAIVERS REQUIRED

4=OTHER

5=PRESENT IN DATA BUT NOT DOCUMENTED

6=PRESENT IN DATA BUT NOT DOCUMENTED

7=PRESENT IN DATA BUT NOT DOCUMENTED

MDMSTUD DISTINGUISHED MILITARY STUDENT

1 CHARACTER

S=CADET IS A DMS

BLANK=CADET IS NOT A DMS

MDMGRAD DISTINGUISHED MILITARY GRADUATE

1 CHARACTER

FOR CADETS BEFORE COMMISSIONING:

P=CADET ENROLLED AS A CONTRACT CADET

FOR CADETS WHO ARE COMMISSIONED, THIS FIELD INDICATES DISTINGUISHED

MILITARY GRADUATE RECIPIENTS.
G=GRADUATING CADET IS A DMG

BLANK-GRADUATING CADET IS NOT A DMG

MCOMAWRD COMMISSION AWARDED CADET

1 CHARACTER A=REGULAR ARMY

V=UNITED STATES ARMY RESERVE

F=AIR FORCE

N=NAVY

M=MARINE CORPS

O=NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
S=COMMISSIONING OF COMPLETION STUDENTS PROGRAM (CCSP)
R=PRESENT IN FY85 DATA AND FY82 DATA BUT NOT DOCUMENTED
C=PRESENT IN FY85 DATA AND FY82 DATA BUT NOT DOCUMENTED

U=PRESENT IN FY85 DATA AND FY82 DATA BUT NOT DOCUMENTED

MCOMMYY YEAR COMMISSIONED

2 CHARACTERS

EXPECTED COMMISSION YEAR (YY) WHEN THE CADET ENROLLS. AFTER

COMMISSIONING, THE DATE THE CADET WAS COMMISSIONED

MCOMMMM MONTH COMMISSIONED

2 CHARACTERS

EXPECTED COMMISSION MONTH (MM) WHEN THE CADET ENROLLS. AFTER

COMMISSIONING, THE DATE THE CADET WAS COMMISSIONED

MINITOT INITIAL DUTY TOUR

1 CHARACTER

A=ACTIVE DUTY

V=RESERVE FORCES DUTY (USAR)

G=RESERVE FORCE DUTY (NG)

D=DELAY FOR EDUCATIONAL PURPOSES

C=EARLY COMMISSIONING (USAR)

E=EARLY COMMISSIONING (NG)

S=EARLY COMMISSIONING (IRR)

U=CCSP (USAR) N=CCSP (NG)

I=CCSP (IRR)

F=PRESENT IN FY82 DATA BUT NOT DOCUMENTED

R=PRESENT IN FY82 DATA BUT NOT DOCUMENTED

MBABR BASIC BRANCH

2 CHARACTERS

FOR CADETS WHO HAVE NOT BEEN COMMISSIONED, BUT HAVE A GUARANTEED

BRANCH, THIS IS THE TWO POSITION ALPHA BRANCH CODE. AFTER

COMMISSIONING, THIS IS THE TWO POSITION ALPHA CODE WHICH SPECIFIES THE BRANCH ASSIGNED AS SHOWN ON THE LETTER OF APPOINTMENT. IT IS

BLANK IF BRANCH UNASSIGNED GM=GENERAL MILITARY SCIENCE AD=AIR DEFENSE ARTILLERY AR=ARMOR AV = AVIATION EN=CORPS OF ENGINEERS FA=FIELD ARTILLERY IN=INFANTRY CM=CHEMICAL CORPS MI=MILITARY INTELLIGENCE MP=MILITARY POLICE CORPS SC=SIGNAL CORPS AG=ADJUTANT GENERAL'S CORPS FI=FINANCE CORPS OD=ORDNANCE CORPS QM=QUARTERMASTER CORPS TC=TRANSPORTATION CORPS SP=ARMY MEDICAL SPECIALIST CORPS AN=ARMY NURSE CORPS MS=MEDICAL SERVICE CORPS

MCSBJSMP CADET STATUS BEFORE JOINING SIMULTANEOUS MEMBERSHIP PROGRAM
1 CHARACTER

C=CADET WAS ALREADY ENROLLED IN ROTC BEFORE JOINING THE SMP PROGRAM

G=CADET WAS IN A NATIONAL GUARD UNIT BEFORE JOINING THE ROTC SMP PROGRAM

V=CADET WAS IN A US ARMY RESERVE UNIT BEFORE JOINING THE ROTC SMP PROGRAM

E=PRESENT IN FY85 DATA BUT NOT DOCUMENTED

MUICSMP UNIT IDENTIFICATION CODE, SIMULTANEOUS MEMBERSHIP PROGRAM
6 CHARACTERS
THE UNIT IDENTIFICATION CODE OF THE NATIONAL GUARD OR US ARMY
RESERVE UNIT THE CADET IS ASSIGNED TO

MCREDMS1 CREDIT HOURS ENROLLED, SCHOOL YEAR, MS I
2 CHARACTERS
THE CREDIT HOURS COMPLETED FOR MILITARY SCIENCE CLASS I

MCREDMS2 CREDIT HOURS ENROLLED, SCHOOL YEAR, MS II
2 CHARACTERS
THE CREDIT HOURS COMPLETED FOR MILITARY SCIENCE CLASS II

MCREDMS3 CREDIT HOURS ENROLLED, SCHOOL YEAR, MS III
2 CHARACTERS
THE CREDIT HOURS COMPLETED FOR MILITARY SCIENCE CLASS III

MCREDMS4 CREDIT HOURS ENROLLED, SCHOOL YEAR, MS IV
2 CHARACTERS
THE CREDIT HOURS COMPLETED FOR MILITARY SCIENCE CLASS IV

MGPAAMS1 GRADE POINT AVERAGE ACADEMIC CUMULATIVE

2 CHARACTERS

THE CUMULATIVE ACADEMIC AVERAGE FOR THE SCHOOL YEAR FOR A CADET IN MILITARY SCIENCE CLASS I

MGPAAMS2 GRADE POINT AVERAGE ACADEMIC CUMULATIVE

2 CHARACTERS

THE CUMULATIVE ACADEMIC AVERAGE FOR THE SCHOOL YEAR FOR A CADET IN MILITARY SCIENCE CLASS II

MGPAAMS3 GRADE POINT AVERAGE ACADEMIC CUMULATIVE

2 CHARACTERS

THE CUMULATIVE ACADEMIC AVERAGE FOR THE SCHOOL YEAR FOR A CADET IN MILITARY SCIENCE CLASS III

MGPAAMS4 GRADE POINT AVERAGE ACADEMIC CUMULATIVE

2 CHARACTERS

THE CUMULATIVE ACADEMIC AVERAGE FOR THE SCHOOL YEAR FOR A CADET IN MILITARY SCIENCE CLASS IV

MGPARMS1 GRADE POINT AVERAGE, ROTC CUMULATIVE

2 CHARACTERS

THE CUMULATIVE ROTC GRADE POINT AVERAGE FOR MILITARY SCIENCE CLASS I

MGPARMS2 GRADE POINT AVERAGE, ROTC CUMULATIVE

2 CHARACTERS

THE CUMULATIVE ROTC GRADE POINT AVERAGE FOR MILITARY SCIENCE CLASS 11

MGPARMS3 GRADE POINT AVERAGE, ROTC CUMULATIVE

2 CHARACTERS

THE CUMULATIVE ROTC GRADE POINT AVERAGE FOR MILITARY SCIENCE CLASS III

MGPARMS4 GRADE POINT AVERAGE, ROTC CUMULATIVE

2 CHARACTERS

THE CUMULATIVE ROTC GRADE POINT AVERAGE FOR MILITARY SCIENCE CLASS IV

MZIPHS ZIP CODE, HIGH SCHOOL

5 CHARACTERS

THE FIVE DIGIT ZIP CODE FOR THE ADDRESS OF THE HIGH SCHOOL THAT THE CADET ATTENDED

MZIPHOME ZIP CODE, HOME RECORD

5 CHARACTERS

THE FIVE DIGIT ZIP CODE FOR THE ADDRESS OF THE CADET'S HOME

OF RECORD

MOLDSCLR OLD SCHOLARSHIP TYPE

1 CHARACTER

THIS DATA FIELD IS NOT DOCUMENTED

VALUES: 0, 2, 3, 4

MCHGCODE CHANGE CODE

1 CHARACTER

THIS DATA FIELD IS NOT DOCUMENTED BUT IT PROBABLY IS A CODE INDICATING THE TYPE OF TRANSACTION BEING APPLIED TO THE CADET

RECORD.

VALUES: A, C

MCHGYY YEAR OF CHANGE

2 CHARACTERS

THIS DATA FIELD IS NOT DOCUMENTED BUT IT PROBABLY IS THE LAST TWO DIGITS OF THE YEAR IN WHICH A CHANGE WAS MADE TO THE CADET'S RECORD

MCHGMM MONTH OF CHANGE

2 CHARACTERS

THIS DATA FIELD IS NOT DOCUMENTED BUT IT PROBABLY IS THE MONTH IN

WHICH A CHANGE WAS MADE TO THE CADET'S RECORD

MCHGDD DAY OF CHANGE

2 CHARACTERS

THIS DATA FIELD IS NOT DOCUMENTED BUT IT PROBABLY IS THE DAY IN

WHICH A CHANGE WAS MADE TO THE CADET'S RECORD

MCONTRYY YEAR CADET SIGNED CONTRACT

2 CHARACTERS

THE LAST TWO DIGITS OF THE YEAR (YY) THAT THE CADET SIGNED THE

ROTC STUDENT CONTRACT

MCONTRMM MONTH CADET SIGNED CONTRACT

2 CHARACTERS

THE MONTH (MM) THAT THE CADET SIGNED THE ROTC STUDENT CONTRACT

MCHGTIME TIME OF CHANGE

4 CHARACTERS

THIS DATA FIELD IS NOT DOCUMENTED BUT IT PROBABLY IS THE CLOCK

TIME AT WHICH A CHANGE WAS MADE TO A CADET'S RECORD

MINIT INITIALS

3 CHARACTERS

THIS DATA FIELD IS NOT DOCUMENTED BUT IT PROBABLY IS THE INITIALS

OF THE PERSON CODING THE CHARGE TO THE CADET'S RECORD

MOLRDB OLRDB FLAG

1 CHARACTER

THIS CODE INDICATES WHETHER AN OFFICER LONGITUDINAL RESEARCH DATA

BASE(OLRDB) CORE DATA SET RECORD IS PRESENT FOR THIS CADET

Y=AN OLRDB CORE RECORD IS PRESENT FOR THIS CADET

N=NO OLRDB CORE RECORD IS PRESENT FOR THIS CADET

MYEAR YEAR OF COMMISSION DATA
2 CHARACTERS NUMERIC

LAST TWO DIGITS OFTHE YEAR THAT THE ROTC COMMISSION DATA WAS REPORTED

# APPENDIX F COMPUTER PROCEDURE EXAMPLES

## PROCEDURE #1 - CAMP FILE READ ANNUAL FILES FOR FIELD IDENTIFICATION

1 of 1

```
THIS PROGRAM PRODUCES FREQUENCIES FOR ALL THE VARIABLES IN THE DATA SET. THIS IS A FIRST ATTEMPT AT VERIFYING THE INPUT FORMAT OF THE DATA SET.
//EPXSDQQ JOB (WTFF,748,B),FU,REGION=2000K
/*CONTL ROTCTAPE,EXC
/*ACCESS WRZ1KFD
/*ROUTE XEQ TAPE
/*RESAGE TT
//* SASFREQ.ROTCCAMP ON FILE45
/*UNNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB,DISP=SHR
//STEP! EXEC SAS
//IN DD DSN=TDU6M.PERSNL.YRQQ,UNIT=TAPE,VOL=SER=TT,DISP=OLD,
//SYSIN DD **
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        27. A74. $ 1. A75. $ 14. A76. $ 6. A83. $ 1. A84. $ 1. A85. $ 6. A92. $ 1. A85. $ 1. A85. $ 1. A85. $ 6. A92. $ 1. A85. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A812. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $ 1. A821. $
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        JUNTILE IN;

INFILE IN;

A47 * 27 * 47

A77 * 27 * 48

A77 * 27 * 48

A100 * 1. A1

A115 * 41. A1

A159 * 2. A1

A159 * 2. A1

A159 * 1. A2

A200 * 1. A2

A200 * 1. A2

A200 * 1. A2

A200 * 1. A2

A200 * 1. A2

A300 * 1. A2

A300 * 1. A2

A300 * 1. A2

A300 * 1. A2

A300 * 1. A2

A300 * 1. A2

A300 * 1. A2
```

Consideration (Consideration of the Consideration o

```
//KFDSD&2 JOB (WRZ1,748,C,,1000),FU,REGION=6000K
/*CNTL ROTCTAPE,EXC
/*ACCESS WRZ1KFD
/*ROUTE XEQ TAPE
/*ROUTE XEQ TAPE
/*ROUTE XEQ TAPE
/*ACCESS WRZ1KFD
/** SASFREQ.ROTCCAMP.Y82 ON FILE45
/*UNNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB,DISP=SHR
//STEPI EXEC SAS516
//IN DD DSN=WRZ1KFD.CAMP82,UNIT=FILE,VOL=SER=TMP005,DISP=SHR
//OUT DD DSN=WRZ1KFD.SASCAMP2,UNIT=TAPE,DISP=(,KEEP),LABEL=(1,SL),
// VOL=SER=083479
//SYSIN DD **
                                                                                                                                                                                                                                                                                                                                                                                                                                                                       THIS PROGRAM CONVERTS THE RAW DATA SET WHICH HAS SCRAMBLED SOCIAL SECURITY NUMBERS TO A SAS DATA SET. RECODES ARE PERFORMED TO MAKE VARIABLES CONSISTENT ACROSS YEARS.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            JATES OF THE TABLE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF THE STATES OF T
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            ~
```

```
= 2 ;
= 3 ;
= 4 ;
7 THEN RECODE9 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     END;
CTAXTR=CTRPSUPV+CTRPTEAM+CTRPCOMM+CTRPDEC+
CTRPTECH+CTRPATTD+CTRPCONF+CTRPPLAN+CTRPMSSN;
IF CJPDJUDG = '&' THEN CJPDJUDG = '';
IF CJPDDEC = '&' THEN CJPDDEC = '';
IF CJPDINIT = '&' THEN CJPDINIT = '';
                           66662

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66665

66
```

The state of the second

2000 J. 2000000.

```
THIS PROGRAM CONVERTS THE RAW DATA SET WHICH HAS SCRAMBLED SOCIAL SECURITY NUMBERS TO A SAS DATA SET. RECODES ARE PERFORMED TO MAKE VARIABLES CONSISTENT ACROSS YEARS.
                                                                                                                                                                                                                                                                                                                                                                                             JUNFILE IN.

ARRAY RECODES CTRPECH CTRPATID CTRPCOMM CTRPDEC

CTRPTECH CTRPATID CTRPCOMM CTRPDEAN CTRPMSSN ;

INPUT CUILIT $ 4. MATCHCOD $CHARG $ 27. CINSTH 6.

CINSTAIN $ 6. SEX $ 1. CRACE $ 1. CETHNIC $ 1.

CLNSTX 6. SEX $ 1. CRACE $ 1. CETHNIC $ 1.

CALTDAY 2. CALTDAMM 2. CALTDADD 2.

CRELIGIN $ 1. CRACAMMA, $ 3. CCOMPRES $ 1. CSCHOLAR $ 1.

CALTDAY 2. CALTDAMM 2. CALTDADD 2.

CALTDAY 2. CALTDAMM 2. CALTDAMM $ 1. CETHNIC $ 1.

CALTDAY 2. CALTDAMM 2. CALTDAMM $ 1. CETHNIC $ 1.

CALTDAY 2. CALTDAMM 2. CALTDAMM $ 1.

CALTDAY 3. CALTDAMM 2. CALTDAMM $ 1. CALTDAMM $ 1.

CALTDAY 3. CALTDAMM 2. CALTDAMM $ 1.

CALTDAY 3. CALTDAMM 2. CALTDAMM $ 1.

CALTDAY 3. CALTDAMM 2. CALTDAMM $ 1.

CALTDAY 3. CALTDAMM 2. CALTDAMM $ 1.

CALTDAY 3. CALTDAMM 2. CALTDAMM $ 1.

CALTDAY 3. CALTDAMM 2. CALTDAMM $ 1.

CALTDAY 3. CALTDAMM 2. CALTDAMM $ 1.

CALTDAY 3. CALTDAMM 2. CALTDAMM 3. CALTDAMM $ 1.

CALTDAY 3. CALTDAMM 2. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CALTDAMM 3. CATTDAMM 3. CATT
//KFDSD&3 JOB (WRZ1,748,C,,1000),FU,REGION=6000K
/*CNTL ROTCTAPE,EXC
/*ACCESS WRZ1KFD
/*ROUTE XEQ TAPE
/*MESSAGE 083479,W
//*
SASFREQ.ROTCCAMP.Y83 ON FILE45
/*WUNDMBERED
//FROCLIB DD DSN=ZABCRUN.PROCLIB,DISP=SHR
//STEP1 EXEC SAS516
//IN DD DSN=WRZ1KFD.CAMP83,UNIT=FILE,VOL=SER=TMP005,DISP=SHR
//OUT DD DSN=WRZ1KFD.SASCAMP3,UNIT=TAPE,DISP=(,KEEP),LABEL=(2,SL),
// VOL=SER=083479
```

```
= 4;
7 THEN RECODE9
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           END;
CTAXTR=CTRPSUPV+CTRPTEAM+CTRPCOMM+CTRPDEC+
CTRPTECH+CTRPATTD+CTRPCONF+CTRPPLAN+CTRPMSSN;
IF CJPDJUDG = '&' THEN CJPDJUDG = '';
IF CJPDDEC = '&' THEN CJPDDEC = '';
IF CJPDINIT = '&' THEN CJPDINIT = '';
FILLER7 $ 1. CCAMPCD 1. ;

IF CMSCLASS = 'C' THEN CMSCLASS = '' ;

IF CSMP = 'N' THEN CMAIVER = '' ;

IF CSMP = 'N' THEN CSMP = 'G' ;

IF CSMSMIM = 'Y' THEN CSMP = 'G' ;

IF CTOBECOM = 'Y' THEN CZENSWIM = 'G' ;

IF CTOBECOM = 'Y' THEN CTOBECOM = 'C' ;

IF CTOBECOM = 'Y' THEN CTOBECOM = 'C' ;

IF CRMQ = 'F' THEN CRMQ = 'N' ;

IF CRMQ = 'F' THEN CRMQ = 'N' ;

IF CRMQ = 'F' THEN CRMQ = 'Y' ;

IF CRMQ = 'F' THEN CRMQ = 'Y' ;

IF CRMQ = 'F' THEN CRMQ = 'Y' ;

IF CRMQ = 'F' THEN CRMQ = 'Y' ;

IF CRMQ = 'F' THEN CRMQ = 'Y' ;

IF CRMMIN = 'W' THEN CLNWAIV = 'Y' ;

IF CTAXWAIV = 'W' THEN CTAXWAIV = 'Y' ;

IF CTAXWAIV = 'W' THEN CTAXWAIV = 'Y' ;

IF CTAXWAIV = 'W' THEN CTAXWAIV = 'Y' ;

IF CTAXWAIV = 'W' THEN CTAXWAIV = 'Y' ;

IF CTAXWAIV = 'W' THEN CTAXWAIV = 'Y' ;

IF CODE9 = 2 THEN RECODE9 = 2 ;

ELSE IF RECODE9 = 3 THEN RECODE9 = 3 ;

ELSE IF RECODE9 = 5 THEN RECODE9 = 4 ;

ELSE IF RECODE9 = 5 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN RECODE9 = 7 THEN R
```

CRECONOL

-\*

UNIC - 3 B

3

```
THIS PROGRAM CONVERTS THE RAW DATA SET WHICH HAS SCRAMBLED SOCIAL SECURITY NUMBERS TO A SAS DATA SET. RECODES ARE PERFORMED TO MAKE VARIABLES CONSISTENT ACROSS YEARS.
//KFDSD84 JOB (WRZ1,748,C,,1000),FU,REGION=6000K
/*CNIL ROTCTAPE,EXC
/*ACCESS WRZ1KFD
/*ACCESS WRZ1KFD
/*ROUTE XEQ TAPE
/*ROUTE XEQ TAPE
/*MESSAGE 083479,W
//* SASFREQ.ROTCCAMP.Y842 ON FILE45
/*UNNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB,DISP=SHR
//STEP1 EXEC SAS516
//IN DD DSN=WRZ1KFD.CAMP84,UNIT=FILE,VOL=SER=TMP005,DISP=SHR
//OUT DD DSN=WRZ1KFD.SASCAMP4,UNIT=TAPE,DISP=(,KEEP),LABEL=(3,SL),
//SYSIN DD **
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     RUSTER 2. CPRPMV1 2. CPRPMV2 2. CPRPMV3 2. CPRPMV4 2. CPRPMV9
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         DATA OUT.CAMP84;
INFILE IN:
INFUT CUNIT $ 4. MATCHCOD $CHAR9. CNAME $ 27. CINSTH 6.
CINSTN $ 27. CREGION 1. CAREA 1. CSCHLCAT $ 1.
CINSTN $ 27. CREGION 1. CAREE $ 1. CETHNIC $ 1.
CINSTX 6. CSEX $ 1. CRACE $ 1. CETHNIC $ 1.
COBYY 2. CDOBDD 2.
CRELIGIN $ 1. CRALDADD 2.
CRELIGIN $ 1. CRALDADD 2.
CALTDAYY 2. CALTDAMM 2. CALTDADD 2.
CALTDAYY 2. CALTDAMM 2. CALTDADD 2.
CALTDAYY 2. CACADMAJ $ 3. CCOMPRES $ 1. CSCHOLAR $ 1.
CACADCLS $ 1. CGRED $ 1. CACADMAJ $ 3. CCOMPRES $ 1. FILLER1 $ 2.
CACADCLS $ 1. CGRED $ 1. CACADSTAT $ 1.
CACADCLS $ 1. CGRED $ 1. CACADSTAT $ 1.
CACADCT $ 1. CGRED $ 1. CACADSTAT $ 1.
CACADCT $ 1. CACADSTAT $ 1.
CACADCT $ 1. CACADSTAT $ 1.
CACADCT $ 1. CACADSTAT $ 1.
CAMPA 2. CLNTOTRR 3. CLNIN 2.
CANTW 2. CLNTOTRR 3. CLNIN 2.
CANTW 2. CLNTOTRR 3. CLNIN 2.
CANTW 2. CLNTOTRR 3. CPTRRUT 2.
CANTW 2. CLNTOTRR 3. CPTRRUT 2.
CANTW 2. CLNTOTRR 3. CPTRRUT 2.
CANTW 2. CPTRRUT 3. CPTRRUT 3.
CANTWAL 2. CLNTOTRR 3. CPTRRUT 3.
CANTWAL 3. CPTRRUT 3. CPTRRUT 3.
CANTWAL 4. CPTRRUT 3. CPTRRUT 3.
CANTWAL 5. CONTOTRR 4. CPTRRUT 3.
CANTWAL 6. CACADATE 5.
CANTWAL 7. CATROTOR 1. CAPPLUR 1. CAPPLUR 1.
CATROTOR 1. CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1. CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CAPPLUR 1.
CA
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             CPRRMV5 2.
CPRRV10 2.
CPRRLV5 2.
CPRRLV10 2.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                CPRPLV5 2.
CPRPLV10 2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       9
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                CPRPLV4 2.
CPRPLV9 2.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  2222
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               CPRRMV4
CPRRMV9
CPRRLV4
CPRRLV9
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  20
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   PRPLV3
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               . A at at at
```

AND STATES STATES OF STATES SECTION STATES STATES STATES STATES STATES STATES STATES STATES STATES STATES STATES

- WW4W9V8000- WW3W3

## PROCEDURE #3 - CAMP FILE 1984 READ AND RECODE ANNUAL FILES

61. IF CMSCLASS = 'C' THEN CMAIVER = ' ';

62. IF CWAIVER < 'A' THEN CMAIVER = ' ';

63. IF CSMP = 'N' THEN CSMP = 'V';

64. ELSE IF CSMP = 'R' THEN CSMP = 'V';

65. IF CZ5MSWIM = 'Y' THEN CZ5MSWIM = 'G';

66. IF CCTLT = 'Y' THEN CTLT = 'S';

67. IF CCTLT = 'Y' THEN CTLT = 'S';

68. IF CRMQ = 'F' THEN CTRECOM = 'C';

69. IF CRMQ = 'F' THEN CRMQ EV = 'N';

69. IF CRMQ = 'F' THEN CRMQ EV = 'Y';

69. IF CRMQ = 'F' THEN CRMQ EV = 'Y';

69. IF CRMQ = 'F' THEN CRMQ EV = 'Y';

69. IF CRMQ = 'F' THEN CRMQ EV = 'Y';

69. IF CRMQ = 'F' THEN CRMQ EV = 'Y';

69. IF CLNMAIV = 'W' THEN CLNMAIV = 'Y';

69. IF CLNMAIV = 'W' THEN CLNMAIV = 'Y';

69. IF CTAXWAIV = 'W' THEN CLNMAIV = 'Y';

69. IF CTAXWAIV = 'W' THEN CLNMAIV = 'Y';

69. IF CTAXMAIV = 'W' THEN CLNMAIV = 'Y';

69. IF CTAXMAIV = 'W' THEN CJPDJUDG = '';

69. IF CJPDJUDG = '8' THEN CJPDJEC = '';

69. IF CJPDJUDG = '8' THEN CJPDJEC = '';

69. IF CJPDJUDG = '8' THEN CJPDJINIT = '';

69. IF CJPDJUNIT = '8' THEN CJPDINIT = '';

```
THIS PROGRAM CONVERTS THE RAW DATA SET WHICH HAS SCRAMBLED SOCIAL SECURITY NUMBERS TO A SAS DATA SET. RECODES ARE PERFORMED TO MAKE VARIABLES CONSISTENT ACROSS YEARS.
//KFDSD85 JOB (WRZ1,748,C,,1000), FU, REGION=6000K
/*CNTL ROTCTAPE, EXC
/*ROUTE XEQ TAPE
/*ROUTE XEQ TAPE
/*MESSAGE 083479, W
//* SASFREQ.ROTCCAMP.Y852 ON FILE45
/*UNNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB, DISP=SHR
//IN DD DSN=WRZ1KFD.CAMP85, UNIT=FILE, VOL=SER=TMP005, DISP=SHR
//OUT DD DSN=WRZ1KFD.SASCAMP5, UNIT=TAPE, DISP=(,KEEP), LABEL=(4,SL),
// VOL=SER=083479
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   Ň
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           CTAXTR 3. FILLER6 3.
1. 3280 CROSTER 2. CPRPMV1 2. CPRPMV2 2. CPRPMV3 2. CPRPMV9 2. CPRPMV9 2. CPRPMV9
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    CPRRMV5 2.
CPRRUV10 2.
CPRRLV5 2.
CPRRLV10 2.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  CPRPLV5 2.
CPRPLV10 2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             INPUT CAREGION 1: CAREA 1: CSCHLCAT $ 1.

CINSTHAM $ 27. CREGION 1: CAREA 1: CSCHLCAT $ 1.

CINSTX 6. CSEX $ 1. CRACE $ 1. CETHNIC $ 1.

CONDYT 2. CODDM 2. CODDD 2.

CRETION $ 1. CERLA $ 1.

CRETION $ 1. CREMA $ 1.

CALTDAMY 2. CALTDAMY 2. CALTDAD 2.

CREDICLAS $ 1. CACADMA $ 3. CCOMPRES $ 1. FILLER1 $ 2.

CACADCLS $ 1. CACADMA $ 3. CCOMPRES $ 1. FILLER1 $ 2.

CACADCLS $ 1. CACADMA $ 3. CCOMPRES $ 1. FILLER1 $ 2.

CACADCLS $ 1. CACADMA $ 3. CCOMPRES $ 1. CRMIF 2.

CATOMOPY 2. CORRED $ 1. CSMP$ $ 1. CRMIF 2.

CONTROPY 2. CORRED $ 1. CRMQLEVL $ 1. CRMIF 2.

CONTROPY 2. CLNN $ 1. FILLER $ 4. CRMIF 2.

CLNN 2. CLNN 2. CLNTOTTR 3. CLNN A 9. 1.

CLNN 2. CLNN 4. CRMQLEVL $ 1. CRMIF 2.

CLNN 2. CLNN 4. CRMQ $ 1. CRMQLEVL $ 1.

CLN 2. CLNN 4. CRMQ $ 1. CRMQLEVL $ 1.

CLN 3. CPTHN 5. CPTHOUR 2. CPTRON 9. 1.

CTRROW $ 1. CTRROW $ 1. CTRPON 1. CTRPON 1.

CTRROW $ 1. CTRROW $ 1. CTRPON 1. CTRPON 1.

CTRROW $ 1. CTRROW $ 2. CPRROW 2. CPRROW 2.

CTRROW $ 1. CTRROW $ 2. CPRROW 2. CPRROW 2.

CTRROW $ 1. CTRROW $ 2. CPRROW 2. CPRROW 2.

CTRROW $ 1. CTRROW $ 2. CPRROW 2. CPRROW 2.

CTRROW $ 1. CTRROW 2. CPRROW 2. CPRROW 2.

CPRROW 4. CTRROW 2. CPRROW 2. CPRROW 2. CPRROW 2.

CPRROW 3. CPRROW 2. CPRROW 2. CPRROW 2. CPRROW 3.

CPRROW 3. CPRROW 2. CPRROW 2. CPRROW 3. CPRROW 3.

CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. CPRROW 3. 
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         DATA OUT.CAMP85;
Infile in;
Input cunit * 4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             438
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                200
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            55
```

```
61. CJPDDEC CJPDINIT CJPDDELG CJPDINFL

62. CJPDADMN CJPDTECH CJPDSENS CJPDSTAM

63. IF CMSCLASS = 'C' THEN CMSCLASS = '' ;

64. IF CMSCLASS = 'C' THEN CMAIVER = '' ;

65. IF CMAIVER < 'A' THEN CMMAIVER = '' ;

66. IF CSMSMIM = 'Y' THEN CSMP = 'V' ;

67. IF CZFMSMIM = 'Y' THEN CSMP = 'V' ;

68. IF CZFMSMIM = 'Y' THEN CSMSMIM = 'G' ;

69. IF CZFMSMIM = 'Y' THEN CSMSMIM = 'G' ;

69. IF CZFMSMIM = 'Y' THEN CSMSMIM = 'G' ;

69. IF CZFMSMIM = 'Y' THEN CSMSMIM = 'G' ;

69. IF CZFMSMIM = 'Y' THEN CTOBECOM = 'C' ;

69. IF CSPECMED = 'A' THEN CSPECMED = 'R' ;

69. IF CSPECMED = 'A' THEN CSPECMED = 'R' ;

69. IF CLNMAIV = 'W' THEN CRAQLEVL = 'N' ;

69. IF CLNMAIV = 'W' THEN CTAXWAIV = 'Y' ;

69. IF CLNMAIV = 'W' THEN CTAXWAIV = 'Y' ;

69. IF CAXMAIV = 'W' THEN CTAXWAIV = 'Y' ;

69. IF CAXMAIV = 'W' THEN CTAXWAIV = 'Y' ;

69. IF CJPDJUDG = 'R' THEN CJPDJUDG = 'R' ;

69. IF CJPDJUDG = 'R' THEN CJPDJUNIT = '';

69. IF CJPDJINIT = 'R' THEN CJPDJINIT = '';

69. IF CJPDJINIT = 'R' THEN CJPDINIT = '';
```

F-10

## PROCEDURE # 5 - CAMP FILE CONCATENATE YEARS AND MATCH TO OLRDB

```
MERGE OUT2. CAMPALLS (IN=CAMPFLAG) INCORE (IN=COREFLAG);
                                                                                                                                                                                   //IN83 DD DSN-WRZIKFD.SASCAMP3,UNIT=TAPE,DISP=(OLD,PASS),LABEL=(2,SL),
                                                                                                                                               //IN82 DD DSN=WRZIKFD.SASCAMP2, UNIT=TAPE, DISP=(OLD, PASS), LABEL=(1,SL),
                                                                                                                                                                                                                        //IN84 DD DSN=WRZIKFD.SASCAMP4,UNIT=TAPE,DISP=(OLD,PASS),LABEL=(3,SL),
                                                                                                                                                                                                                                                            //IN85 DD DSN=WRZIKFD.SASCAMP5,UNIT=TAPE,DISP=(OLD,KEEP),LABEL=(4,SL),
                                                                                                                                                                                                                                                                                              //IN DD DSN=WTFFEPX.SASOLRDS,UNIT=TAPE,VOL=SER=028610,DISP=OLD
//OUT DD DSN=WRZIKFD.SASWORK,UNIT=TAPE,DISP=(,KEEP),VOL=SER=037423
//OUT1 DD DSN=WRZIKFD.SASCAMP,UNIT=TAPE,DISP=(,KEEP),VOL=SER=030265
//OUT2 DD DSN=WRZIKFD.SASCAMPS,UNIT=TAPE,DISP=(,KEEP),VOL=SER=084625
//OUT3 DD DSN=WRZIKFD.SHTCAMP,UNIT=TAPE,DISP=(,KEEP),VOL=SER=009342
//SASLIB DD DSN=WRZIKFD.OMF85.FORMATS,DISP=SHR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              DROP CNAME YEAR OLDCODE
                                                                                                                                                                                                                                                                                                                                                                                                                                            THIS PROGRAM MERGES ROTC CAMP DATA FROM 1982 THROUGH 1985, DELETE DUPLICATE RECORDS, AND CREATES A MATCHED DATA SET
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        DATA OUT3.CORECAMP;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  COLRDB = COREFLAG;
                                                   /*MESSAGE 083479;028610;037423,W;030265,W;084625,W;009342,W//* SASFREQ.ROTCCAMP.Y8285.MATCH.NONAME2 ON FILE45
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               IF CAMPFIAG = 1;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             BY MATCHCOD;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          SET IN CORE;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      PROC CONTENTS;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 CYEAR=YEAR;
/KFDS8285 JOB (WRZ1,748,C,1000,1000),FU,REGION=6000K
                                                                                                            //PROCLIB DD DSN=ZABCRUN.PROCLIB, DISP=SHR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      47.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         49.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             50.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    IF OLDCODE - MATCHCOD THEN DELETE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        PROC SORT OUT=OUT1.CAMPALL;
BY MATCHCOD DESCENDING YEAR;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      DATA INCORE (KEEP=MATCHCOD)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        C82 C83 C84 C85;
                                                                                                                             /STEP1 EXEC SAS516
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  WITH THE OLRDB.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               DATA OUT2. CAMPALLS;
                                                                                                                                                                VOL-SER-083479
                                                                                                                                                                                                       VOL-SER-083479
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     OLDCODE - MATCHCOD
                                                                                                                                                                                                                                                                               VOL-SER-083479
                                                                                                                                                                                                                                            VOL-SER-083479
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 OUT1.CAMPALL;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    DATA OUT. CAMPALL;
                                    **ROUTE XEQ TAPE
                **ACCESS WIFFEPX
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            IN83.CAMP83;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              SET IN84.CAMP84;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       SET IN82.CAMP82;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     SET IN85.CAMP85;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               RETAIN OLDCODE;
                                                                                           **UNNUMBERED
                                                                                                                                                                                                                                                                                                                                                                                                          * QQ NISXS//
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       C82;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             DATA C84;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          DATA C83;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   DATA C85;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            SET
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          SET
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 SET
    .
.
.
                                                                                                                                                                                                                                                                                                 16.
17.
18.
20.
                                                                                                                                                                                                                                                                                                                                                                                                         22.
                                                                                                                                                                                                      225
                                                                                                                                                                                                                                                                                                                                                                                                                                                                24.
                                                                          4
                                                                                                                              . 86
                                                                                                                                                                                   10.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   26.
224.
229.
331.
331.
                                                                                                                                                                                                                                                            5.5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       36.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          80
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                0
```

. . . . . . .

## PROCEDURE #7 - CAMP FILE ANALYZE RETENTION

```
- OLRDB DATA SET AND
//EPXSCRET JOB (WTFF,748),FU
/*ROUTE XEQ TAPE
/*MESSAGE 006881
/*
SASFREQ.ROTCCAMP.Y8285.MATCH.RET ON FILE45
/*UNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB,DISP=SHR
//STEP1 EXEC SAS516
//IN DD DSN=WTFFEPX.SMTCAMP,UNIT=TAPE,DISP=OLD,VOL=SER=006881
//SYSIN DD **
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      BY SCHOLARSHIP STATUS';
                                                                                                                                                                                                                                                                        THIS PROGRAM INVOKES THE MATCHED CAMP
DOES A RETENTION RATE ANALYSIS.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             RETN8283 RETN8687
                                                                                                                                                                                                                                                                                                                                                                                                                                    RETN8182
RETN8586
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                ETN8182
ETN8586
                                                                                                                                                                                                                                                                                                                         DATA;

SET IN.CORECAMP;

SET IN.CORECAMP;

ELSE CSCHOLLAR = 0 THEN CSCH = 0

ELSE CSCHOLLAR = 1;

LABEL REIN7980 = "RETENTION RAPRIN 8283 = "RETENTION RAPRIN 8283 = "RETENTION RAPRIN 8284 = "RETENTION RAPRIN 8285 = "RETENTION RAPRIN 8285 = "RETENTION RAPRIN 8285 = "RETENTION RAPRIN 8285 = "RETENTION RAPRIN 8285 = "RETENTION RAPRIN 8285 = "RETENTION RAPRIN 8285 = "RETENTION RAPRIN 8285 = "RETENTION RAPRIN 8285 = "RETRIN 828
```

```
//EPXSDQQ JOB (WTFF,748,C,,1000),FU,REGION=6000K
/*CNTL ROTCTAPE,EXC
/*ACCESS WRZ1KFD
/*ROUTE XEQ TAPE
/*ROUTE SEQ TAPE
/*MESSAGE 015993
//* SASFREQ.ROTCPERS ON FILE45
//*NNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB,DISP=SHR
//STEQ EXEC SAS
//IN DD DSN=G5CDJ6M.PERS.FYQQ,UNIT=TAPE,VOL=SER=015993,DISP=OLD,
//SYSIN DD **
                                                                                                                                                                                         THIS PROGRAM PRODUCES FREQUENCIES FOR ALL THE VARIABLES IN THE DATA SET. THIS IS A FIRST ATTEMPT AT VERIFYING THE INPUT FORMAT OF THE DATA SET.
                                                                                                                                                                                                                                                                     ***
                                                                                                                                                                                                                                                                    INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPLICE IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT IN INPUT I
```

```
THIS PROGRAM CONVERTS THE RAW DATA SET WHICH HAS SCRAMBLED SOCIAL SECURITY NUMBERS TO A SAS DATA SET. RECODES ARE PERFORMED TO MAKE VARIABLES CONSISTENT ACROSS YEARS.
//KFDSD82 JOB (WRZ1,748,C,,1000),FU,REGION=6000K
/*KCNTL ROTCTAPE,EXC
/*MESSAGE 08451,W
/*ROUTE XEQ TAPE
/*ROUTE XEQ TAPE
/*XUNUMBERED
/*YPROCLIB DD SN=ZABCRUN.PROCLIB,DISP=SHR
//STEP1 EXEC SAS
//IN DD DSN=WRZ1KFD.COMM82,UNIT=FILE,VOL=SER=TMP005,DISP=SHR
//OUT DD DSN=WRZ1KFD.SASCOM82,UNIT=TAPE,DISP=(,KEEP),VOL=SER=084451
//SYSIN DD **
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          MCREDMS3
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

DATA OUT.PERSO.

INTITIONAL OUT.PERSO.

DATA OUT.PETT $ 1. MATCHCOD $ CHAR9. MINSTH $ 6.

DATA OUT.PETT $ 1. MATCHCOD $ CHAR9.

DATA OUT.PETT $ 1. MATCHCOD $ 1. MACHAID $ 1.

DATA OUT.PETT $ 1. MATCHCAS.

DATA OUT.PETT $ 1. MATCHCAS.

DATA OUT.PETT $ 1. MATCHCAS.

DATA OUT.PETT $ 1. MATCHCAS.

DATA OUT.PETT $ 1. MATCHCAS.

DATA OUT.PETT $ 1. MATCHCAS.

DATA OUT.PETT $ 1. MATCHCAS.

DATA OUT.PETT $ 1. MATCHCAS.

DATA OUT.PETT $ 2. MATCHCAS.

DATA OUT.PETT $ 2. MATCHCAS.

DATA OUT.PETT $ 2. MATCHCAS.

DATA OUT.PETT $ 3. MATCHCAS.

DATA OUT.PETT $ 3. MATCHCAS.

DATA OUT.PETT $ 3. MACADAS.

DATA OUT.P
```

a of a

```
61. ELSE IF MCTLT = 'Y' THEN MCTLT = 'V';
62. IF ELSE IF MCTLT = 'Y' THEN MCTLT = 'V';
63. IF MSMP = 'N' THEN MSMP = 'V';
64. IF MSMP = 'N' THEN MSMP = 'V';
65. IF MGBRST = 'N' THEN MGBRST = 'V';
66. IF ARRAY = 'PAS' THEN MGBRST = 'G';
67. IF ARRAY = 'PAS' THEN BARRAY = 'G';
68. IF ARRAY = 'PAS' THEN BARRAY = 'G';
69. ELSE IF AARRAY = 'B' THEN BARRAY = 'G';
69. ELSE IF AARRAY = 'B' THEN BARRAY = 'G';
69. ELSE IF AARRAY = 'B' THEN BARRAY = 'G';
69. ELSE IF AARRAY = 'B' THEN BARRAY = 'G';
69. ELSE IF AARRAY = 'B' THEN BARRAY = 'G';
69. ELSE IF MARCSTAT = 'I' THEN MACSTAT = 'C';
60. IF MNACSTAT = 'I' THEN MBISTAT = 'S';
60. IF MBISTAT = 'I' THEN MBISTAT = 'S';
60. IF MBISTAT = 'I' THEN MBISTAT = 'S';
60. IF MDMSTUD = 'Y' THEN MDMSTUD = 'S';
60. IF MDMSTUD = 'Y' THEN MDMSTUD = 'S';
60. IF MDMSTUD = 'Y' THEN MDMSTUD = 'Y';
60. IF MCHOTIME > 'Z' THEN MDMSTUD = 'Y';
60. IF MCHOTIME > 'Z' THEN MCHOTIME - 'U';
60. IF MHITUITN = 'N' THEN MSCHIAID = 'Y';
60. IF MHITUITN = 'N' THEN MSCHIAID = 'Y';
60. IF MHITUITN = 'Y' THEN MSCHIAID = 'Y';
60. IF MHITUITN = 'Y' THEN MSCHIAID = 'Y';
61. IF MSCHIAID = 'Y' THEN MSCHIAID = 'Y';
62. MDGLIAID = 'Y' THEN MSCHIAID = 'Y';
63. MCHARLE = 'Y' THEN MSCHIAID = 'Y';
64. MDGLIAID = 'Y' THEN MSCHIAID = 'Y';
65. MCGRARS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS FILLER?
66. MCGRARS GPARMS GPARMS FILLER?
67. MCGRARS GPARMS GPARMS GPARMS FILLER?
68. MCGRARS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPAR
```

```
//KFDSD83 JOB (WRZ1,748,C,,1000), FU, REGION=6000K
/*CNTL ROTCTAPE, EXC
/*ROUTE XEQ TAPE
/*MESSAGE 084451,W
//*
SASFREQ.ROTCPERS.Y8321887 ON FILE45
/*UNNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB, DISP=SHR
//STEP1 EXEC SAS
//IN DD DSN=WRZ1KFD.COMM83, UNIT=FILE, VOL=SER=TMP005, DISP=SHR
//OUT DD DSN=WRZ1KFD.SASCOM83, UNIT=TAPE, VOL=SER=C84451, LABEL=(2,SL),
//SYSIN DD **
//SYSIN DD **
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     THIS PROGRAM CONVERTS THE RAW DATA SET WHICH HAS SCRAMBLED
SOCIAL SECURITY NUMBERS TO A SAS DATA SET. RECODES ARE PERFORMED
TO MAKE VARIABLES CONSISTENT ACROSS YEARS.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   MTRNVOL 2.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              . MWAIVER $
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          DATA OUT, FRESBY

ARRAY ARRYS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS GPARMS
```

```
61. IF MCTLT = 'N' THEN MCTLT = 'G';

62. ELSE IF MCTLT = 'R' THEN MCTLT = 'V';

64. IF MSMP = 'N' THEN MCTLT = 'V';

65. IF MSMP = 'N' THEN MSMP = 'V';

66. IF MGBRST = 'N' THEN MSMP = 'V';

67. ELSE IF MSMP = 'R' THEN MSMP = 'V';

68. DO OVER AARRAY;

69. IF AARRAY = 'B' THEN BARRAY = 'G';

70. ELSE IF AARRAY = 'B' THEN BARRAY = 'G';

71. ELSE IF AARRAY = 'B' THEN BARRAY = 'G';

72. ELSE IF AARRAY = 'B' THEN BARRAY = 'G';

73. ELSE IF AARRAY = 'B' THEN BARRAY = 'G';

74. IF MNACSTAT = 'Y' THEN MNACSTAT = 'S';

75. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

76. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

77. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

78. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

79. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

70. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

70. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

70. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

80. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

81. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

82. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

83. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

84. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

85. IF MSBISTAT = 'I' THEN MSBISTAT = 'S';

86. MSSISTAT = 'I' THEN MSSISTAT = 'S';

87. MCHOTIME = ''

88. MCHOTIME = ''

89. BOD ''

89. BOD ''

89. BOD ''

89. BOD ''

89. BOD ''

89. BOD ''

89. BOD ''

89. BOD ''

89. BOD ''

89. BOD '''

89. BOD '''

89. BOD '''

89. BOD ''''

89. BOD ''''
```

```
//KFDSD&4 JOB (WRZ1,748,C,,1000), FU, REGION=6000K
/*CNTL ROTCTAPE, EXC
/*ROUTE XEQ TAPE
/*MESSAGE 084451, W
//* SASFREQ.ROTCPERS.Y8421887 ON FILE45
/*UNNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB, DISP=SHR
//STEP1 EXEC SAS
//IN DD DSN=WRZ1KFD.COMM84, UNIT=FILE, VOL=SER=TMP005, DISP=SHR
//OUT DD DSN=WRZ1KFD.SASCOM84, UNIT=FAPE, VOL=SER=084451, LABEL=(3,SL),
//SYSIN DD **
//SYSIN DD **
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 HAS SCRAMBLED
RECODES ARE PERFORMED
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              MTRNVOL 2.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      ARAY AARRAY & GPAACUR GPARRUS GPARMS1 GPARMS1 GPAAMS2
GPARMS2 GPAAMS3 GPARMS4 GPARMS4 MGPARMS1 MGPARMS2
BRAY BARRAY MGPARUR MGPARCUR MGPARMS1 MGPARMS2
BRAY BARRAY MGPARUR MGPARUR MGPARMS1 MGPARMS1
INDURANS2 GFAAMS3 MGPARMS3 MGPARMS4, MGPARMS4,
INFILE IN,
INFILE IN,
INPUT MDELETE $ 1 MATCHCDD $CHAR9, MINSTH $ 6.

NREGION $ 1 MADSTAT $ 1 MINSTH $ 1. MGMITYPE $ 1.

MFROINT $ 1 MADSTAT $ 1 MINSTANDC $ 1. MTSCHALD $ 1.

MFROBATS $ 1 MTSCHLCAT $ 1 MINSTANDC $ 1.

MYRSAMI $ 1 MYRSAMS $ 1 MINSTX $ 6 MYRSAMIC $ 1.

MYRSAMI $ 1 MYRSAMS $ 1 MINSTX $ 2 MINITINSC $ 1.

MYRSAMI $ 1 MYRSAMS $ 1 MINDASTRY $ 2. MINITINSC $ 1.

MYRSAMI $ 2 MADSIS $ 1 MENDASTRY $ 2. MINITINSC $ 1.

MYRSAMI $ 2 MADOLS $ 1. MPDRYY $ 2. MIDBINY $ 2.

MELVYY $ 2 MELVMY $ 2. MELVMY $ 2. MCOMPY $ 2.

MENDBDD $ 2. MACADALS $ 1. MERMYY $ 2. MCAMPTAB $ 1.

MACADOOD $ 1 MINERMYY $ 2. MCAMPADY $ 2.

MACADOOD $ 1 MINSTAT $ 1. MINSTAM $ 1. MAGNADY $ 2.

MACADOOD $ 1 MINSTAT $ 1. MINSTAM $ 1. MACADD $ 2.

MACADOOD $ 1. MINTAT $ 1. MINTR $ 1. MCAMPTAB $ 1.

MATALLER $ 2. MACADAL $ 3. MACADD $ 2.

MACADOOD $ 1. MINTAT $ 1. MINTR $ 1. MCAMPTAB $ 1.

MINACSTAT $ 1. MREENTRY $ 2. MCEDMS2 $ 3.

MINACSTAT $ 1. MINTAT $ 1. MINTR $ 2. MCCOMPYY $ 2.

MINACSTAT $ 1. MINTAT $ 1. MINTR $ 2. MCCOMPYY $ 2.

MCREDMS3 $ 2. MCANAS $ 2. GPARMS3 $ 2.

MCREDMS3 $ 2. MCANAS $ 2. GPARMS3 $ 2.

MCREDMS4 $ 2. MCANAS $ 2. GPARMS3 $ 2. GPARMS4 $ 2. MCCOMPY $ 2.

MCREDMS4 $ 2. MCLOYY $ 2. MCLOWN $ 2. MCLODD $ 2.

MCHOWMMB $ 2. MINTD $ 1. MOMMED $ 1.

MCHOTON $ 1. MINT $ 3.

MCHONDOWN $ 2. MCLOYY $ 2. MCLOMB $ 2.

MCHONDOWN $ 2. MCLOYY $ 2. MCLOMB $ 2.

MCHONDOWN $ 2. MCLOYY $ 2. MCLOMB $ 2.

MCHONDOWN $ 2. MCLOYY $ 3.

MCHONDOWN $ 2. MCLOYY $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $ 3.

MCHONDOWN $
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 THIS PROGRAM CONVERTS THE RAW DATA SET WHICH SOCIAL SECURITY NUMBERS TO A SAS DATA SET. R
TO MAKE VARIABLES CONSISTENT ACROSS YEARS.
```

```
61. IF MCTLT = 'N' THEN MCTLT = 'G';

62. ELSE IF MCTLT = 'Y' THEN MCTLT = 'V';

64. IF MSMP = 'N' THEN MCTLT = 'V';

65. IF MSMP = 'N' THEN MCTLT = 'V';

66. IF MSMP = 'R' THEN MCTLT = 'V';

67. ELSE IF MSMP = 'R' THEN MSMP = 'V';

68. DO VOER AARRAY;

69. IF MGBRST = 'N' THEN MGBRST = 'G';

69. IF AARRAY = 'PAS' THEN BARRAY = 4;

61. ELSE IF AARRAY = 'B' THEN BARRAY = 4;

62. ELSE IF AARRAY = 'B' THEN BARRAY = 'S';

63. ELSE IF MARCATA = 'N' THEN BARRAY = 'S';

64. IF MNACSTAT = 'Y' THEN MNACSTAT = 'S';

65. IF MNACSTAT = 'Y' THEN MNASSTAT = 'S';

66. IF MNACSTAT = 'Y' THEN MNASSTAT = 'S';

67. IF MSBISTAT = 'Y' THEN MDMSTUD = 'S';

68. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

68. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

68. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

68. IF MCHOTIME > 'R' THEN MCSBJSMP = 'V';

68. MCONTRMM = MCHOTIME - MCONTRYY * 100;

68. MCONTRMM = MCHOTIME - MCONTRYY * 100;

68. MCHOTIME = 'S'

68. MCHOTIME = 'S'

68. MCHOTIME = 'S'

69. SARMSS GPARMSS GPARMSS

69. ORARSE FILLER! FILLERS;

69. YEAR-84;

69. PROC FREQ;
```

Service O Service Control

```
//KFDSD85 JOB (WRZ1,748,C,,1000),FU,REGION=6000K
/*CNTL ROTCTAPE,EXC
/*ROUTE XEQ TAPE
/*ROUTE XEQ TAPE
/*MESSAGE 084451,W
//* SASFREQ.ROTCPERS.Y8521887 ON FILE45
/*UNNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB,DISP=SHR
//STEP1 EXEC SAS
//IN DD DSN=WRZ1KFD.COMM85,UNIT=FILE,VOL=SER=TMP005,DISP=SHR
//OUT DD DSN=WRZ1KFD.SASCOM85,UNIT=TAPE,VOL=SER=084451,LABEL=(4,SL),
// DISP=(,KEP)
//SYSIN DD **
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              THIS PROGRAM CONVERTS THE RAW DATA SET WHICH HAS SCRAMBLED SOCIAL SECURITY NUMBERS TO A SAS DATA SET. RECODES ARE PERFORMED TO MAKE VARIABLES CONSISTENT ACROSS YEARS.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            1. MWAIVER $ 1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 DATA OUT, PERSAS;

BARAY ARRAY & GPAACUR GPARCUR GPARMS! GPARMS!

BARAY BARRAY & GPAACUR GPARCUR GPARMS!

GPARMS2 GPAAMS3 GPAACUR GPARMS4 GPARMS4;

BARAY BARRAY MGPARMS3 MGPARMS4 MGPARMS1 MGPARMS1

INFILE IN.

INFILE IN.

INFILE IN.

INFILE IN.

INFIDENCE & 1. MATCHCOD & CHAR9. MINSTH & 6.

MRCGION & 1. MANME & 27. MSCX % 1. MRACE % 1.

MRTSANIC & 1. MRCAMRD & 2. MHITUIIN & 1. MSCHLAID & 1.

MYRSANIC & 1. MRCAMRD & 2. MHITUIIN & 1. MRCANIC & 1.

MYRSANIS & 1. MRCANIS & 1. MRASANIC & 1. MRCANIC & 1.

MYRSANIS & 1. MRCANIS & 1. MRASANIC & 1. MRCANIS & 1.

MYRSANIS & 1. MRCANIS & 1. MRASANIC & 1. MRCANIS & 1.

MYRSANIS & 1. MRCANIS & 1. MRASANIC & 1. MRCANIS & 1.

MYRSANIS & 1. MRCANIS & 1. MRASANIC & 1. MRCANIS & 1.

MYRCANIS & 1. MRCANIS & 1. MRASANIC & 1. MRCANIS & 2.

MEDONDOD & 2. MACANIS & 2. MACANIM & 2. MBUNM & 2.

MACADOD & 1. MRCANIS & 1. MRASANIS & 1. MCANIS & 3.

MACADOD & 1. MRCANIS & 1. MRASANIS & 1. MCANIS & 3.

MACADON & 2. MACANIS & 1. MRASANIS & 1. MCANIS & 3.

MACADON & 2. MACANIS & 1. MRCANIS & 1. MCANIS & 3.

MACADON & 2. MACANIS & 3. MACANIS & 1. MCANIS & 3.

MACADON & 2. MACANIS & 3. MACANIS & 3. MSSATIO & 4.

MILANGID & 2. MRCANIS & 2. MRCENIS & 2. MSSATIO & 4.

MILANGID & 2. MCANIS & 3. MRCENIS & 3. MSSATIO & 4.

MILANGID & 2. MCANIS & 3. MRCENIS & 3. MSSATIO & 4.

MILANGID & 2. MCANIS & 3. MACHNIS & 1. MCOMMIN & 2.

MCREDIS & 2. MCANIS & 3. MCREDIS & 3. MCREDIS & 3.

MCREDIS & 3. MCHONIS & 3. MCHONIS & 3. MCHONIS & 4.

MCHONENY & 2. MCONIS & 3. MCHONIS & 3. MCHONIS & 3.

MCEDONS & 2. MCHONIS & 3. MCHONIS & 3. MCHONIS & 3.

MCHONIS & 3. MCHONIS & 3. MCHONIS & 3. MCHONIS & 3.

MCHONIS & 3. MCHONIS & 3. MCHONIS & 3. MCHONIS & 3.

MCHONIS & 3. MCHONIS & 3. MCHONIS & 3. MCHONIS & 3.

MCHONIS & 3. MCHONIS & 3. MCHONIS & 3. MCHONIS & 3.

MCHONIS & 3. MCHONIS & 3. MCHONIS & 3. MCHONIS & 3.

MCHONIS & 3. MCHONIS & 3. MCHONIS & 3. MCHONIS & 3.

MCHONIS & 3. MCHONIS & 3. MCHONIS & 3. MCHONIS & 3.

MCHONIS & 3. MCHONIS & 3. MCHONIS & 3.

MCHONIS & 3. MCHONIS & 3. MCHONIS & 3.

MCHONIS & 3. MCHONIS &
```

```
61. IF MCTLT = 'N' THEN MCTLT = '0';

62. ELSE IF MCTLT = 'R' THEN MCTLT = '';

64. ELSE IF MCTLT = 'Y' THEN MCTLT = '';

65. IF MSMP = 'N' THEN MSMP = 'G';

66. IF MSMP = 'N' THEN MSMP = 'V';

67. ELSE IF MSMP = 'R' THEN MSMST = 'V';

68. IF MGRST = 'Y' THEN MGBRST = 'G';

69. IF AARRAY = 'A' THEN BARRAY = 'A;

71. ELSE IF AARRAY = 'B' THEN BARRAY = 'A;

72. ELSE IF AARRAY = 'B' THEN BARRAY = 'A;

73. ELSE IF AARRAY = 'B' THEN BARRAY = 'A;

74. ELSE IF MNACSTAT = 'Y' THEN MNACSTAT = 'S';

75. IF MNACSTAT = 'Y' THEN MNACSTAT = 'S';

76. IF MSBISTAT = 'I' THEN MBSISTAT = 'S';

77. IF MSBISTAT = 'I' THEN MDSSIVD = 'S';

78. IF MSBISTAT = 'I' THEN MDSSIVD = 'S';

78. IF MSBISTAT = 'I' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

79. IF MDMSTUD = 'N' THEN MDMSTUD = 'S';

84. IF MCONTRYY < 2 THEN DMSTUD = 'S';

85. MCONTRYY < 2 THEN DMSTUD = 'S';

86. MDGTERE FILLER! FILLER? FILLER? FILLER? FILLER? FILLER? FILLER?

94. YEARS
```

```
SASTREW. NOTICE OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF TH
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    THIS PROGRAM MERGES ROTC CAMP DATA FROM 1982 THROUGH 1985,
DELETE DUPLICATE RECORDS, AND CREATES A MATCHED DATA SET
MITH THE OLRDB.
//KFDS825M JOB (MRZ1,748,C,1000,1000),FU,REGION=6000K
/*ROUTE XEQ TAPE
/*ROUTE XEQ MSS
/*ACCESS WTFFEPX
/*MESSAGE 084451;028610;058147,W;058436,W;058098,W;059674,W
/**
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           JATA C82;
SET IN82.PERS82;
DATA C83;
SET IN83.PERS83;
DATA C84;
SET IN84.PERS84;
DATA C85;
SET IN85.PERS85;
DATA C85;
SET IN85.PERS85;
DATA C85;
SET OUT.COMMALL;
SET C82 C83 C84 C85;
PROC SORT OUT-COMMALL;
SET C0TT.COMMALL;
SET OUTT.COMMALL;
SET OUTT.COMMALL;
SET OUTT.COMMALL;
SET OUTT.COMMALL;
SET OUTT.COMMALL;
SET OUTC.COMMALL;
SET OUTC.COMMALL;
SET IN.CORE;
DATA OUTS.CORMALLS(IN=COMMFLAG) INCORE(IN=COREFLAG);
MERGE OUT2.COMMALLS(IN=COMMFLAG) INCORE(IN=COREFLAG);
DROP MNAME YEAR OLDCODE;
IF COMMAME YEAR OLDCODE;
IF COMMANE YEAR OLDCODE;
MYEAR = YEAR;
PROC CONTENTS;
                                                               4422
44.
```

```
THIS PROGRAM LISTS FREQUECIES OF THE VARIABLES IN THE CAMP
DATA SET.
//EPXS825M JOB (WTFF,748,C,1000,1000),FU,REGION=6000K
/*ROUTE XEQ TAPE
/*MESSAGE 012896
//* SASFREQ.ROTCCOMM.Y8285.MATCH.FREQ ON FILE45
/*UNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB,DISP=SHR
//STEP1 EXEC SAS516
//IN DD DSN=WTFFEPX.SMTCOMM,UNIT=TAPE,DISP=OLD,VOL=SER=012896
//SYSIN DD **
                                                                                                                                                                                                                                                                                                                                                                                             MTRNVOL
                                                                                                                                                                                                     TRUC TREW DATA TABLE

TABLES

MINSTH

METHNIC MCADSTAT MMSCLASS MPGMTYPE

MSAWARD MYRSAWRD MHITUITN MSCHLAID

MPROBSTS MSCHLCAT MINSTX MYRSAMJC

MYRSAMI MYRSAHS MYRSANDC MYRSOMI

MYRSOMS MMPCLASS MMPASERV MDENSLOS

MMSCTERM MTERMYY MTERMMM MINITMSC

MYRSOMS MACADCLAS MPBYY MBLVMM

MELVYY MELVMM MDOBYY MDOBMM

MELVYY MELVMM MDOBYY MDOBMM

MACADCOD MSANDS MSCONDYY

MRCADCOD MSTATE MAUTHBR MCOMPRES

MATA124 MREENTRY MCAMPADY MCAMPTAB

MCTLT MSMP MGBRST MGRADYY

MGRADMM MACADMAJ MMAJCHNG

MGRADMM MACADMAJ MMAJCHNG

MGRADMM MACADMAJ MMAJCHNG

MGRADMM MACADMAJ MMAJCHNG

MMSSTAT MSBISTAT MTRF MLANGTD

MMSSTEST MSESS MEBITFRM MMAIVER

MDMSTUD MFLANGR MSACTTOT MSSATTOT

MMSSTEST MGPARMS MGPAAMSS

MGPARMS MGPAAMS MGPAAMSS

MGPARMS MGPAAMS MGPAAMS

MCHGCODE MSIPHOME MOLDSCLR

MCHGCODE MSIPHOME MOLDSCLR

MCHGCODE MSIPH MSATWATH

MYEAR * FLAGCORE;

MCCONTENTS DATA = IN.CORECOMM;
                                                                                                                                                                                                                                   MPRCHLAID
MYRSAMJC
MYRSOMI
MYRSOMI
WRRSOMI
MYRSOMI
MINITMSC
                                                                                                                                                                                             FREQ DATA=IN.CORECOMM;
ES MINSTH
SION MSEX MRACE
HNIC MCADSTAT MMSCLAS
```

TO THE PERSON OF

## PROCEDURE #7 - COMMISSION FILE ANALYZE RETENTION

```
- OLRDB DATA
//EPXSMRET JOB (WTFF,748),FU
/*ROUTE XEQ TAPE
/*MESSAGE 012896
//* SASFREQ.ROTCCOMM.Y8285.MATCH.RET ON FILE45
/*UNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB, DISP=SHR
//STEP1 EXEC SAS516
//IN DD DSN=WTFFEPX.SMTCOMM,UNIT=TAPE,DISP=OLD,VOL=SER=012896
//SYSIN DD **
                                                                                                                                                                                                                                                                                                                                                                                               BY SCHOLARSHIP STATUS - COMMISSION'
                                                                                                                  THIS PROGRAM INVOKES THE MATCHED COMMISSIONED SET AND DOES A RETENTION RATE ANALYSIS.
                                                                                                                                                                                      RETN8283 RETN8687
                                                                                                                                                                                                                                                                                                                                                         RETN8283
RETN8687
                                                                                                                                                                                     1933
1933
1933
1933
1933
1933
1933
                                                                                                                                      DATA;

DATA;

SET IN.CORECOMM;

SET IN.CORECOMM;

ELSE MSCH = 1;

LABEL RETN7980 = 'RETENTION RATE 19

RETN8182 = 'RETENTION RATE 19

RETN8283 = 'RETENTION RATE 19

RETN8283 = 'RETENTION RATE 19

RETN8384 = 'RETENTION RATE 19

RETN8586 = 'RETENTION RATE 19

RETN8586 = 'RETENTION RATE 19

RETN8588 = 'RETENTION RATE 19

RETN8588 = 'RETENTION RATE 19

RETN8589 = 'RETENTION RATE 19

MSCH = 'SCHOLARSHIP FLAG';

RETN8384 RETN8889;

PROC SORT; BY MSCH;

PROC MEANS ON MEAN SUU;

VAR RETN8384 RETN8889;

RETN8384 RETN8485 RETN8586 RET

RETN8384 RETN8485 RETN8586 RET

RETN8788 RETN8485 RETN8586 RET

RETN8788 RETN8485 RETN8586 RET

RETN8788 RETN8485 RETN8586 RET
```

```
- COMMISSION";
                                                                                                                                                                               OLRDB DATA
//EPXSMRET JOB (WTFF,748),FU
/*REDUTE XEQ TAPE
/*MESSAGE 012896
//* SASFREQ.ROTCCOMM.Y8285.MATCH.RET ON FILE45
/*UNUWBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB,DISP=SHR
//STEP1 EXEC SAS516
//IN DD DSN=WTFFEPX.SMTCOMM,UNIT=TAPE,DISP=0LD,VOL=SER=012896
//SYSIN DD **
                                                                                                                                                                                                         DATA;

DATA;

SET IN. CORECOMM;

SET IN. CORECOMM;

SET IN. CORECOMM;

LABEL RETN7980 = "RETENTION RATE 1979 TO 1980'

RETN8182 = "RETENTION RATE 1980 TO 1981'

RETN8182 = "RETENTION RATE 1981 TO 1982'

RETN8183 = "RETENTION RATE 1981 TO 1983'

RETN8185 = "RETENTION RATE 1985 TO 1985'

RETN8586 = "RETENTION RATE 1985 TO 1986'

RETN8589 = "RETENTION RATE 1986 TO 1987'

RETN8589 = "RETENTION RATE 1988 TO 1989'

RETN8589 = "RETENTION RATE 1988 TO 1989'

RETN8589 = "RETN8185 RETN8585 RETN8585

RETN8587 = "RETN8185 RETN8585 RETN8585

RETN8588 = "RETN8185 RETN8585 RETN8585

RETN8588 = "RETN8589 ;

PROC FREQ;

TABLES SPD * (RETN8589 / NOPERCENT NOROW NOCOL;

RETN8588 RETN8589 / NOPERCENT NOROW DESIGNATOR - CO
                                                                                                                                                                               THIS PROGRAM INVOKES THE MATCHED COMMISSIONED SET AND DOES A RETENTION RATE ANALYSIS.
```

- COMMISSION';

SEPARATION PROGRAM DESIGNATOR

BY

\*RETENTION RATES

```
OLRDB DATA
//EPXSMRET JOB (WTFF,748),FU
/*ROUTE XEQ TAPE
/*MESSAGE 012896
/*
**SASFREQ.ROTCCOMM.Y8285.MATCH.RET3 ON FILE45
/*UNUMBERED
//PROCLIB DD DSN=ZABCRUN.PROCLIB,DISP=SHR
//STEP1 EXEC SAS516
//IN DD DSN=WTFFEPX.SMTCOMM,UNIT=TAPE,DISP=OLD,VOL=SER=012896
//SYSIN DD **
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       DATA;

DATA;

SET IN.CORECOMM;

IF MSAWARD = 0 THEN MSCH = 0;

ELSE MSCH = 1;

ELSE MSCH = 1;

ELSE MSCH = 1;

ELSE MSCH = 1;

ELSE MSCH = 1;

ELSE MSCH = 1;

ELSE MSCH = 1;

ELSE MSCH = 1;

ELSE MSCH = 1;

ELSE MSCH = 1;

RETN8.081 = 'RETENTION RATE 1980 TO 1980'

RETN8.283 = 'RETENTION RATE 1982 TO 1983'

RETN8.485 = 'RETENTION RATE 1985 TO 1986'

RETN8.685 = 'RETENTION RATE 1985 TO 1986'

RETN8.685 = 'RETENTION RATE 1985 TO 1988'

RETN8.689 = 'RETENTION RATE 1986 TO 1989'

RETN8.689 = 'RETENTION RATE 1985 TO 1988'

RETN8.689 = 'RETENTION RATE 1986 TO 1989'

RETN8.689 = 'RETENTION RATE 1986 TO 1989'

RETN8.689 = 'RETENTION RATE 1986 TO 1988'

RETN8.689 = 'RETENTION RATE 1986 TO 1988'

RETN8.689 = 'RETRN8.687 RETN8.687  AT NOCOUL;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         THIS PROGRAM INVOKES THE MATCHED COMMISSIONED SET AND DOES A RETENTION RATE ANALYSIS.
                                                                                                                  MANAMANAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CORRAPAN CO
```